

# SAFETY DATA SHEET

Issuing date 02-Nov-2011 Revision Date 03-Nov-2014 Version 1

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product name Swisher Oven Clean

Other means of identification

 Product Code
 40016-32OZ

 UN/ID No
 UN1719

**Document** 40016-1/40016-32OZ

Recommended use of the chemical and restrictions on use

Recommended use Thickened Oven and Grill Foam Cleaner

# Details of the supplier of the safety data sheet

**Distributor** 

Swisher Hygiene Inc. 4725 Piedmont Row Drive Suite 400 Charlotte, NC 28210

Emergency telephone number

24 Hour Emergency Phone Number CHEMTREC: 1-800-424-9300 (NORTH AMERICA)

1-703-527-3887 (INTERNATIONAL)

Company Phone Number 800-444-4138

# 2. HAZARDS IDENTIFICATION

### Classification

# **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 1 Sub-category A
Serious eye damage/eye irritation	Category 1
Corrosive to metals	Category 3

### Label elements

#### **Emergency Overview**

# Danger

### **Hazard Statements**

Causes severe skin burns and eye damage



Appearance Transparent Physical state Liquid Odor Mild Lemon

#### **Precautionary Statements - Prevention**

- Do not breathe dust/fume/gas/mist/vapors/spray
- · Wash face, hands and any exposed skin thoroughly after handling
- Wear protective gloves/protective clothing/eye protection/face protection

#### **Precautionary Statements - Response**

- Immediately call a POISON CENTER or doctor/physician
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- · Wash contaminated clothing before reuse
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

#### **Precautionary Statements - Storage**

Store locked up

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

# Hazards not otherwise classified (HNOC)

#### Other information

**Unknown Acute Toxicity** 

3% of the mixture consists of ingredient(s) of unknown toxicity

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Chemical Name	CAS-No	Weight-%	Trade Secret
Sodium hydroxide	1310-73-2	5% - 20%	*
Diethylene glycol monobutyl ether	112-34-5	1% - 10%	*

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

### 4. FIRST AID MEASURES

# First aid measures for different exposure routes

**General advice** Show this safety data sheet to the doctor in attendance.

**Eye contact** Immediately flush eye with plenty of cool, running water. Remove contact lenses if

applicable, and continue flushing for at least 15 minutes, holding eyelids apart to ensure

thorough rinsing of the entire eye. GET IMMEDIATE MEDICAL ATTENTION.

**Skin contact** Immediately flush skin with plenty of water for at least 15 minutes while removing

contaminated clothing and shoes. Call a physician, immediately. Wash clothing before

re-use.

**Inhalation** If qualified give oxygen or artificial respiration as needed.

**Ingestion** DO NOT induce vomiting. Give large amounts of water if victim is conscious. Never give

anything by mouth to an unconscious person. Get medical attention immediately.

Protection of First-aiders Do not use mouth-to-mouth method if victim ingested or inhaled the substance; induce

artificial respiration with the aid of a pocket mask equipped with a one-way valve or other

proper respiratory medical device.

#### Most important symptoms/effects, acute and delayed

Main Symptoms The most important known symptoms and effects are described in the labelling in section 2

and/or in section 11.

# Indication of immediate medical attention and special treatment needed, if necessary

**Notes to physician** Probable mucosal damage may contraindicate the use of gastric lavage.

#### 5. FIRE-FIGHTING MEASURES

#### **Suitable Extinguishing Media**

Use water spray or fog, foam, dry chemical, carbon dioxide, alcohol foam, if product is involved.

Unsuitable Extinguishing Media CAUTION: Use of water spray when fighting fire may be inefficient.

#### Specific hazards arising from the chemical

Use water spray to cool adjacent fire exposed containers. Product will not burn but may splatter if temperature exceeds boiling point. Prolonged contact of solutions of this product with aluminum and other soft metals may release flammable hydrogen gas.

**Hazardous Combustion** 

**Products** 

If burned, normal combustion products: Carbon dioxide, Carbon monoxide; Nitrogen oxides.

**Explosion Data** 

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

#### **Protective Equipment and Precautions for Firefighters**

This product contains alcohols which will reduce the effectiveness of normal foam. Use alcohol-resistant foam instead.

# 6. ACCIDENTAL RELEASE MEASURES

# Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes and clothing. Use personal protective equipment. Avoid

breathing dust/fume/gas/mist/vapors/spray.

Environmental precautions

Environmental precautions Neutralization is normally necessary before waste water is discharged into water treatment

plants. See Section 12 for additional Ecological Information.

#### Methods and materials for containment and cleaning up

Methods for Containment Neutralize with dilute acid or sodium bicarbonate.

Methods for cleaning up Mop up & flush neutralized material to sewer with plenty of water.

# 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on safe handling Use good personal hygiene practices. Wash hands before eating, drinking, smoking, or

using toilet facilities. Wash thoroughly after work using soap and water. Do not eat, drink or

smoke when using this product.

#### Conditions for safe storage, including any incompatibilities

Technical measures/Storage

conditions

Avoid all contact. Store upright in original closed container. Keep container in cool

well-ventilated area. Keep container tightly closed. Store away from incompatible materials.

Keep out of the reach of children.

Incompatible products Strong acids, reactive metals (i.e. aluminum or zinc). Strong Oxidizers

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

Review Section 3 & 4 for Exposure Guidelines. **Exposure Guidelines** 

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Sodium hydroxide	-	TWA: 2 mg/m <sup>3</sup>	IDLH: 10 mg/m <sup>3</sup>
1310-73-2		-	Ceiling: 2 mg/m <sup>3</sup>
Diethylene glycol monobutyl ether	TWA: 10 ppm inhalable fraction	-	-
112-34-5	and vapor		

NIOSH IDLH: Immediately Dangerous to Life or Health

#### Appropriate engineering controls

**Engineering Measures** Ensure adequate ventilation and that running water is available for washing eyes and skin Individual protection measures, such as personal protective equipment

**Eye/Face Protection** Splash-proof chemical goggles or face shield.

Skin and body protection Impervious rubber, alkali-proof protective gloves. Impervious rubber boots & apron..

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

Hygiene measures Remove and wash contaminated clothing before re-use.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Physical and chemical properties

Physical state

Liquid **Appearance** Transparent Color

Colorless

**Odor Threshold** 

No information available

Mild Lemon

Odor

Remarks • Methods **Property** Values

13 4

Melting/freezing point No information available Boiling point/boiling range 100 °C 212 °F

Flash Point No information available

Evaporation rate GT 1.00

Flammability (solid, gas) No information available

Flammability Limits in Air

Upper flammability limitNo information availableLower flammability limitNo information available

Vapor pressure 17 Vapor density 0.62 Specific Gravity 1.08

Water solubility Completely Soluble Solubility in other solvents No information available Partition coefficient: n-octanol/waterNo information available **Autoignition temperature** No information available **Decomposition temperature** No information available Viscosity, kinematic No information available Viscosity, dynamic No information available **Explosive properties** No information available **Oxidizing Properties** No information available

#### **Other information**

Softening point No information available Molecular Weight No information available

VOC Content(%) 2% Density VALUE 9.2

Bulk Density VALUE No information available

# 10. STABILITY AND REACTIVITY

#### **Chemical stability**

Stable.

#### Possibility of hazardous reactions

None under normal processing.

#### **Conditions to Avoid**

Extremes of temperature and direct sunlight.

#### **Incompatible Materials**

Strong acids, reactive metals (i.e. aluminum or zinc). Strong Oxidizers

### **Hazardous Decomposition Products**

If burned, normal combustion products: Carbon dioxide, Carbon monoxide; Nitrogen oxides. Hydrogen gas in contact with some metals.

### 11. TOXICOLOGICAL INFORMATION

# Information on likely routes of exposure

**Product Information** Harmful by inhalation, in contact with skin and if swallowed.

**Inhalation** Corrosive to respiratory system. May cause drowsiness or dizziness.

**Eye contact** Corrosive to the eyes and may cause severe damage including blindness.

Skin contact Causes burns.

Ingestion Causes gastrointestinal tract burns. Causes severe pain, nausea, vomiting, diarrhea, and

shock.

Chemical Name Oral LD50 Dermal LD50 LC50 Inhalation
---

Sodium hydroxide 1310-73-2	140 mg/kg (Rat)	= 1350 mg/kg (Rabbit)	-
Diethylene glycol monobutyl ether 112-34-5	= 3384 mg/kg (Rat)	= 2700 mg/kg (Rabbit)	-

### Information on toxicological effects

**Symptoms** No information available.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

SensitizationNo information available.Mutagenic effectsNo information available.

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

ACGIH: (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC: (International Agency for Research on Cancer)
Group 3 - Not Classifiable as to Carcinogenicity in Humans

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
No information available.
No information available.

**Chronic toxicity** Avoid repeated exposure. No information available.

**Aspiration hazard** No information available.

### Numerical measures of toxicity - Product Information

Unknown Acute Toxicity 3% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document ...

 ATEmix (oral)
 3005 mg/kg

 ATEmix (dermal)
 9643 mg/kg

 ATEmix (inhalation-gas)
 35000 mg/l

 ATEmix (inhalation-dust/mist)
 75 mg/l

 ATEmix (inhalation-vapor)
 22500 mg/l

# 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

3% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aguatic plants	Fish	Crustacea
Chemical Name	Algae/aqualic plants	ГІЗП	Crustacea
Sodium hydroxide	-	45.4: 96 h Oncorhynchus mykiss	-
1310-73-2		mg/L LC50 static	
Diethylene glycol monobutyl ether	100: 96 h Desmodesmus	1300: 96 h Lepomis macrochirus	2850: 24 h Daphnia magna mg/L
112-34-5	subspicatus mg/L EC50	mg/L LC50 static	EC50 >100: 48 h Daphnia magna
			mg/L EC50

### Persistence and degradability

No information available.

#### **Bioaccumulation**

No information available.

Other adverse effects No information available

# 13. DISPOSAL CONSIDERATIONS

Waste treatment

Waste Disposal Methods Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
Sodium hydroxide	Toxic Corrosive
1310-73-2	

# 14. TRANSPORT INFORMATION

Note Ltd Qty - Liquids - 1-liter or Less/ Solids 2.2 lbs or less

DOT Regulated **UN/ID No** UN1719

Proper shipping name Caustic Alkali Liquid, n.o.s. (Sodium Hydroxide)

**Hazard class Packing Group** Ш

Reportable Quantity (RQ) LTD QTY **Emergency Response Guide** 154

Number

**UN/ID No** UN1719 Hazard class 8 Packing Group Ш EmS No. F-A S-B

# 15. REGULATORY INFORMATION

**International Inventories** 

**TSCA** Complies **DSL/NDSL EINECS/ELINCS ENCS IECSC** Complies

**KECL** 

**PICCS** Complies **AICS** Complies

Legend:

TSCA - All components of this product are listed or are exempt or excluded from listing on the United States Toxic Substances Control Act Section 8(b) Inventory.

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

### U.S. Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

emical Name SARA 313 - Threshold Values %	
Diethylene glycol monobutyl ether - 112-34-5	1.0
SARA 311/312 Hazard Categories	

Acute Health Hazard Yes
Chronic Health Hazard no
Fire Hazard no
Sudden Release of Pressure Hazard no
Reactive Hazard Yes

### **Clean Water Act**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium hydroxide 1310-73-2	1000 lb	-	-	X

#### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Sodium hydroxide 1310-73-2	1000 lb	-	RQ 1000 lb final RQ RQ 454 kg final RQ

### U.S. State Regulations

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

# U.S. State Right-to-Know Regulations

This product contains substances regulated by state right-to-know regulations.

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Sodium hydroxide	X	X	X
1310-73-2			
Diethylene glycol monobutyl ether	X	-	X
112-34-5			

### **U.S. EPA Label Information**

**EPA Pesticide Registration Number** Not applicable

# 16. OTHER INFORMATION

NFPAHealth Hazards3Flammability0Instability0Physical and chemical hazardsCORHMISHealth hazard3Flammability0Physical Hazards0Personal protectionD

**Prepared By** Swisher Hygiene Inc.

4725 Piedmont Row Drive

Suite 400

Charlotte, NC 28210

Issuing date 02-Nov-2011 Revision Date 03-Nov-2014

Revision Note

1

#### Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**