

# **HEAVY DUTY ACID LC-30**

#### **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : HEAVY DUTY ACID LC-30

Other means of identification : Not applicable

Recommended use : Cleaning product

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : 2.4 %

Company : Ecolab Inc.

1 Ecolab Place

St. Paul, Minnesota USA 55102

1-800-352-5326

Emergency health

information

1-800-328-0026 (US/Canada), 1-651-222-5352 (outside US)

Issuing date : 10/23/2017

#### **SECTION 2. HAZARDS IDENTIFICATION**

#### **GHS Classification**

**Product AS SOLD** 

Acute toxicity (Inhalation) : Category 4
Skin corrosion : Category 1A
Serious eye damage : Category 1

**Product AT USE DILUTION** 

Skin corrosion : Category 1 Serious eye damage : Category 1

#### **GHS** label elements

**Product AS SOLD** 

Hazard pictograms





Signal Word : Danger

Hazard Statements : Causes severe skin burns and eye damage.

Harmful if inhaled.

Precautionary Statements : **Prevention:** 

Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray. Wash skin thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/ protective clothing/ eye protection/ face

protection. **Response:** 

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep

comfortable for breathing. Immediately call a POISON

912809-01 1 / 11

#### **HEAVY DUTY ACID LC-30**

CENTER/doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Wash contaminated clothing before reuse.

Storage:

Store locked up.

Disposal:

Dispose of contents/ container to an approved waste disposal plant.

**Product AT USE DILUTION** 

Hazard pictograms

Signal Word : Danger

Hazard Statements : Causes severe skin burns and eye damage.

Precautionary Statements : Prevention:

Wash skin thoroughly after handling. Wear protective gloves/

protective clothing/ eye protection/ face protection.

Response:

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep

comfortable for breathing. Immediately call a POISON

CENTER/doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing. Immediately call a POISON CENTER/doctor. Wash

contaminated clothing before reuse.

Storage: Store locked up. Disposal:

Dispose of contents/ container to an approved waste disposal plant.

**Product AS SOLD** 

Other hazards : Do not mix with bleach or other chlorinated products – will cause

chlorine gas.

# **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

**Product AS SOLD** 

Pure substance/mixture : Mixture

Chemical name CAS-No. Concentration (%)

 Phosphoric acid
 7664-38-2
 10 - 30

 methanesulphonic acid
 75-75-2
 1 - 5

 alcohols, c10-14, ethoxylated
 66455-15-0
 1 - 5

**Product AT USE DILUTION** 

No hazardous ingredients

# **SECTION 4. FIRST AID MEASURES**

**Product AS SOLD** 

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at

912809-01 2 / 11

#### **HEAVY DUTY ACID LC-30**

least 15 minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Get medical attention immediately.

: Wash off immediately with plenty of water for at least 15 minutes. Use In case of skin contact

a mild soap if available. Wash clothing before reuse. Thoroughly clean

shoes before reuse. Get medical attention immediately.

If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give

anything by mouth to an unconscious person. Get medical attention

immediately.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention.

Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal

protective equipment.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and

delayed

: See Section 11 for more detailed information on health effects and

symptoms.

**Product AT USE DILUTION** 

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Get medical attention immediately.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use

a mild soap if available. Wash clothing before reuse. Thoroughly clean

shoes before reuse. Get medical attention immediately.

If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give

anything by mouth to an unconscious person. Get medical attention

immediately.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if

symptoms occur.

#### **SECTION 5. FIRE-FIGHTING MEASURES**

**Product AS SOLD** 

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable extinguishing

media

: None known.

Specific hazards during fire

fighting

: Not flammable or combustible.

Hazardous combustion

products

: Decomposition products may include the following materials:

Carbon oxides

Nitrogen oxides (NOx)

Sulfur oxides

Oxides of phosphorus

for fire-fighters

Special protective equipment : Use personal protective equipment.

912809-01 3/11

# **HEAVY DUTY ACID LC-30**

Specific extinguishing methods

: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

#### **Product AS SOLD**

Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

**Environmental precautions** 

: Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up

: Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

#### **Product AT USE DILUTION**

Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

Environmental precautions

: Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up

: Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

#### **SECTION 7. HANDLING AND STORAGE**

#### **Product AS SOLD**

Advice on safe handling

: Do not ingest. Do not get in eyes, on skin, or on clothing. Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Use only with adequate ventilation. Wash hands thoroughly after handling. Do not mix with bleach or other chlorinated products – will cause chlorine gas.

Conditions for safe storage

: Keep away from strong bases. Keep out of reach of children. Store in suitable labeled containers.

: -15 °C to 45 °C

#### **Product AT USE DILUTION**

Advice on safe handling

Storage temperature

: Do not ingest. Do not get in eyes, on skin, or on clothing. Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Use only with adequate ventilation. Wash hands thoroughly after handling.

912809-01 4 / 11

# **HEAVY DUTY ACID LC-30**

Conditions for safe storage : Keep out of reach of children. Store in suitable labeled containers.

# **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### **Product AS SOLD**

#### Ingredients with workplace control parameters

Ingredients	CAS-No.	Form of exposure	Permissible concentration	Basis
Phosphoric acid	7664-38-2	TWA	1 mg/m3	ACGIH
		STEL	3 mg/m3	ACGIH
		TWA	1 mg/m3	NIOSH REL
		STEL	3 mg/m3	NIOSH REL
		TWA	1 mg/m3	OSHA Z1

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations

below occupational exposure standards.

Personal protective equipment

Eye protection : Wear eye protection/ face protection.

Hand protection : Wear the following personal protective equipment:

Standard glove type.

Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Skin protection : Personal protective equipment comprising: suitable protective gloves,

safety goggles and protective clothing

Respiratory protection : When workers are facing concentrations above the exposure limit they

must use appropriate certified respirators.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes

and body in case of contact or splash hazard.

**Product AT USE DILUTION** 

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations

below occupational exposure standards.

Personal protective equipment

Eye protection : Wear eye protection/ face protection.

Hand protection : Wear the following personal protective equipment:

Standard glove type.

Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Skin protection : Personal protective equipment comprising: suitable protective gloves,

safety goggles and protective clothing

Respiratory protection : When workers are facing concentrations above the exposure limit they

must use appropriate certified respirators.

912809-01 5 / 11

# **HEAVY DUTY ACID LC-30**

# SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Product AS SOLD Product AT USE DILUTION

Appearance : liquid liquid

Color : clear, brown colorless

Odor : slight odorless

pH : 0.5 - 1.5, (100 %) 1.4 - 2.4

Flash point : Not applicable, Does not sustain combustion.

Odor Threshold : No data available

Melting point/freezing point : No data available

Initial boiling point and

boiling range

: > 100 °C

Evaporation rate : No data available
Flammability (solid, gas) : No data available
Upper explosion limit : No data available
Lower explosion limit : No data available
Vapor pressure : No data available
Relative vapor density : No data available
Relative density : 1.165 - 1.205

Water solubility : soluble

Solubility in other solvents : No data available Partition coefficient: n- : No data available

octanol/water

Autoignition temperature : No data available
Thermal decomposition : No data available
Viscosity, kinematic : No data available
Explosive properties : No data available
Oxidizing properties : No data available
Molecular weight : No data available
VOC : No data available

# **SECTION 10. STABILITY AND REACTIVITY**

**Product AS SOLD** 

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

: Do not mix with bleach or other chlorinated products – will cause

chlorine gas.

Conditions to avoid : None known.

Incompatible materials : Bases

Metals

Organic materials

Hazardous decomposition : Decomposition products may include the following materials:

912809-01 6 / 11

# **HEAVY DUTY ACID LC-30**

products Carbon oxides

Nitrogen oxides (NOx)

Sulfur oxides

Oxides of phosphorus

# **SECTION 11. TOXICOLOGICAL INFORMATION**

exposure

Information on likely routes of : Inhalation, Eye contact, Skin contact

**Potential Health Effects** 

**Product AS SOLD** 

Eyes : Causes serious eye damage.

Skin : Causes severe skin burns.

Ingestion : Causes digestive tract burns.

Inhalation : Harmful if inhaled. May cause nose, throat, and lung irritation.

Chronic Exposure : Health injuries are not known or expected under normal use.

**Product AT USE DILUTION** 

Eyes : Causes serious eye damage.

Skin : Causes severe skin burns.

Ingestion : Causes digestive tract burns.

Inhalation : May cause nose, throat, and lung irritation.

Chronic Exposure : Health injuries are not known or expected under normal use.

#### **Experience with human exposure**

**Product AS SOLD** 

Eye contact : Redness, Pain, Corrosion

Skin contact : Redness, Pain, Corrosion

Ingestion : Corrosion, Abdominal pain

Inhalation : Respiratory irritation, Cough

**Product AT USE DILUTION** 

Eye contact : Redness, Pain, Corrosion

Skin contact : Redness, Pain, Corrosion

Ingestion : Corrosion, Abdominal pain

Inhalation : Respiratory irritation, Cough

**Toxicity** 

**Product AS SOLD** 

**Product** 

Acute oral toxicity : Acute toxicity estimate : 4,305 mg/kg

912809-01 7/11

# **HEAVY DUTY ACID LC-30**

Acute inhalation toxicity : 4 h Acute toxicity estimate : 3.54 mg/l

Test atmosphere: dust/mist

: Acute toxicity estimate : > 5,000 mg/kg Acute dermal toxicity

Skin corrosion/irritation : No data available Serious eye damage/eye : No data available

irritation

: No data available Respiratory or skin

sensitization

Carcinogenicity : No data available Reproductive effects : No data available Germ cell mutagenicity : No data available Teratogenicity : No data available STOT-single exposure : No data available STOT-repeated exposure : No data available Aspiration toxicity : No data available

#### **SECTION 12. ECOLOGICAL INFORMATION**

**Product AS SOLD Ecotoxicity** 

**Environmental Effects** : Harmful to aquatic life.

**Product** 

Toxicity to fish : No data available Toxicity to daphnia and other : No data available aquatic invertebrates

Toxicity to algae : No data available

Ingredients

: alcohols, c10-14, ethoxylated Toxicity to fish

96 h LC50 Fish: 1.125 mg/l

Ingredients

Toxicity to daphnia and other : Phosphoric acid

aquatic invertebrates 48 h EC50 Daphnia magna (Water flea): > 100 mg/l

> methanesulphonic acid 48 h EC50 Daphnia: 70 mg/l

Ingredients

Toxicity to algae : Phosphoric acid

72 h EC50 Desmodesmus subspicatus (green algae): > 100 mg/l

Persistence and degradability

**Product AS SOLD** 

Readily biodegradable.

**Product AT USE DILUTION** 

Readily biodegradable.

912809-01 8/11

#### **HEAVY DUTY ACID LC-30**

#### Bioaccumulative potential

No data available

# Mobility in soil

No data available

#### Other adverse effects

No data available

# **SECTION 13. DISPOSAL CONSIDERATIONS**

**Product AS SOLD** 

Disposal methods : Do not contaminate ponds, waterways or ditches with chemical or

used container. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste

disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to

an approved waste handling site for recycling or disposal. Do not reuse empty containers. Dispose of in accordance with local, state, and

federal regulations.

RCRA - Resource

Conservation and Recovery Authorization Act Hazardous

waste

: D002 (Corrosive)

# **Product AT USE DILUTION**

Disposal methods : Where possible recycling is preferred to disposal or incineration. If

recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to

an approved waste handling site for recycling or disposal. Do not reuse empty containers. Dispose of in accordance with local, state, and

federal regulations.

#### **SECTION 14. TRANSPORT INFORMATION**

#### **Product AS SOLD**

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (DOT)

UN number : 1805

Description of the goods : Phosphoric acid solution

Class : 8
Packing group : III
Environmentally hazardous : no

Sea transport (IMDG/IMO)

UN number : 1805

Description of the goods : PHOSPHORIC ACID SOLUTION

912809-01 9 / 11

# **HEAVY DUTY ACID LC-30**

Class : 8
Packing group : III
Marine pollutant : no

#### **SECTION 15. REGULATORY INFORMATION**

#### **Product AS SOLD**

#### **EPCRA - Emergency Planning and Community Right-to-Know**

#### **CERCLA Reportable Quantity**

Ingredients	CAS-No.	Component RQ (lbs)	Calculated product RQ
			(lbs)
Phosphoric acid	7664-38-2	5000	18416

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Acute Health Hazard

SARA 302 : No chemicals in this material are subject to the reporting requirements

of SARA Title III, Section 302.

SARA 313 : This material does not contain any chemical components with known

CAS numbers that exceed the threshold (De Minimis) reporting levels

established by SARA Title III, Section 313.

#### California Prop 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

#### The ingredients of this product are reported in the following inventories:

#### **United States TSCA Inventory:**

On TSCA Inventory

#### Canadian Domestic Substances List (DSL):

All components of this product are on the Canadian DSL

# Australia Inventory of Chemical Substances (AICS):

On the inventory, or in compliance with the inventory

#### New Zealand. Inventory of Chemical Substances:

On the inventory, or in compliance with the inventory

#### Japan. ENCS - Existing and New Chemical Substances Inventory:

On the inventory, or in compliance with the inventory

# Korea. Korean Existing Chemicals Inventory (KECI):

On the inventory, or in compliance with the inventory

#### Philippines Inventory of Chemicals and Chemical Substances (PICCS):

On the inventory, or in compliance with the inventory

# China. Inventory of Existing Chemical Substances in China (IECSC):

On the inventory, or in compliance with the inventory

#### **Taiwan Chemical Substance Inventory:**


On the inventory, or in compliance with the inventory

912809-01 10 / 11

# **HEAVY DUTY ACID LC-30**

# **SECTION 16. OTHER INFORMATION**

# Product AS SOLD NFPA:



#### HMIS III:

HEALTH	3
FLAMMABILITY	0
PHYSICAL HAZARD	0

- 0 = not significant, 1 = Slight, 2 = Moderate, 3 = High
- 2 = Moderate, 3 = High 4 = Extreme, \* = Chronic

# Product AT USE DILUTION NFPA: Flammability HEALTH 3 FLAMMABILITY 0 PHYSICAL HAZARD 0 0 = not significant, 1 = Slight, 2 = Moderate, 3 = High 4 = Extreme, \* = Chronic

Issuing date : 10/23/2017

Version : 1.1

Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

912809-01 11 / 11