

# **SOLID SOILITE**

## **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : SOLID SOILITE

Other means of identification : Not applicable

Recommended use : Machine Warewashing Detergent

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : 0.08 % - 0.2 %

Company : Ecolab Inc.

1 Ecolab Place

St. Paul, Minnesota USA 55102

1-800-352-5326

Emergency health

information

1-800-328-0026 (US/Canada), 1-651-222-5352 (outside US)

Issuing date : 12/15/2020

## **SECTION 2. HAZARDS IDENTIFICATION**

#### **GHS Classification**

**Product AS SOLD** 

Skin corrosion : Category 1A Serious eye damage : Category 1

#### **Product AT USE DILUTION**

Not a hazardous substance or mixture.

#### **GHS** label elements

# **Product AS SOLD**

Hazard pictograms



Signal Word : Danger

Hazard Statements : Causes severe skin burns and eye damage.

Precautionary Statements : Prevention:

Do not breathe dusts or mists. Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face

protection. Response:

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Wash contaminated

clothing before reuse.

914100-05 1 / 11

## SOLID SOILITE

Storage:

Store locked up. **Disposal:** 

Dispose of contents/ container to an approved waste disposal plant.

**Product AT USE DILUTION** 

**Precautionary Statements** 

: Prevention:

Wash hands thoroughly after handling.

Response:

Get medical advice/ attention if you feel unwell.

Storage:

Store in accordance with local regulations.

**Product AS SOLD** 

Other hazards : None known.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

**Product AS SOLD** 

Pure substance/mixture : Mixture

Chemical name CAS-No. Concentration (%)

 Sodium hydroxide
 1310-73-2
 30 - 60

 Sodium Carbonate
 497-19-8
 10 - 30

 oxirane, methyl-, polymer with oxirane
 9003-11-6
 1 - 5

#### **Product AT USE DILUTION**

No hazardous ingredients

# **SECTION 4. FIRST AID MEASURES**

**Product AS SOLD** 

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Get medical attention immediately.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes.

Wash clothing before reuse. Thoroughly clean shoes before reuse.

Get medical attention immediately.

If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give

anything by mouth to an unconscious person. Get medical attention

immediately.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if

symptoms occur.

Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal

protective equipment.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and

delayed

: See Section 11 for more detailed information on health effects and

symptoms.

## **Product AT USE DILUTION**

914100-05 2 / 11

# SOLID SOILITE

In case of eye contact Rinse with plenty of water.

In case of skin contact : Rinse with plenty of water.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

If inhaled : Get medical attention if symptoms occur.

## **SECTION 5. FIRE-FIGHTING MEASURES**

**Product AS SOLD** 

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable extinguishing

media

: None known.

Specific hazards during fire

fighting

: Not flammable or combustible.

Hazardous combustion

products

: Decomposition products may include the following materials:

Carbon oxides Sulfur oxides

for fire-fighters

Special protective equipment : Use personal protective equipment.

Specific extinguishing

methods

: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire

and/or explosion do not breathe fumes.

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

#### **Product AS SOLD**

Personal precautions, protective equipment and emergency procedures

: Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures

listed in sections 7 and 8.

**Environmental precautions** : Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up : Sweep up and shovel into suitable containers for disposal.

# **Product AT USE DILUTION**

Personal precautions, protective equipment and emergency procedures

: Refer to protective measures listed in sections 7 and 8.

**Environmental precautions** : No special environmental precautions required.

Methods and materials for containment and cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with noncombustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain

914100-05 3/11

## SOLID SOILITE

material to ensure runoff does not reach a waterway.

## **SECTION 7. HANDLING AND STORAGE**

**Product AS SOLD** 

Advice on safe handling : Do not ingest. Do not get in eyes, on skin, or on clothing. Do not

breathe dust/ fume/ gas/ mist/ vapors/ spray. Use only with adequate ventilation. Wash hands thoroughly after handling. In case of mechanical malfunction, or if in contact with unknown dilution of

product, wear full Personal Protective Equipment (PPE).

Conditions for safe storage : Do not store near acids. Keep out of reach of children. Store in

suitable labeled containers.

Storage temperature : -10 °C to 50 °C

**Product AT USE DILUTION** 

Advice on safe handling : Wash hands after handling. In case of mechanical malfunction, or if in

contact with unknown dilution of product, wear full Personal Protective

Equipment (PPE). For personal protection see section 8.

Conditions for safe storage : Keep out of reach of children. Store in suitable labeled containers.

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

# Product AS SOLD Ingredients with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
sodium hydroxide	1310-73-2	Ceiling	2 mg/m3	ACGIH
		Ceiling	2 mg/m3	NIOSH REL
		TWA	2 mg/m3	OSHA Z1

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations

below occupational exposure standards.

## Personal protective equipment

Eye protection : Due to the form and packaging of the product, no protective

equipment is needed under normal use conditions.

Hand protection : Due to the form and packaging of the product, no protective

equipment is needed under normal use conditions.

Skin protection : Due to the form and packaging of the product, no protective

equipment is needed under normal use conditions.

Respiratory protection : Due to the form and packaging of the product, no protective

equipment is needed under normal use conditions.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes

and body in case of contact or splash hazard.

# **Product AT USE DILUTION**

914100-05 4 / 11

# SOLID SOILITE

Engineering measures Good general ventilation should be sufficient to control worker

exposure to airborne contaminants.

Personal protective equipment

Eye protection : No special protective equipment required.

Hand protection : No special protective equipment required.

Skin protection : No special protective equipment required.

Respiratory protection : No personal respiratory protective equipment normally required.

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

**Product AS SOLD Product AT USE DILUTION** 

10.5 - 11.2

: Cast Solid **Appearance** liquid Color : opaque, off-white colorless Odor odorless : slight

Flash point : Not applicable, Does not sustain combustion.

: 12.0 - 13.0, (1 %)

Odor Threshold : No data available Melting point/freezing point : No data available Initial boiling point and : No data available

boiling range

pΗ

: No data available Evaporation rate

Flammability (solid, gas) : Not applicable Upper explosion limit : No data available : No data available Lower explosion limit Vapor pressure : No data available : No data available Relative vapor density : No data available Relative density

Water solubility : soluble

Solubility in other solvents : No data available Partition coefficient: n-

octanol/water

: No data available

Autoignition temperature : No data available Thermal decomposition : No data available Viscosity, kinematic : No data available Explosive properties : No data available Oxidizing properties : No data available Molecular weight No data available VOC : No data available

# **SECTION 10. STABILITY AND REACTIVITY**

914100-05 5/11

# SOLID SOILITE

**Product AS SOLD** 

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

: No dangerous reaction known under conditions of normal use.

Conditions to avoid : None known.

Incompatible materials : Acids

Metals

Organic materials

Hazardous decomposition

products

: In case of fire hazardous decomposition products may be produced

such as:

Carbon oxides Sulfur oxides

## **SECTION 11. TOXICOLOGICAL INFORMATION**

Information on likely routes of : Eye contact, Skin contact

exposure

#### **Potential Health Effects**

**Product AS SOLD** 

Eyes : Causes serious eye damage.

Skin Causes severe skin burns.

Ingestion : Causes digestive tract burns.

Inhalation : May cause nose, throat, and lung irritation.

Chronic Exposure : Health injuries are not known or expected under normal use.

**Product AT USE DILUTION** 

Eyes : Health injuries are not known or expected under normal use.

Skin : Health injuries are not known or expected under normal use.

Ingestion : Health injuries are not known or expected under normal use.

Inhalation : Health injuries are not known or expected under normal use.

Chronic Exposure : Health injuries are not known or expected under normal use.

# **Experience with human exposure**

**Product AS SOLD** 

Eye contact : Redness, Pain, Corrosion

Skin contact : Redness, Pain, Corrosion

: Corrosion, Abdominal pain Ingestion

Inhalation : Respiratory irritation, Cough

914100-05 6/11

# SOLID SOILITE

**Product AT USE DILUTION** 

Eye contact : No symptoms known or expected.

Skin contact : No symptoms known or expected.

Ingestion : No symptoms known or expected.

Inhalation : No symptoms known or expected.

#### **Toxicity**

**Product AS SOLD** 

**Product** 

Acute oral toxicity : Acute toxicity estimate : > 5,000 mg/kg

Acute inhalation toxicity : 4 h Acute toxicity estimate : 130.21 mg/l

Test atmosphere: dust/mist

Acute dermal toxicity : Acute toxicity estimate : > 5,000 mg/kg

Skin corrosion/irritation : No data available
Serious eye damage/eye : No data available

irritation

Respiratory or skin

sensitization

: No data available

Carcinogenicity : No data available
Reproductive effects : No data available
Germ cell mutagenicity : No data available
Teratogenicity : No data available
STOT-single exposure : No data available
STOT-repeated exposure : No data available
Aspiration toxicity : No data available

## **SECTION 12. ECOLOGICAL INFORMATION**

Product AS SOLD Ecotoxicity

Environmental Effects : Harmful to aquatic life.

**Product** 

Toxicity to fish : No data available

Toxicity to daphnia and other : No data available

aquatic invertebrates

Toxicity to algae : No data available

Components

Toxicity to fish : Sodium Carbonate

96 h LC50 Lepomis macrochirus (Bluegill sunfish): 300 mg/l

oxirane, methyl-, polymer with oxirane

96 h LC50 Fish: > 100 mg/l

#### Components

914100-05 7 / 11

## SOLID SOILITE

Toxicity to daphnia and other : Sodium hydroxide

aquatic invertebrates

48 h EC50: 40 mg/l

Sodium Carbonate

48 h EC50 Ceriodaphnia (water flea): 213.5 mg/l

# Persistence and degradability

#### **Product AS SOLD**

Poorly biodegradable

#### **Product AT USE DILUTION**

Not applicable - inorganic

## **Bioaccumulative potential**

No data available

#### Mobility in soil

No data available

#### Other adverse effects

No data available

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

## **Product AS SOLD**

Disposal methods : Do not contaminate ponds, waterways or ditches with chemical or

> used container. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste

disposal facility.

: Dispose of as unused product. Empty containers should be taken to Disposal considerations

> an approved waste handling site for recycling or disposal. Do not reuse empty containers. Dispose of in accordance with local, state, and

federal regulations.

RCRA - Resource

Conservation and Recovery Authorization Act Hazardous

waste

: D002 (Corrosive)

#### **Product AT USE DILUTION**

Disposal methods : Diluted product can be flushed to sanitary sewer.

Disposal considerations : Dispose of in accordance with local, state, and federal regulations.

# **SECTION 14. TRANSPORT INFORMATION**

#### **Product AS SOLD**

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

## Land transport (DOT)

: 1823 **UN** number

Description of the goods : Sodium hydroxide, solid, mixture

Class : 8

914100-05 8/11

# **SOLID SOILITE**

Packing group : II Environmentally hazardous : no

## Sea transport (IMDG/IMO)

UN number : 1823

Description of the goods : SODIUM HYDROXIDE, SOLID, MIXTURE

Class : 8
Packing group : II
Marine pollutant : no

## **SECTION 15. REGULATORY INFORMATION**

#### **Product AS SOLD**

## **EPCRA - Emergency Planning and Community Right-to-Know**

## **CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ
			(lbs)
Sodium hydroxide	1310-73-2	1000	2705

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Skin corrosion or irritation

Serious eye damage or eye irritation

SARA 302 : This material does not contain any components with a section 302

EHS TPQ.

SARA 313 : This material does not contain any chemical components with known

CAS numbers that exceed the threshold (De Minimis) reporting levels

established by SARA Title III, Section 313.

#### California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

## California Cleaning Product Right to Know Act of 2017 (SB 258)

This regulation applies to this product.

Chemical Name	CAS-No.	Function	List(s)
Sodium hydroxide	1310-73-2	Cleaning Agent	20
Sodium Carbonate	497-19-8	Cleaning Agent	Not Applicable
water	7732-18-5	Processing Aid	Not Applicable
sodium sulfate	7757-82-6	Processing Aid	20
Acrylate polymer	Withheld	Cleaning Agent	Not Applicable
oxirane, methyl-, polymer with	9003-11-6	Cleaning Agent	Not Applicable
oxirane			
Substituted Carboxylate	Withheld	Cleaning Agent	Not Applicable
Alkylene glycol	Withheld	Cleaning Agent	Not Applicable
sodium aluminate, solid	11138-49-1	Cleaning Agent	10

<sup>\*</sup>refer to ecolab.com/sds for electronic links to designated lists

# The ingredients of this product are reported in the following inventories:

914100-05 9 / 11

# **SOLID SOILITE**

#### **United States TSCA Inventory:**

On the inventory, or in compliance with the inventory

## Canadian Domestic Substances List (DSL):

All components of this product are on the Canadian DSL

# Australia. Australian Industrial Chemicals Introduction Scheme (AICIS):

On the inventory, or in compliance with the inventory

#### New Zealand. Inventory of Chemical Substances:

not determined

#### Japan. ENCS - Existing and New Chemical Substances Inventory :

On the inventory, or in compliance with the inventory

# Korea. Korean Existing Chemicals Inventory (KECI):

not determined

## Philippines Inventory of Chemicals and Chemical Substances (PICCS):

not determined

## China. Inventory of Existing Chemical Substances in China (IECSC):


not determined

# Taiwan Chemical Substance Inventory (TCSI):

On the inventory, or in compliance with the inventory

## **SECTION 16. OTHER INFORMATION**

# Product AS SOLD NFPA:



## HMIS III:

HEALTH	3
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,


2 = Moderate, 3 = High

4 = Extreme, \* = Chronic

# **Product AT USE DILUTION**

914100-05 10 / 11

# **SOLID SOILITE**



Issuing date : 12/15/2020

Version : 1.5

Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

914100-05 11 / 11