DOUGLAS PRODUCTS AND PACKAGNG

Safety Data Sheet PH3 Pellets and Tablets

SECTION 1: Identification

1.1 Product identifier

Product name PH3 Pellets and Tablets

Substance name Aluminum Phosphide

1.3 Recommended use of the chemical and restrictions on use

AN APPROVED APPLICATORS MANUAL ACCOMPANIES THESE PRODUCTS. REFER TO THE APPLICATORS MANUAL FOR DETAILED PRECAUTIONS, RECOMMENDATIONS AND DIRECTIONS OF USE.

1.4 Supplier's details

Name Douglas Products and Packagng Address 1550 East OLD 210 Highway

Liberty, MO 64068-9459

USA

Telephone 816.781.4250 Fax 816.781.1043

email douglasproducts@douglasproducts.com

1.5 Emergency phone number(s)

Chemtrec (800) 424-9300

SECTION 2: Hazard identification

2.1 Classification of the substance or mixture

GHS classification in accordance with OSHA (29 CFR 1910.1200)

- Substances and mixtures which, in contact with water, emit flammable gases (chapter 2.12), Cat. 1
- Acute toxicity, inhalation (chapter 3.1), Cat. 2
- Hazardous to the aquatic environment acute hazard (chapter 4.1), Cat. 1

2.2 GHS label elements, including precautionary statements

Pictogram



Signal word Danger

Hazard statement(s)

H261 In contact with water releases flammable gas

H330 Fatal if inhaled

H260 In contact with water releases flammable gases which may ignite

spontaneously

H400 Very toxic to aquatic life

Safety Data Sheet PH3 Pellets and Tablets

Precautionary statement(s)

P231+P232 Handle under inert gas. Protect from moisture

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P370+P378 In case of fire: Use ... to extinguish.

P402+P404 Store in a dry place. Store in a closed container.

P501 Dispose of contents/container to ...

P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P271 Use only outdoors or in a well-ventilated area.

P284 [In case of inadequate ventilation] wear respiratory protection.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P310 Immediately call a POISON CENTER/doctor/...
P320 Specific treatment is urgent (see ... on this label).

P403+P233 Store in a well ventilated place. Keep container tightly closed.

P405 Store locked up.

P223 Do not allow contact with water.

P335+P334 Brush off loose particles from skin. Immerse in cool water/wrap in wet

bandages.

P273 Avoid release to the environment.

P391 Collect spillage.

2.3 Other hazards which do not result in classification

SECTION 3: Composition/information on ingredients

3.1 Substances

Substance name Aluminum Phosphide

Hazardous components

1. Aluminum phosphide

Concentration > 0 - <= 60 %

Other names / synonyms ALUMINIUM PHOSPHIDE; Aluminum phosphide; ALUMINUMPHOSPHIDE

EC no. 244-088-0 CAS no. 20859-73-8 Index no. 015-004-00-8

2. Ammonium carbonate

Concentration > 0 - <= 20 %

Other names / synonyms Ammonium carbonate; AMMONIUMCARBONATE

CAS no. 506-87-6

3. Other inert ingredients

Concentration > 0 - <= 20 %

Other names / synonyms Other inert ingredients

SECTION 4: First-aid measures

4.1 Description of necessary first-aid measures

Safety Data Sheet PH3 Pellets and Tablets

General advice ALUMINUM PHOSPHIDE (ALP) REACTS WITH MOISTURE AND WATER

TO PRODUCE PHOSPHINE GAS (PH3). DANGER TOXIC WHEN GAS FORMS MAY SMELL LIKE GARLIC SINCE ODOR MIGHT NOT BE DETECTED. WHEN CONTAINER IS OPENED, THE CONTENTS MAY REACT WITH MOISTURE IN THE AIR AND CAUSE A RELEAASE OF PHOSPHINE GAS WHICH WILL SPONTAINEOUSLY BURN IN AIR. INGESTION OF TABLETS, PELLETS OR DUST WILL BE HARMFUL OR

DELAYED OR OTHER HEALTH EFFECTS: PHOSPHINE POISONING MAY

TAKE UP TO SEVERAL DAYS.

BE AWARE THAT ALUMINUM PHOSPHIDE REACTS WITH MOISTURE.

SECURE PPE BEFORE THE RESCUE.

If inhaled Move to fresh air. If not breathing, give rescue breathing. If breathing is

difficult give oxygen. Seek medical attention if breathing is still difficult.

In case of skin contact Brush off your clothing and skin! Remove contaminated clothing and place

into plastic bag and seal for disposal. Use soap and water to remove from

the skin.

FATAL.

In case of eye contact Flush eyes wth water immediately while holding eyelids open. Reove

contacts, if worn, after initial flushing and continue flushing for at least 15

minutes. Seek medical attention if irritation persists.

If swallowed, get medical attention immediately. DO NOT INDUCE

VOMITING. Never give anything by mouth to an unconcious person.

Personal protective equipment for first-aid responders

First responders need to wer full-bunker gear with SCBA, never enter a confined space unless fully protected with proper personal protective

equipment (PPE).

4.3 Indication of immediate medical attention and special treatment needed, if necessary

NOTE TO PHYSICIAN: Aluminum phosphide reacts with moisture to release hydrogen phosphide (Phosphine gas). Symptoms of sever poisoning may occur within a few hours up to several days. Phosphine poisoning may result in pulmonary edema, liver elevated serum GOT, LDH and alkaline phosphate, reduced prothrombin, hemorrage and jaundice and kidney hematuria and anauria. Pathoday is characteried by lyproxia.

SECTION 5: Fire-fighting measures

5.1 Suitable extinguishing media

Suffocate flames with sand, carbon dioxide or dry extinguishing material.

5.2 Specific hazards arising from the chemical

DO NOT USE WATER!

5.3 Special protective actions for fire-fighters

MAKE SURE THAT YOU HAVE READ THE APPLICATORS MANUAL! REMOVE ALL SOURCES OF IGNITION, PROVIDE ADEQUATE VENTILATION.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Safety Data Sheet PH3 Pellets and Tablets

Remove all source of ignition. Provide adequate ventilation. Avoid contact with skin, eyes and clothing. Use personal protective equipment.

Eyes: Wear safety goggles or safety glasses to prevent contact. Suggest using single use safety goggles or clean between use!

Body: Long sleeve shirts, long pants, socks, rubber boots and dry cotton gloves. Suggest using as much disposable chemical resistant suit and hat, rubber booties, dry cotton gloves.

Hands: Dry cotton gloves (disposable).

Respiratory: Wear an approved NIOSH/MSA full face mask respirator that provides protection from this product if phosphine is released. Suggest that you use disposable approved resipiratory mask with hydrogen phosphide cartridge or properly clean before use and store in a sealed plastic bag.

Other: After removal of application clothing brush off any dust left on your clothing. Wash your hands, do not eat, drink or smoke until you have removed all source of product.

6.2 Environmental precautions

Do not flush into surface water or sanitary sewer systems. Should not be released into the environment.

6.3 Methods and materials for containment and cleaning up

Do not use water at any time during clean up. Wear gloves when handling aluminum phosphide. Damaged aluminum flasks should be transferred to a dry metal container and immediatly sealed and properly labeled as aluminum phosphide. Follow all label instructions for disposal of residual material and/or empty containers.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Extreme caution must be used if package is damaged in shipment. Follow the applicators manual of opening hte container away from the body. Wear dry cotton gloves. KEEP AWAY FROM CHILDREN! Do not get into eyes. Do not taste or swallow. Wah thoroughly after handling. Do not breathe vapor or fumes.

KEEP AWAY FROM CHILDREN! STORE IN ORIGINAL LABELED CONTAINER. KEEP IN COOL AND DRY AREAS. MAKE SURE THAT THE CONTAINERS DO NOT PRESSURIZE DUE TO EXTREME HEAT.

7.2 Conditions for safe storage, including any incompatibilities

CONSIDER THE POTENTIAL HAZARDS OF THIS PRODUCT OUTLINED IN SECTION 3. USE PROCESS EXPOURES SUCH AS LOCAL EXHAUST VENTILATION, REDUCED HUMIDITY, REDUCE THE ACCESS TO THE PRODUCT.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

1. Aluminum phosphide (CAS: 20859-73-8 EC: 244-088-0)

(Inhalation)

8.3 Individual protection measures, such as personal protective equipment (PPE)

Body protection

Eyes: Wear safety goggles or safety glasses to prevent contact. Suggest using single use safety goggles or clean between use!

Body: Long sleeve shirts, long pants, socks, rubber boots and dry cotton gloves. Suggest using as much disposable chemical resistant suit and hat, rubber booties, dry cotton gloves.

Hands: Dry cotton gloves (disposable).

Other: After removal of application clothing brush off any dust left on your clothing. Wash your hands, do not eat, drink or smoke until you have removed all source of product.

Safety Data Sheet PH3 Pellets and Tablets

Respiratory protection

Respiratory: Wear an approved NIOSH/MSA full face mask respirator that provides protection from this product if phosphine is released. Suggest that you use disposable approved resipiratory mask with hydrogen phosphide cartridge or properly clean before use and store in a sealed plastic bag.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance/form Solid or dust, gray to light green Odor Garlic, decaying fish or odorless

Odor threshold Since odor might not be detected under certain

circumstances, the absence of a garlic odor does not

mean that phosphine gas is absent.

pH Not available. Melting point/freezing point Not available.

Initial boiling point and boiling range Not available. Flash point Not available. Not available. Evaporation rate Flammability (solid, gas) Not available. Upper/lower flammability limits Not available Upper/lower explosive limits Not available. Vapor pressure Not available. Vapor density Not available. Relative density Not available. Solubility(ies) Insoluable in water

Partition coefficient: n-octanol/water
Auto-ignition temperature
Decomposition temperature
Viscosity
Not available.

SECTION 10: Stability and reactivity

10.1 Reactivity

Exposure to moisture. Protect from water.

10.2 Chemical stability

Considered stable under normal ambient temperatures except hydrolysis. Aluminum phosphide reacts with moisture to product hydrogen phosphide gas. Ammonium carbonate produces ammonia and carbon dioxide.

10.3 Possibility of hazardous reactions

Formation of hydrogen phosphide gas, ammonia gas and carbon dioxide.

10.5 Incompatible materials

Product will react with strong oxidizing agents, acids or bases.

10.6 Hazardous decomposition products

Hazardous polymeriztion will not occur.

SECTION 11: Toxicological information

Safety Data Sheet PH3 Pellets and Tablets

Information on toxicological effects

Acute toxicity

Aluminum Phosphide Acute Oral LD50 = 11.5mg/kg Acute Dermal LD50 = >5,000 mg/kg (1 hour exposure)

Hydrogen Phosphide (phosphine gas) Inhlation = LC50 190ppm (1 hour)

Skin corrosion/irritation

Not a sensitizer

Germ cell mutagenicity

Hydrogen Phosphide

Increased frequence of cells with structural chromosomal aberrations noted in an invitro cytogenetic assay with Chinese hamster ovary cells.

Carcinogenicity

Aluminum Phosphide

Not classified as a carcinogen by IARC, OSHA or NTP.

Hydrogen Phosphide

In a 2 year study rats were exposed to 48-90 g/m3 of feed and no overt systemic toxicity was noted. Not classified as a carcinogen by IARC. OSHA or NTP.

Reproductive toxicity

Aluminum Phosphide

Not expected to produce reproductive or developmental effects.

Hydrogen Phosphide

Not expected to produce reproductive or developmental effects.

Summary of evaluation of the CMR properties

Aluminum Phosphide

Not classified as a carcinogen by IARC, OSHA or NTP.

Hydrogen Phosphide

Not classified as a carcinogen by IARC, OSHA or NTP.

SECTION 12: Ecological information

Toxicity

No data.

SECTION 13: Disposal considerations

Disposal of the product

Place spent tablets/pellets into a sealed container and check regulations for disposal.

Disposal of contaminated packaging

Empty containers still have residue. Use the instructions in the applicators manual to facilitate proper disposal.

SECTION 14: Transport information

Safety Data Sheet PH3 Pellets and Tablets

DOT (US)

UN Number: 1397 Class: 4.3, 6.1 Packing Group: I

Proper Shipping Name: PH3 Pellets and PH3 Tablets

Reportable quantity (RQ): 100 lbs

Marine pollutant: Yes
Poison inhalation hazard: Yes

IMDG

UN Number: 1397 Class: 4.3, 6.1 Packing Group: I EMS Number: F-G, S-N

Proper Shipping Name: Aluminum Phosphide

IATA

UN Number: 1397 Class: 4.3, 6.1 Packing Group: I

Proper Shipping Name: Aluminum Phosphide

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

SARA 313 Components

Aluminum Phosphide <60% Ammonium Carbonate <20%

SARA 311/312 Hazards

Acute Health Hazard, Fire Hazard and Reactive Hazard

Toxic Substances Control Act (TSCA) Inventory

Aluminum Phosphide

SECTION 16: Other information

16.1 Further information/disclaimer

The information is furnished without warranty, representation, inducement, or license of any kind, except that it is accurate to the best of Douglas Products and Packaging, Inc.'s knowledge. Because use conditions and applicable laws may differ from one location to another and may change with time, Recipient is responsible for determining whether the information is appropriate for recipient's use. Since Douglas Products and Packaging, Inc. has no control over how this information may be ultimately used, all liability is expressly disclaimed and Douglas Products and Packaging, Inc. assumes no liability.