NALCO Water

SAFETY DATA SHEET

CAT-FLOC 8799 PLUS

Section: 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : CAT-FLOC 8799 PLUS

Other means of identification : Not applicable.

Recommended use : COAGULANT

Restrictions on use : Refer to available product literature or ask your local Sales Representative for

restrictions on use and dose limits.

Company : Nalco Company

1601 W. Diehl Road

Naperville, Illinois 60563-1198

USA

TEL: (630) 305-1000

Emergency telephone

number

: (800) 424-9300 (24 Hours) CHEMTREC

Issuing date : 11/20/2019

Section: 2. HAZARDS IDENTIFICATION

GHS Classification

Not a hazardous substance or mixture.

GHS Label element

Precautionary Statements : Prevention:

Wash hands thoroughly after handling.

Response:

Get medical advice/ attention if you feel unwell.

Storage:

Store in accordance with local regulations. Protect product from freezing.

Other hazards : None known.

Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

No hazardous ingredients

Section: 4. FIRST AID MEASURES

In case of eye contact : Rinse with plenty of water. Get medical attention if symptoms occur.

In case of skin contact : Wash off with soap and plenty of water. Get medical attention if symptoms

occur.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

If inhaled : Get medical attention if symptoms occur.

CAT-FLOC 8799 PLUS

Protection of first-aiders : In event of emergency assess the danger before taking action. Do not put

yourself at risk of injury. If in doubt, contact emergency responders. Use

personal protective equipment as required.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and

delayed

See Section 11 for more detailed information on health effects and symptoms.

Section: 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Unsuitable extinguishing

media

None known.

Specific hazards during

firefighting

Not flammable or combustible.

Hazardous combustion

products

Decomposition products may include the following materials: Carbon oxides

Sulphur oxides

Special protective equipment:

for firefighters

Use personal protective equipment.

Specific extinguishing

methods

Fire residues and contaminated fire extinguishing water must be disposed of in

accordance with local regulations.

Section: 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures Refer to protective measures listed in sections 7 and 8.

Environmental precautions : No special environmental precautions required.

Methods and materials for containment and cleaning up

Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. Flush away traces

with water.

Section: 7. HANDLING AND STORAGE

Advice on safe handling : For personal protection see section 8. Wash hands after handling.

Conditions for safe storage : Keep out of reach of children. Keep container tightly closed. Store in suitable

labelled containers. Protect product from freezing.

CAT-FLOC 8799 PLUS

Suitable material : The following compatibility data is suggested based on similar product data

and/or industry experience: Stainless Steel 304, Stainless Steel 316L,

Neoprene, Buna-N, Polypropylene, Polyethylene, Polyurethane, PVC, EPDM, Epoxy phenolic resin, Chlorosulfonated polyethylene rubber, Fluoroelastomer

Unsuitable material : The following compatibility data is suggested based on similar product data

and/or industry experience: Brass, Mild steel

Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures : Good general ventilation should be sufficient to control worker exposure to

airborne contaminants.

Personal protective equipment

Eye protection : Safety glasses

Hand protection : Wear protective gloves.

Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Skin protection : Wear suitable protective clothing.

Respiratory protection : No personal respiratory protective equipment normally required.

Hygiene measures : Wash hands before breaks and immediately after handling the product.

Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Viscous liquid

Colour : yellow
Odour : odourless

Flash point : > 93.3 °C, Method: ASTM D 56, Tag closed cup

pH : 5.0 - 8.0,(100 %), (25 °C)

Odour Threshold : no data available

Melting point/freezing point : no data available

Initial boiling point and boiling : no data available

range

Evaporation rate : no data available
Flammability (solid, gas) : Not applicable.
Upper explosion limit : no data available
Lower explosion limit : no data available
Vapour pressure : similar to water
Relative vapour density : Same as water

CAT-FLOC 8799 PLUS

Relative density : 1.07 - 1.11, (25 °C),

Density : 8.9 - 9.25 lb/gal

Water solubility : completely soluble

Solubility in other solvents : no data available

Partition coefficient: n-

octanol/water

no data available

Auto-ignition temperature : no data available
Thermal decomposition : no data available

Viscosity, dynamic : < 3,200 mPa.s (25 °C)

Viscosity, kinematic : no data available

Molecular weight : no data available

VOC : 0 %, EPA Method 24

Section: 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid : Extremes of temperature

Incompatible materials : Strong oxidizing agents

Hazardous decomposition

products

Decomposition products may include the following materials:

Carbon oxides Sulphur oxides

Section: 11. TOXICOLOGICAL INFORMATION

Information on likely routes of : Inhalation, Eye contact, Skin contact

exposure

Potential Health Effects

Eyes : Health injuries are not known or expected under normal use.

Skin : Health injuries are not known or expected under normal use.

Ingestion : Health injuries are not known or expected under normal use.

Inhalation : Health injuries are not known or expected under normal use.

Chronic Exposure : Health injuries are not known or expected under normal use.

Experience with human exposure

CAT-FLOC 8799 PLUS

Eye contact : No symptoms known or expected.

Skin contact : No symptoms known or expected.

Ingestion : No symptoms known or expected.

Inhalation : No symptoms known or expected.

Toxicity

Product

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg

Acute inhalation toxicity : no data available

Acute dermal toxicity : no data available

Skin corrosion/irritation : Species: Rabbit

Result: 1.0

Method: Draize Test

Test substance: 40% Active Ingredient

Serious eye damage/eye

irritation

Species: rabbit

Result: 8.0 Method: Draize Test

Test substance: 40% Active Ingredient

Respiratory or skin

sensitization

no data available

Carcinogenicity : no data available Reproductive effects : no data available

Germ cell mutagenicity : Not mutagenic in Ames Test. Only TA100 strain tested.

Teratogenicity : no data available
STOT - single exposure : no data available
STOT - repeated exposure : no data available
Aspiration toxicity : no data available

Section: 12. ECOLOGICAL INFORMATION

Ecotoxicity

Environmental Effects : Toxic to aquatic life.

Harmful to aquatic life with long lasting effects.

Product

Toxicity to fish : LC50 Zebra Danio: 10 - 100 mg/l

Exposure time: 96 hrs

Test substance: Representative polymer tested in water with

DOC

LC50 Fathead Minnow: 1.02 mg/l

Exposure time: 48 hrs

CAT-FLOC 8799 PLUS

Test substance: Product tested in clean water

LC50 Bluegill Sunfish: 3.8 mg/l

Exposure time: 96 hrs

Test substance: Product tested in clean water

LC50 Rainbow Trout: 2.2 mg/l

Exposure time: 96 hrs

Test substance: Product tested in clean water

aquatic invertebrates

Toxicity to daphnia and other : LC50 Daphnia magna (Water flea): 0.9 mg/l

Exposure time: 48 hrs

Test substance: Similar product tested in clean water

LC50 Daphnia magna (Water flea): 10 - 100 mg/l

Exposure time: 48 hrs

Test substance: Representative polymer tested in water with

DOC

Persistence and degradability

The organic portion of this preparation is expected to be poorly biodegradable.

Chemical Oxygen Demand (COD): 460,000 mg/l

Biochemical Oxygen Demand (BOD):

Incubation Period **Test Descriptor** Value

5 d 60 mg/l Product

Mobility

The environmental fate was estimated using a level III fugacity model embedded in the EPI (estimation program interface) Suite TM, provided by the US EPA. The model assumes a steady state condition between the total input and output. The level III model does not require equilibrium between the defined media. The information provided is intended to give the user a general estimate of the environmental fate of this product under the defined conditions of the models.

If released into the environment this material is expected to distribute to the air, water and soil/sediment in the approximate respective percentages;

Air : <5% : 10 - 30% Water : 50 - 70% Soil

The portion in water is expected to be soluble or dispersible.

Bioaccumulative potential

This preparation or material is not expected to bioaccumulate.

Other information

The hazard characterization is based on the tests or potential hazard in the clean water.

Section: 13. DISPOSAL CONSIDERATIONS

CAT-FLOC 8799 PLUS

Disposal methods : The product should not be allowed to enter drains, water

courses or the soil. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in

an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be

taken to an approved waste handling site for recycling or

disposal. Do not re-use empty containers.

Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (DOT)

Proper shipping name : PRODUCT IS NOT REGULATED DURING TRANSPORTATION

Air transport (IATA)

Proper shipping name : PRODUCT IS NOT REGULATED DURING TRANSPORTATION

Sea transport (IMDG/IMO)

Proper shipping name : PRODUCT IS NOT REGULATED DURING TRANSPORTATION

Section: 15. REGULATORY INFORMATION

TSCA list : No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification

requirements.

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This product does not contain a RQ substance, or this product contains a substance with a RQ, however the calculated RQ exceeds the reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : No SARA Hazards

SARA 302 : This material does not contain any components with a section 302

EHS TPQ.

SARA 313 : This material does not contain any chemical components with known

CAS numbers that exceed the threshold (De Minimis) reporting levels

established by SARA Title III, Section 313.

California Prop. 65

CAT-FLOC 8799 PLUS

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

INTERNATIONAL CHEMICAL CONTROL LAWS:

United States TSCA Inventory

On or in compliance with the active portion of the TSCA inventory

Australia. Industrial Chemical (Notification and Assessment) Act

All substances in this product comply with the National Industrial Chemicals Notification & Assessment Scheme (NICNAS).

Canadian Domestic Substances List (DSL)

The substance(s) in this preparation are included in or exempted from the Domestic Substance List (DSL).

Japan. ENCS - Existing and New Chemical Substances Inventory

All substances in this product comply with the Law Regulating the Manufacture and Importation Of Chemical Substances and are listed on the Existing and New Chemical Substances list (ENCS).

Korea. Korean Existing Chemicals Inventory (KECI)

All substances in this product comply with the Chemical Control Act (CCA) and are listed on the Existing Chemicals List (ECL)

New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand

All substances in this product comply with the Hazardous Substances and New Organisms (HSNO) Act 1996, and are listed on or are exempt from the New Zealand Inventory of Chemicals.

Philippines Inventory of Chemicals and Chemical Substances (PICCS)

All substances in this product comply with the Republic Act 6969 (RA 6969) and are listed on the Philippines Inventory of Chemicals & Chemical Substances (PICCS).

China Inventory of Existing Chemical Substances

All substances in this product comply with the Provisions on the Environmental Administration of New Chemical Substances and are listed on or exempt from the Inventory of Existing Chemical Substances China (IECSC).


Taiwan Chemical Substance Inventory

All substances in this product comply with the Taiwan Existing Chemical Substances Inventory (ECSI).

Section: 16. OTHER INFORMATION

CAT-FLOC 8799 PLUS

NFPA:



HMIS III:

HEALTH	0
FLAMMABILITY	1
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,

2 = Moderate, 3 = High 4 = Extreme, * = Chronic

Revision Date : 11/20/2019

Version Number : 1.5

Prepared By : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. For additional copies of an SDS visit www.nalco.com and request access.