

AIRKEM THICKENED NON-ACID BOWL/BATHROOM CLEANER

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : AIRKEM THICKENED NON-ACID BOWL/BATHROOM CLEANER

Other means of identification : Not applicable

Recommended use : Cleaner and disinfectant

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : No dilution information provided.

Company : Ecolab Inc.

1 Ecolab Place

St. Paul, Minnesota USA 55102

1-866-444-7450

Emergency health

information

1-800-328-0026 (US/Canada), 1-651-222-5352 (outside US)

Issuing date : 03/10/2020

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Acute toxicity (Inhalation) : Category 4
Acute toxicity (Dermal) : Category 4
Eye irritation : Category 2B

GHS label elements

Hazard pictograms :



Signal Word : Caution

Hazard Statements : Harmful in contact with skin or if inhaled.

Causes eye irritation.

Precautionary Statements : **Prevention:**

Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray. Wash skin thoroughly after handling. Use only outdoors or in a well-ventilated

area.

Response:

IF ON SKIN: Wash with plenty of soap and water. Call a POISON CENTER or doctor/ physician if you feel unwell. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/

attention. Wash contaminated clothing before reuse.

Disposal

Dispose of contents/ container to an approved waste disposal plant.

Other hazards : None known.

984146-06 1 / 9

AIRKEM THICKENED NON-ACID BOWL/BATHROOM CLEANER

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

Chemical name CAS-No. Concentration (%)

Tetrasodium EDTA 64-02-8 1 - 5 2-(2-butoxyethoxy)ethanol 112-34-5 1 - 5 n-Alkyl (60% C14, 30% C16, 5% C12, 5% C18) 68391-01-5 0.105

dimethyl benzyl ammonium chlorides

n-Alkyl (68% C12, 32% C14) dimethyl ethylbenzyl 68956-79-6 0.105

ammonium chlorides

SECTION 4. FIRST AID MEASURES

In case of eye contact : Rinse with plenty of water.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use

a mild soap if available. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention if irritation develops and

persists.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention.

Protection of first-aiders : No special precautions are necessary for first aid responders.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and

delayed

: See Section 11 for more detailed information on health effects and

symptoms.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable extinguishing

media

: None known.

Specific hazards during fire

fighting

: Not flammable or combustible.

Hazardous combustion

products

: Decomposition products may include the following materials:

Carbon oxides

Nitrogen oxides (NOx)

Special protective equipment

for fire-fighters

: Use personal protective equipment.

Specific extinguishing

methods

: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire

and/or explosion do not breathe fumes.

SECTION 6. ACCIDENTAL RELEASE MEASURES

984146-06 2 / 9

AIRKEM THICKENED NON-ACID BOWL/BATHROOM CLEANER

Personal precautions, protective equipment and emergency procedures

: Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up

: Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Wash hands thoroughly after handling. In case of mechanical

malfunction, or if in contact with unknown dilution of product, wear full

Personal Protective Equipment (PPE).

Conditions for safe storage : Keep out of reach of children. Store in suitable labeled containers.

Storage temperature : 0 °C to 40 °C

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
2-(2-butoxyethoxy)ethanol	112-34-5	TWA (Inhalable fraction and vapor)	10 ppm	ACGIH

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations

below occupational exposure standards.

Personal protective equipment

Eye protection : No special protective equipment required.

Hand protection : No special protective equipment required.

Skin protection : No special protective equipment required.

Respiratory protection : When workers are facing concentrations above the exposure limit they

must use appropriate certified respirators.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid
Color : clear, blue

984146-06 3/9

AIRKEM THICKENED NON-ACID BOWL/BATHROOM CLEANER

Odor : Floral

pΗ : 10.5, (100 %) Flash point : Not applicable : No data available Odor Threshold Melting point/freezing point : No data available Initial boiling point and : No data available

Relative vapor density

boiling range

Evaporation rate : No data available Flammability (solid, gas) : Not applicable Upper explosion limit : No data available Lower explosion limit : No data available Vapor pressure : No data available

Relative density : 1.015 Water solubility : soluble

Solubility in other solvents : No data available Partition coefficient: n-: No data available

octanol/water

: No data available

: No data available Autoignition temperature : No data available Thermal decomposition Viscosity, kinematic : No data available Explosive properties : No data available Oxidizing properties : No data available Molecular weight : No data available VOC : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

: No dangerous reaction known under conditions of normal use.

Conditions to avoid : None known.

Incompatible materials : Acids

Hazardous decomposition

products

: In case of fire hazardous decomposition products may be produced

such as:

Carbon oxides

Nitrogen oxides (NOx)

SECTION 11. TOXICOLOGICAL INFORMATION

exposure

Information on likely routes of : Inhalation, Eye contact, Skin contact

984146-06 4/9

AIRKEM THICKENED NON-ACID BOWL/BATHROOM CLEANER

Potential Health Effects

Eyes : Causes eye irritation.

Skin : Harmful if absorbed through skin.

Ingestion : Health injuries are not known or expected under normal use.

Inhalation : Harmful if inhaled.

Chronic Exposure : Health injuries are not known or expected under normal use.

Experience with human exposure

Eye contact : Redness, Irritation

Skin contact : No information available.

Ingestion : No symptoms known or expected.

Inhalation : No information available.

Toxicity

Product

Acute oral toxicity : Acute toxicity estimate : > 5,000 mg/kg

Acute inhalation toxicity : No data available
Acute dermal toxicity : No data available
Skin corrosion/irritation : No data available
Serious eye damage/eye : Mild eye irritation

irritation

Respiratory or skin

sensitization

: No data available

Carcinogenicity : No data available
Reproductive effects : No data available
Germ cell mutagenicity : No data available
Teratogenicity : No data available
STOT-single exposure : No data available
STOT-repeated exposure : No data available
Aspiration toxicity : No data available

Components

Acute inhalation toxicity : n-Alkyl (60% C14, 30% C16, 5% C12, 5% C18) dimethyl benzyl

ammonium chlorides LC50 Rat: > 0.054 mg/l Test atmosphere: dust/mist

Components

Acute dermal toxicity : 2-(2-butoxyethoxy)ethanol

LD50 Rabbit: 2,764 mg/kg

n-Alkyl (60% C14, 30% C16, 5% C12, 5% C18) dimethyl benzyl

984146-06 5 / 9

AIRKEM THICKENED NON-ACID BOWL/BATHROOM CLEANER

ammonium chlorides LD50 Rabbit: 2,300 mg/kg

n-Alkyl (68% C12, 32% C14) dimethyl ethylbenzyl ammonium

chlorides

LD50 Rabbit: 2,300 mg/kg

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Environmental Effects : This product has no known ecotoxicological effects.

Product

Toxicity to fish : No data available Toxicity to daphnia and other : No data available

aquatic invertebrates

Toxicity to algae : No data available

Components

Toxicity to fish : Tetrasodium EDTA

96 h LC50 Fish: 121 mg/l

2-(2-butoxyethoxy)ethanol 96 h LC50 Fish: 1,300 mg/l

Components

aquatic invertebrates

Toxicity to daphnia and other : n-Alkyl (60% C14, 30% C16, 5% C12, 5% C18) dimethyl benzyl

ammonium chlorides 48 h EC50: 0.47 mg/l

Components

Toxicity to algae : n-Alkyl (60% C14, 30% C16, 5% C12, 5% C18) dimethyl benzyl

> ammonium chlorides NOEC: 0.009 mg/l

Persistence and degradability

Not applicable - Biocide

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods : Do not contaminate ponds, waterways or ditches with chemical or

> used container. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste

984146-06 6/9

AIRKEM THICKENED NON-ACID BOWL/BATHROOM CLEANER

disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to

an approved waste handling site for recycling or disposal. Do not reuse empty containers. Dispose of in accordance with local, state, and

federal regulations.

SECTION 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (DOT)

Not dangerous goods

Sea transport (IMDG/IMO)

Not dangerous goods

SECTION 15. REGULATORY INFORMATION

EPA Registration number : 8155-5-42964

8155-5-AA-42964

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Serious eye damage or eye irritation

Acute toxicity (any route of exposure)

SARA 302 : This material does not contain any components with a section 302

EHS TPQ.

SARA 313 : The following components are subject to reporting levels established

by SARA Title III, Section 313:

2-(2-butoxyethoxy)ethanol 112-34-5 1 - 5 %

California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

California Cleaning Product Right to Know Act of 2017 (SB 258)

This regulation applies to this product.

Chemical Name	CAS-No.	Function	List(s)
water	7732-18-5	Diluent	Not Applicable
Tetrasodium EDTA	64-02-8	Cleaning Agent	Not Applicable
2-(2-butoxyethoxy)ethanol	112-34-5	Cleaning Agent	Not Applicable
nonionic surfactant	Withheld	Processing Aid	Not Applicable
n-Alkyl (68% C12, 32% C14)	68956-79-6	Cleaning Agent	Not Applicable
dimethyl ethylbenzyl ammonium			

984146-06 7 / 9

AIRKEM THICKENED NON-ACID BOWL/BATHROOM CLEANER

chlorides			
n-Alkyl (60% C14, 30% C16, 5%	68391-01-5	Cleaning Agent	Not Applicable
C12, 5% C18) dimethyl benzyl ammonium chlorides			
1-methoxy-2-propanol	107-98-2	Solvent	4, 20
Isopropanol	67-63-0	Solvent	20
Aliphatic alcohol	Withheld	Solvent	Not Applicable
silicate	Withheld	Stabilizer	Not Applicable

^{*}refer to ecolab.com/sds for electronic links to designated lists

The ingredients of this product are reported in the following inventories:

United States TSCA Inventory:

All substances listed as active on the TSCA inventory

Canadian Domestic Substances List (DSL):

All components of this product are on the Canadian DSL

Australia Inventory of Chemical Substances (AICS):

On the inventory, or in compliance with the inventory

New Zealand. Inventory of Chemical Substances :

not determined

Japan. ENCS - Existing and New Chemical Substances Inventory :

not determined

Korea. Korean Existing Chemicals Inventory (KECI):

On the inventory, or in compliance with the inventory

Philippines Inventory of Chemicals and Chemical Substances (PICCS):

On the inventory, or in compliance with the inventory

China. Inventory of Existing Chemical Substances in China (IECSC):


On the inventory, or in compliance with the inventory

Taiwan Chemical Substance Inventory (TCSI):

On the inventory, or in compliance with the inventory

SECTION 16. OTHER INFORMATION

NFPA:



HMIS III:

HEALTH	2
FLAMMABILITY	0
PHYSICAL HAZARD	0
0 1 1 10 1 1 0 1 1 1	

0 = not significant, 1 = Slight,

2 = Moderate, 3 = High

4 = Extreme, * = Chronic

Issuing date : 03/10/2020

984146-06 8 / 9

AIRKEM THICKENED NON-ACID BOWL/BATHROOM CLEANER

Version : 1.2

Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

984146-06 9 / 9