

PROCLEAN PREMIUM OVEN & GRILL CLEANER READY-TO-USE

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name PROCLEAN PREMIUM OVEN & GRILL CLEANER READY-TO-USE

Other means of identification Not applicable

Recommended use Degreaser

Restrictions on use Reserved for industrial and professional use.

Product dilution information Product is sold ready to use.

Company Ecolab Inc.

1 Ecolab Place

St. Paul, Minnesota USA 55102

1-866-444-7450

Emergency health

information

1-800-328-0026 (US/Canada), 1-651-222-5352 (outside US)

Issuing date 07/17/2023

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Eye irritation : Category 2B

GHS label elements

Signal Word : Warning

Hazard Statements : Causes eye irritation.

Precautionary Statements Prevention:

Wash skin thoroughly after handling.

Response:

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye

irritation persists: Get medical advice/ attention.

Other hazards : None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture Mixture

Concentration (%) **Chemical name** CAS-No.

Benzyl alcohol 100-51-6 5 - 10 Monoethanolamine 141-43-5 1 - 5 benzenesulfonic acid, dodecyl-, compd. with 2-1 - 5 26836-07-7

aminoethanol (1:1)

SECTION 4. FIRST AID MEASURES

In case of eye contact : Rinse with plenty of water.

In case of skin contact : Rinse with plenty of water.

915136-19 1/8

PROCLEAN PREMIUM OVEN & GRILL CLEANER READY-TO-USE

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

If inhaled : Get medical attention if symptoms occur.

Protection of first-aiders : No special precautions are necessary for first aid responders.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and

delayed

: See Section 11 for more detailed information on health effects and

symptoms.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable extinguishing

media

: None known.

Specific hazards during fire

fighting

: Not flammable or combustible.

Hazardous combustion

products

: Decomposition products may include the following materials:

Carbon oxides

Nitrogen oxides (NOx)

Sulfur oxides

Special protective equipment

for fire-fighters

: Use personal protective equipment.

Specific extinguishing

methods

: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire

and/or explosion do not breathe fumes.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up

: Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain

material to ensure runoff does not reach a waterway.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Wash hands thoroughly after handling. In case of mechanical

malfunction, or if in contact with unknown dilution of product, wear full

Personal Protective Equipment (PPE).

Conditions for safe storage : Keep out of reach of children. Store in suitable labeled containers.

915136-19 2 / 8

PROCLEAN PREMIUM OVEN & GRILL CLEANER READY-TO-USE

Storage temperature : 0 °C to 50 °C

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
Benzyl alcohol	100-51-6	TWA	10 ppm	US WEEL
monoethanolamine	141-43-5	TWA	3 ppm	ACGIH
		STEL	6 ppm	ACGIH
		TWA	3 ppm 8 mg/m3	NIOSH REL
		ST	6 ppm 15 mg/m3	NIOSH REL
		TWA	3 ppm 8 mg/m3	OSHA P0
		STEL	6 ppm 15 mg/m3	OSHA P0

Engineering measures : Good general ventilation should be sufficient to control worker

exposure to airborne contaminants.

Personal protective equipment

Eye protection : No special protective equipment required.

Hand protection : No special protective equipment required.

Skin protection : No special protective equipment required.

Respiratory protection : No personal respiratory protective equipment normally required.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : clear, orange
Odor : odorless

pH : 10.5 - 10.9, (100 %)

Flash point : Not applicable
Odor Threshold : No data available
Melting point/freezing point : No data available

Initial boiling point and

boiling range

: > 100 °C

Evaporation rate : No data available
Flammability (solid, gas) : Not applicable
Upper explosion limit : No data available

915136-19 3 / 8

PROCLEAN PREMIUM OVEN & GRILL CLEANER READY-TO-USE

Lower explosion limit : No data available Vapor pressure : No data available Relative vapor density : No data available : 1.007 - 1.015 Relative density

Water solubility : soluble

Solubility in other solvents : No data available Partition coefficient: n-: No data available

octanol/water

Autoignition temperature : No data available Thermal decomposition : No data available Viscosity, kinematic : No data available Explosive properties : No data available Oxidizing properties : No data available Molecular weight : No data available VOC : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

: No dangerous reaction known under conditions of normal use.

Conditions to avoid : None known.

Incompatible materials : Acids

Hazardous decomposition

products

: In case of fire hazardous decomposition products may be produced

such as:

Carbon oxides

Nitrogen oxides (NOx)

Sulfur oxides

SECTION 11. TOXICOLOGICAL INFORMATION

exposure

Information on likely routes of : Inhalation, Eye contact, Skin contact

Potential Health Effects

Eyes : Causes eye irritation.

Skin : Health injuries are not known or expected under normal use.

Ingestion : Health injuries are not known or expected under normal use.

Inhalation : Health injuries are not known or expected under normal use.

Chronic Exposure : Health injuries are not known or expected under normal use.

915136-19 4/8

PROCLEAN PREMIUM OVEN & GRILL CLEANER READY-TO-USE

Experience with human exposure

Eye contact : Redness, Irritation

Skin contact : No symptoms known or expected.

Ingestion : No symptoms known or expected.

Inhalation : No symptoms known or expected.

Toxicity

Product

: Acute toxicity estimate : > 5,000 mg/kg Acute oral toxicity Acute inhalation toxicity : 4 h Acute toxicity estimate : 12.56 mg/l

Test atmosphere: dust/mist

Acute dermal toxicity : Acute toxicity estimate : > 5,000 mg/kg

Skin corrosion/irritation : No skin irritation Serious eye damage/eye : Mild eye irritation

irritation

Respiratory or skin

sensitization

: No data available

: No data available Carcinogenicity Reproductive effects : No data available Germ cell mutagenicity : No data available : No data available Teratogenicity : No data available STOT-single exposure STOT-repeated exposure : No data available Aspiration toxicity : No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Environmental Effects : This product has no known ecotoxicological effects.

Product

Toxicity to fish : No data available Toxicity to daphnia and other aquatic invertebrates

: No data available

Toxicity to algae : No data available

Components

Toxicity to fish : Benzyl alcohol

96 h LC50 Pimephales promelas: 460 mg/l

Components

Toxicity to daphnia and other : Benzyl alcohol

aquatic invertebrates

48 h EC50 Daphnia magna (Water flea): 230 mg/l

Monoethanolamine

915136-19 5/8

PROCLEAN PREMIUM OVEN & GRILL CLEANER READY-TO-USE

48 h LC50 Daphnia magna (Water flea): 65 mg/l

Components

Toxicity to algae : Benzyl alcohol

72 h EC50 Pseudokirchneriella subcapitata (green algae): 770 mg/l

Persistence and degradability

Readily biodegradable.

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods : Diluted product can be flushed to sanitary sewer.

Disposal considerations : Dispose of in accordance with local, state, and federal regulations.

SECTION 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (DOT)

Not dangerous goods

Sea transport (IMDG/IMO)

Not dangerous goods

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Serious eye damage or eye irritation

SARA 302 : This material does not contain any components with a section 302

EHS TPQ.

SARA 313 : This material does not contain any chemical components with known

CAS numbers that exceed the threshold (De Minimis) reporting levels

established by SARA Title III, Section 313.

915136-19 6 / 8

PROCLEAN PREMIUM OVEN & GRILL CLEANER READY-TO-USE

California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

California Cleaning Product Right to Know Act of 2017 (SB 258)

This regulation applies to this product.

Hazardous ingredients	CAS-No.	Function	List(s)
water	7732-18-5	Diluent	Not Applicable
Benzyl alcohol	100-51-6	Cleaning Agent	FRA
Monoethanolamine	141-43-5	Cleaning Agent	Not Applicable
benzenesulfonic acid, dodecyl-,	26836-07-7	Cleaning Agent	Not Applicable
compd. with 2-aminoethanol (1:1)			
Amine	Withheld	Cleaning Agent	Not Applicable
Orange dye	Withheld	Dye	Not Applicable

^{*}refer to ecolab.com/sds for electronic links to designated lists

The ingredients of this product are reported in the following inventories:

1907/2006 (EU):

not determined

United States TSCA Inventory:

All substances listed as active on the TSCA inventory

Canadian Domestic Substances List (DSL):

This product contains one or several components listed in the Canadian NDSL.

Australia. Australian Industrial Chemicals Introduction Scheme (AICIS):

On the inventory, or in compliance with the inventory

New Zealand. Inventory of Chemical Substances:

On the inventory, or in compliance with the inventory

Japan. ENCS - Existing and New Chemical Substances Inventory :

On the inventory, or in compliance with the inventory

Korea. Korean Existing Chemicals Inventory (KECI):

On the inventory, or in compliance with the inventory

Philippines Inventory of Chemicals and Chemical Substances (PICCS):

not determined

China. Inventory of Existing Chemical Substances in China (IECSC):

On the inventory, or in compliance with the inventory

Taiwan Chemical Substance Inventory (TCSI):


not determined

SECTION 16. OTHER INFORMATION

915136-19 7 / 8

PROCLEAN PREMIUM OVEN & GRILL CLEANER READY-TO-USE

NFPA:



HMIS III:

HEALTH	1
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight, 2 = Moderate, 3 = High

4 = Extreme, * = Chronic

: 07/17/2023 Issuing date

Version : 1.0

Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

915136-19 8/8