

TRIMETA SHIELD

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : TRIMETA SHIELD

Other means of identification : Not applicable

Recommended use Cleaning product

Restrictions on use Reserved for industrial and professional use.

Product dilution information No dilution information provided.

Ecolab Inc. Company

1 Ecolab Place

St. Paul, Minnesota USA 55102

1-800-352-5326

Emergency health

information

1-800-328-0026 (US/Canada), 1-651-222-5352 (outside US)

Issuing date 04/25/2025

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Organic peroxides : Type F Acute toxicity (Dermal) : Category 4 Skin corrosion : Category 1 Serious eye damage : Category 1

single exposure

Specific target organ toxicity - : Category 3 (Respiratory system)

GHS label elements

Hazard pictograms







Signal Word : Danger

Hazard Statements : Heating may cause a fire.

Harmful in contact with skin.

Causes severe skin burns and eye damage.

May cause respiratory irritation.

Precautionary Statements : Prevention:

> Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep only in original packaging. Keep cool. Ground and bond container and receiving equipment. Avoid breathing mist or vapors. Wash skin thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

Response:

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/

1/10 923135-01

TRIMETA SHIELD

doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor. Take off contaminated clothing and wash it before reuse. In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Storage:

Store in a well-ventilated place. Keep container tightly closed. Store locked up. Protect from sunlight. Store at temperatures not exceeding 40 °C/ 104 °F. Store separately.

Disposal:

Dispose of contents/ container to an approved waste disposal plant.

Other hazards : Do not mix with bleach or other chlorinated products – will cause

chlorine gas.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

Chemical name CAS-No. Concentration (%) Acetic acid 64-19-7 45 - 70 Peroxyacetic acid 79-21-0 10 - 30 Hydrogen peroxide 7722-84-1 10 Octanoic acid 124-07-2 1 - 5 Peroxyoctanoic acid 33734-57-5 0.5 - 1.5

SECTION 4. FIRST AID MEASURES

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Get medical attention immediately.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes.

Wash clothing before reuse. Thoroughly clean shoes before reuse.

Get medical attention immediately.

If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give

anything by mouth to an unconscious person. Get medical attention

immediately.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if

symptoms occur.

Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal

protective equipment.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and

delayed

: See Section 11 for more detailed information on health effects and

symptoms.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable extinguishing : None known.

923135-01 2 / 10

TRIMETA SHIELD

media

Specific hazards during fire

fighting

: Special protective equipment for fire-fighters

On decomposition, releases oxygen which may intensify fire. Oxidizer; material is an oxidizer which may readily react with other

materials, especially upon heating.

Hazardous combustion

products

: Decomposition products may include the following materials:

Carbon oxides

Oxygen

Special protective equipment

for fire-fighters

: In case of fire, wear a full face positive-pressure self contained

breathing apparatus and protective suit.

Specific extinguishing

methods

: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire

and/or explosion do not breathe fumes.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures

listed in sections 7 and 8.

Environmental precautions

: Do not allow contact with soil, surface or ground water. DO NOT hermetically seal any defective containers, including drums (risk of

bursting due to the decomposition of the product)

Methods and materials for containment and cleaning up

Stop leak if safe to do so. Isolate the waste do not allow it to come into contact with incompatible materials. For small spills contain with sand or vermiculite and dilute the contained product at least 10 times with water. Transfer to an open topped container and remove to a safe place for neutralization* / disposal. For large spills contain spill and evacuate the area, leave until the reaction subsides, then collect up for disposal. Obtain consent from the local water company / authority if considering discharge to sewer. *NEUTRALIZATION: once diluted, neutralize with a suitable alkali such as sodium bicarbonate. Combustible materials exposed to this product should be rinsed immediately with large amounts of water to ensure that all product is removed. Residual product which is allowed to dry on organic materials such as rags, cloths, paper, fabrics, cotton, leather, wood, or other combustibles may spontaneously ignite and result in a fire.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling

: Do not ingest. Do not get in eyes, on skin, or on clothing. Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Use only with adequate ventilation. Wash hands thoroughly after handling. Do not mix with bleach or other chlorinated products – will cause chlorine gas. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE).

Conditions for safe storage

: Keep in a cool, well-ventilated place. Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers. Pressure bursts may occur due to gas evolution if the container is not

923135-01 3 / 10

TRIMETA SHIELD

adequately vented. Do not hermetically seal the container. Risk of overpressure and bursting in the event of decomposition in closed

containers and in pipes.

Storage temperature : -10 °C to 40 °C

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
Acetic acid	64-19-7	TWA	10 ppm	ACGIH
		STEL	15 ppm	ACGIH
		TWA	10 ppm 25 mg/m3	NIOSH REL
		STEL	15 ppm 37 mg/m3	NIOSH REL
		TWA	10 ppm 25 mg/m3	OSHA Z1
Peracetic acid	79-21-0	STEL	0.4 ppm	ACGIH
Hydrogen peroxide	7722-84-1	TWA	1 ppm	ACGIH
		TWA	1 ppm 1.4 mg/m3	NIOSH REL
		TWA	1 ppm 1.4 mg/m3	OSHA Z1

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations

below occupational exposure standards.

Personal protective equipment

Eye protection : Wear eye protection and/or face protection.

Hand protection : Wear the following personal protective equipment:

Standard glove type.

Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Skin protection : Personal protective equipment comprising: suitable protective gloves,

safety goggles and protective clothing

Respiratory protection : When workers are facing concentrations above the exposure limit they

must use appropriate certified respirators.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes

and body in case of contact or splash hazard.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State : liquid

Color : clear, colorless

923135-01 4 / 10

TRIMETA SHIELD

Odor : vinegar-like pΗ : 3.0, (100 %) Flash point : Not applicable Odor Threshold : No data available

Boiling point, initial boiling

Melting point/freezing point

point and boiling range

: No data available : No data available

Evaporation rate : No data available Flammability : Not applicable Upper explosion limit : No data available Lower explosion limit : No data available Vapor pressure : No data available : No data available Relative vapor density

: 1.08 - 1.12 Relative density

: No data available Density

Water solubility : soluble

Solubility in other solvents : No data available : No data available Partition coefficient: noctanol/water (logarithmic

value)

Autoignition temperature : No data available Decomposition temperature : No data available Viscosity, kinematic : No data available : No data available Explosive properties Oxidizing properties : No data available Molecular weight : No data available VOC : No data available Particle characteristics : No data available

SECTION 10. STABILITY AND REACTIVITY

: Decomposes on heating. Potential for exothermic hazard. Reactivity

Chemical stability : Decomposes on heating.

pressure build-up

Contamination may result in dangerous pressure increases - closed

containers may rupture.

Possibility of hazardous

reactions

: Do not mix with bleach or other chlorinated products - will cause

chlorine gas.

Conditions to avoid : Direct sources of heat.

Exposure to sunlight.

Incompatible materials : Metals

Reducing agents

923135-01 5/10

TRIMETA SHIELD

Hazardous decomposition

products

: In the event of fire, see Section 5

SECTION 11. TOXICOLOGICAL INFORMATION

exposure

Information on likely routes of : Inhalation, Eye contact, Skin contact

Potential Health Effects

Eyes : Causes serious eye damage.

Skin : Harmful in contact with skin. Causes severe skin burns.

Ingestion : Causes digestive tract burns.

Inhalation : May cause respiratory tract irritation. May cause nose, throat, and

lung irritation.

Chronic Exposure : Health injuries are not known or expected under normal use.

Experience with human exposure

Eye contact : Redness, Pain, Corrosion

Skin contact : Redness, Pain, Corrosion

Ingestion : Corrosion, Abdominal pain

Inhalation Respiratory irritation, Cough

Toxicity

Product

: Acute toxicity estimate : 2,219 mg/kg Acute oral toxicity : 4 h Acute toxicity estimate : 9.14 mg/l Acute inhalation toxicity

Test atmosphere: dust/mist

Acute dermal toxicity : Acute toxicity estimate : 1,672 mg/kg

Skin corrosion/irritation : No data available Serious eye damage/eye : No data available

irritation

Respiratory or skin

: No data available

sensitization

Carcinogenicity : No data available Reproductive effects : No data available Germ cell mutagenicity : No data available Teratogenicity : No data available STOT-single exposure : No data available STOT-repeated exposure : No data available Aspiration toxicity : No data available

SECTION 12. ECOLOGICAL INFORMATION

923135-01 6/10

TRIMETA SHIELD

Ecotoxicity

Environmental Effects : Toxic to aquatic life.

Product

Toxicity to fish : No data available

Toxicity to daphnia and other : No data available

aquatic invertebrates

Toxicity to algae : No data available

Components

Toxicity to fish : Acetic acid

96 h LC50 Oncorhynchus mykiss (rainbow trout): > 1,000 mg/l

Peroxyacetic acid 96 h LC50: 0.8 mg/l

Hydrogen peroxide

96 h LC50 Pimephales promelas: 16.4 mg/l

Octanoic acid

96 h LC50 Lepomis macrochirus (Bluegill sunfish): 22 mg/l

Peroxyoctanoic acid

96 h LC50 Oncorhynchus mykiss (rainbow trout): 0.15 mg/l

Components

Toxicity to daphnia and other

aquatic invertebrates

: Acetic acid

48 h EC50 Daphnia magna (Water flea): 39.6 mg/l

Peroxyacetic acid 48 h EC50: 0.73 mg/l

Peroxyoctanoic acid

48 h EC50 Aquatic Invertebrate: 0.31 mg/l

Components

Toxicity to algae : Acetic acid

72 h EC50 Skeletonema costatum (marine diatom): > 1,000 mg/l

Peroxyacetic acid 72 h EC50: 0.7 mg/l

Hydrogen peroxide

72 h EC50 Skeletonema costatum (marine diatom): 1.38 mg/l

Peroxyoctanoic acid

72 h EC50 Desmodesmus subspicatus (green algae): 0.39 mg/l

Persistence and degradability

Readily biodegradable.

Bioaccumulative potential

No data available

Mobility in soil

923135-01 7 / 10

TRIMETA SHIELD

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods : Do not contaminate ponds, waterways or ditches with chemical or

used container. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste

disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to

an approved waste handling site for recycling or disposal. Do not reuse empty containers. Dispose of in accordance with local, state, and

federal regulations.

RCRA - Resource

Conservation and Recovery Authorization Act Hazardous

waste

: D002 (Corrosive)

SECTION 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (DOT)

UN number : 3109

Description of the goods : ORGANIC PEROXIDE TYPE F, LIQUID

(Peroxyacetic acid)

Class : 5.2 (8) Environmentally hazardous : no

Sea transport (IMDG/IMO)

UN number : 3109

Proper shipping name : ORGANIC PEROXIDE TYPE F, LIQUID

(Peroxyacetic acid)

Class : 5.2 (8) Marine pollutant : no

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Acetic acid	64-19-7	5000	10964

SARA 304 Extremely Hazardous Substances Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ
-			(lbs)

923135-01 8 / 10

TRIMETA SHIELD

Peroxyacetic acid	79-21-0	500	2941

SARA 311/312 Hazards : Organic peroxides

Acute toxicity (any route of exposure)

Skin corrosion or irritation

Serious eye damage or eye irritation

Specific target organ toxicity (single or repeated exposure)

SARA 302 : The following components are subject to reporting levels established

by SARA Title III, Section 302:

Peroxyacetic acid 79-21-0 10 - 20 % Hydrogen peroxide 7722-84-1 10 - 20 %

SARA 313 : The following components are subject to reporting levels established

by SARA Title III, Section 313:

Peroxyacetic acid 79-21-0 10 - 20 %

California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

California Cleaning Product Right to Know Act of 2017 (SB 258)

This regulation does not apply to this product.

The ingredients of this product are reported in the following inventories:

United States TSCA Inventory:

All substances listed as active on the TSCA inventory

Canadian Domestic Substances List (DSL):

This product contains one or several components listed in the Canadian NDSL.

Australia. Australian Industrial Chemicals Introduction Scheme (AICIS):

On the inventory, or in compliance with the inventory

New Zealand Inventory of Chemicals (NZIoC):

not determined

Japan. ENCS - Existing and New Chemical Substances Inventory:

On the inventory, or in compliance with the inventory

Korea. Korean Existing Chemicals Inventory (KECI):

Contains substance(s) not listed on the Korea Existing Chemicals Inventory.

Philippines Inventory of Chemicals and Chemical Substances (PICCS):

not determined

China. Inventory of Existing Chemical Substances in China (IECSC):

On the inventory, or in compliance with the inventory

Taiwan Chemical Substance Inventory (TCSI):


not determined

SECTION 16. OTHER INFORMATION

923135-01 9 / 10

TRIMETA SHIELD

NFPA:



HMIS® IV:

HEALTH	/3
FLAMMABILITY	0
PHYSICAL HAZARD	1

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Issuing date : 04/25/2025

Version : 2.0

Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

923135-01 10 / 10