NALCO Water

SAFETY DATA SHEET

NALCO® 7468

Section: 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : NALCO® 7468

Other means of identification : Not applicable.

Recommended use : DEFOAMER

Restrictions on use : Refer to available product literature or ask your local Sales Representative for

restrictions on use and dose limits.

Company : Nalco Company

1601 W. Diehl Road

Naperville, Illinois 60563-1198

USA

TEL: (630) 305-1000

Emergency telephone

number

(800) 424-9300 (24 Hours) CHEMTREC

Issuing date : 04/02/2020

Section: 2. HAZARDS IDENTIFICATION

GHS Classification

Not a hazardous substance or mixture.

GHS Label element

Precautionary Statements : **Prevention:**

Wash hands thoroughly after handling.

Response:

Specific measures: consult SDS Section 4.

Storage:

Store in accordance with local regulations. Protect product from freezing.

Other hazards : None known.

Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

Chemical Name CAS-No. Concentration: (%)

Sorbitan Monostearate 1338-41-6 1 - 5

Section: 4. FIRST AID MEASURES

In case of eye contact : Rinse with plenty of water. Get medical attention if symptoms occur.

In case of skin contact : Wash off with soap and plenty of water. Get medical attention if symptoms

occur.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

NALCO® 7468

If inhaled : Get medical attention if symptoms occur.

Protection of first-aiders : In event of emergency assess the danger before taking action. Do not put

yourself at risk of injury. If in doubt, contact emergency responders. Use

personal protective equipment as required.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and

delayed

See Section 11 for more detailed information on health effects and symptoms.

Section: 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Unsuitable extinguishing

media

None known.

Specific hazards during

firefighting

Not flammable or combustible.

Special protective equipment :

for firefighters

Use personal protective equipment.

Specific extinguishing

methods

Fire residues and contaminated fire extinguishing water must be disposed of in

accordance with local regulations.

Section: 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures Refer to protective measures listed in sections 7 and 8.

Environmental precautions : No special environmental precautions required.

Methods and materials for containment and cleaning up

Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a

waterway.

Section: 7. HANDLING AND STORAGE

Advice on safe handling : For personal protection see section 8. Wash hands after handling.

Conditions for safe storage : Keep out of reach of children. Keep container tightly closed. Store in suitable

labelled containers. Protect product from freezing.

Storage temperature : 4 °C to 65 °C

NALCO® 7468

Suitable material : The following compatibility data is suggested based on similar product data

and/or industry experience: Nylon, Stainless Steel 304, Stainless Steel 316L, Hastelloy C-276, Plexiglass, EPDM, PVC, HDPE (high density polyethylene), Polyurethane, Aluminum, Ethylene propylene, Polypropylene, Polyethylene, PTFE, Perfluoroelastomer, Polytetrafluoroethylene/polypropylene copolymer

Unsuitable material : The following compatibility data is suggested based on similar product data

and/or industry experience: Copper, Brass, Buna-N, Natural rubber, Neoprene,

Mild steel, Fluoroelastomer, Chlorosulfonated polyethylene rubber

Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures : Good general ventilation should be sufficient to control worker exposure to

airborne contaminants.

Personal protective equipment

Eye protection : Safety glasses

Hand protection : Wear protective gloves.

Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Skin protection : Wear suitable protective clothing.

Respiratory protection : No personal respiratory protective equipment normally required.

Hygiene measures : Wash hands before breaks and immediately after handling the product.

The Personal Protective Equipment (PPE) recommendations provided above have been made in good faith based on typical expected conditions of use. PPE selection should always be completed in conjunction with a proper risk assessment and in accordance with a PPE management program.

Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : off-white

Odour : None

Flash point : > 93.3 °C

pH : 7.5,(100 %), Method: ASTM E 70

Odour Threshold : no data available

Melting point/freezing point : Freezing Point: -5 °C

Initial boiling point and boiling:

range

no data available

Evaporation rate : similar to water Flammability (solid, gas) : Not applicable.

NALCO® 7468

Upper explosion limit : no data available

Lower explosion limit : no data available

Vapour pressure : similar to water

Relative vapour density : no data available

Relative density : 0.99 - 1.03, (25 °C), ASTM D-1298

Density : 8.2 - 8.6 lb/gal
Water solubility : completely soluble

Partition coefficient: n- :

Solubility in other solvents

: no data available

no data available

octanol/water

Auto-ignition temperature : no data available
Thermal decomposition : no data available

Viscosity, dynamic : 300 - 1,000 mPa.s (25 °C), Method: ASTM D-2983

Viscosity, kinematic : 300 - 1100 mm2/s (25 °C)

Molecular weight : no data available VOC : no data available

Section: 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid : Extremes of temperature

Incompatible materials : Strong oxidizing agents

Section: 11. TOXICOLOGICAL INFORMATION

Information on likely routes of : Inhalation, Eye contact, Skin contact

exposure

Potential Health Effects

Eyes : Health injuries are not known or expected under normal use.

Skin : Health injuries are not known or expected under normal use.

Ingestion : Health injuries are not known or expected under normal use.

Inhalation : Health injuries are not known or expected under normal use.

Chronic Exposure : Health injuries are not known or expected under normal use.

NALCO® 7468

Experience with human exposure

Eye contact No symptoms known or expected.

Skin contact No symptoms known or expected.

No symptoms known or expected. Ingestion

Inhalation No symptoms known or expected.

Toxicity

Product

Acute toxicity estimate: > 5,000 mg/kg Acute oral toxicity

Acute inhalation toxicity no data available Acute dermal toxicity no data available Skin corrosion/irritation no data available no data available

Serious eye damage/eye

irritation

Respiratory or skin

sensitization

no data available

Carcinogenicity no data available Reproductive effects no data available Germ cell mutagenicity no data available no data available Teratogenicity STOT - single exposure no data available STOT - repeated exposure no data available Aspiration toxicity no data available

Section: 12. ECOLOGICAL INFORMATION

Ecotoxicity

Environmental Effects : This product has no known ecotoxicological effects.

Product

Toxicity to fish : LC50 Oncorhynchus mykiss (rainbow trout): > 1,000 mg/l

> Exposure time: 96 hrs Test substance: Product

LC50 Pimephales promelas (fathead minnow): > 1,000 mg/l

Exposure time: 96 hrs Test substance: Product

Toxicity to daphnia and other

aquatic invertebrates

: LC50 Daphnia magna (Water flea): 1,000 mg/l

Exposure time: 48 hrs Test substance: Product

NALCO® 7468

Persistence and degradability

The organic portion of this preparation is expected to be poorly biodegradable.

Total Organic Carbon (TOC): 27,000 mg/l

Chemical Oxygen Demand (COD): 120,000 mg/l

Biochemical Oxygen Demand (BOD):

Incubation Period Value Test Descriptor

5 d 9,240 mg/l Product

Mobility

The environmental fate was estimated using a level III fugacity model embedded in the EPI (estimation program interface) Suite TM, provided by the US EPA. The model assumes a steady state condition between the total input and output. The level III model does not require equilibrium between the defined media. The information provided is intended to give the user a general estimate of the environmental fate of this product under the defined conditions of the models.

If released into the environment this material is expected to distribute to the air, water and soil/sediment in the approximate respective percentages;

Air : <5% Water : 30 - 50% Soil : 50 - 70%

The portion in water is expected to be soluble or dispersible.

Bioaccumulative potential

This preparation or material is not expected to bioaccumulate.

Other information

no data available

Section: 13. DISPOSAL CONSIDERATIONS

If this product becomes a waste, it is not a hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA) 40 CFR 261, since it does not have the characteristics of Subpart C, nor is it listed under Subpart D.

Disposal methods : Where possible recycling is preferred to disposal or

incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an

approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be

taken to an approved waste handling site for recycling or

disposal. Do not re-use empty containers.

Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

NALCO® 7468

Land transport (DOT)

Proper shipping name : PRODUCT IS NOT REGULATED DURING TRANSPORTATION

Air transport (IATA)

Proper shipping name : PRODUCT IS NOT REGULATED DURING TRANSPORTATION

Sea transport (IMDG/IMO)

Proper shipping name : PRODUCT IS NOT REGULATED DURING TRANSPORTATION

Section: 15. REGULATORY INFORMATION

TSCA list : No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification

requirements.

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This product does not contain a RQ substance, or this product contains a substance with a RQ, however the calculated RQ exceeds the reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : No SARA Hazards

SARA 302 : This material does not contain any components with a section 302

EHS TPQ.

SARA 313 : This material does not contain any chemical components with known

CAS numbers that exceed the threshold (De Minimis) reporting levels

established by SARA Title III, Section 313.

California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

INTERNATIONAL CHEMICAL CONTROL LAWS:

United States TSCA Inventory

The substances in this preparation are included on or exempted from the TSCA 8(b) Inventory (40 CFR 710)

Australia. Industrial Chemical (Notification and Assessment) Act

All substances in this product comply with the National Industrial Chemicals Notification & Assessment Scheme (NICNAS).

Canadian Domestic Substances List (DSL)

The substance(s) in this preparation are included in or exempted from the Domestic Substance List (DSL).

NALCO® 7468

Japan. ENCS - Existing and New Chemical Substances Inventory

All substances in this product comply with the Law Regulating the Manufacture and Importation Of Chemical Substances and are listed on the Existing and New Chemical Substances list (ENCS).

Korea. Korean Existing Chemicals Inventory (KECI)

All substances in this product comply with the Chemical Control Act (CCA) and are listed on the Existing Chemicals List (ECL)

Philippines Inventory of Chemicals and Chemical Substances (PICCS)

All substances in this product comply with the Republic Act 6969 (RA 6969) and are listed on the Philippines Inventory of Chemicals & Chemical Substances (PICCS).

China Inventory of Existing Chemical Substances

All substances in this product comply with the Provisions on the Environmental Administration of New Chemical Substances and are listed on or exempt from the Inventory of Existing Chemical Substances China (IECSC).

New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand

All substances in this product comply with the Hazardous Substances and New Organisms (HSNO) Act 1996, and are listed on or are exempt from the New Zealand Inventory of Chemicals.

Taiwan Chemical Substance Inventory

All substances in this product comply with the Taiwan Existing Chemical Substances Inventory (ECSI).

Section: 16. OTHER INFORMATION

Flammability The property of the property of

HMIS III:



0 = not significant, 1 = Slight,

2 = Moderate, 3 = High

4 = Extreme, * = Chronic

Revision Date : 04/02/2020

Special hazard.

Version Number : 1.2

Prepared By : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. For additional copies of an SDS visit www.nalco.com and request access.