

# KEYSTONE GREASELIFT™ DEGREASER & FRYER CLEANER RTU

## **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : KEYSTONE GREASELIFT™ DEGREASER & FRYER CLEANER

RTU

Other means of identification : Not applicable

Recommended use : Degreaser

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : Product is sold ready to use.

Company : Ecolab Inc.

1 Ecolab Place

St. Paul, Minnesota USA 55102

1-800-352-5326

Emergency health

information

1-800-328-0026 (US/Canada), 1-651-222-5352 (outside US)

Issuing date : 02/29/2024

#### **SECTION 2. HAZARDS IDENTIFICATION**

**GHS Classification** 

Eye irritation : Category 2B

**GHS** label elements

Signal Word : Warning

Hazard Statements : Causes eye irritation.

Precautionary Statements : Prevention:

Wash skin thoroughly after handling.

Response:

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye

irritation persists: Get medical advice/ attention.

Other hazards : None known.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Pure substance/mixture : Mixture

Chemical name CAS-No. Concentration (%)

 Benzyl alcohol
 100-51-6
 5 - 10

 Monoethanolamine
 141-43-5
 1 - 5

#### **SECTION 4. FIRST AID MEASURES**

In case of eye contact : Rinse with plenty of water.

In case of skin contact : Rinse with plenty of water.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

928998-03 1 / 8

## KEYSTONE GREASELIFT™ DEGREASER & FRYER CLEANER RTU

If inhaled : Get medical attention if symptoms occur.

Protection of first-aiders : No special precautions are necessary for first aid responders.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and

delayed

: See Section 11 for more detailed information on health effects and

symptoms.

#### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable extinguishing

media

: None known.

Specific hazards during fire

fighting

: Not flammable or combustible.

Hazardous combustion

products

: Decomposition products may include the following materials:

Carbon oxides

Nitrogen oxides (NOx)

Special protective equipment

for fire-fighters

: Use personal protective equipment.

Specific extinguishing

methods

: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire

and/or explosion do not breathe fumes.

### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up

: Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material to ensure runoff does not

reach a waterway.

#### **SECTION 7. HANDLING AND STORAGE**

Advice on safe handling : Wash hands thoroughly after handling. In case of mechanical

malfunction, or if in contact with unknown dilution of product, wear full

Personal Protective Equipment (PPE).

Conditions for safe storage : Keep out of reach of children. Store in suitable labeled containers.

Storage temperature : 0 °C to 50 °C

928998-03 2 / 8

# KEYSTONE GREASELIFT™ DEGREASER & FRYER CLEANER RTU

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
Benzyl alcohol	100-51-6	TWA	10 ppm	AIHA WEEL
monoethanolamine	141-43-5	TWA	3 ppm	ACGIH
		STEL	6 ppm	ACGIH
		TWA	3 ppm 8 mg/m3	NIOSH REL
		STEL	6 ppm 15 mg/m3	NIOSH REL
		TWA	3 ppm 6 mg/m3	OSHA Z1

Engineering measures : Good general ventilation should be sufficient to control worker

exposure to airborne contaminants.

## Personal protective equipment

Eye protection : No special protective equipment required.

Hand protection : No special protective equipment required.

Skin protection : No special protective equipment required.

Respiratory protection : No personal respiratory protective equipment normally required.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice.

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : Aqueous solution
Color : clear, orange

Odor : odorless

pH : 11.1 - 11.5, (100 %)

Flash point : Not applicable
Odor Threshold : No data available
Melting point/freezing point : No data available
Initial boiling point and : No data available

boiling range

Evaporation rate : No data available
Flammability (solid, gas) : Not applicable
Upper explosion limit : No data available
Lower explosion limit : No data available
Vapor pressure : No data available
Relative vapor density : No data available

928998-03 3 / 8

# KEYSTONE GREASELIFT™ DEGREASER & FRYER CLEANER RTU

Relative density : 0.957 - 1.067 Water solubility : No data available Solubility in other solvents : No data available Partition coefficient: n-: No data available

octanol/water

Autoignition temperature : No data available Thermal decomposition : No data available : No data available Viscosity, kinematic Explosive properties : No data available Oxidizing properties : No data available Molecular weight : No data available VOC : No data available

#### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No dangerous reaction known under conditions of normal use.

: Stable under normal conditions. Chemical stability

Possibility of hazardous

reactions

: No dangerous reaction known under conditions of normal use.

Conditions to avoid : None known.

Incompatible materials : None known.

Hazardous decomposition

products

: In case of fire hazardous decomposition products may be produced

such as:

Carbon oxides

Nitrogen oxides (NOx)

## **SECTION 11. TOXICOLOGICAL INFORMATION**

Information on likely routes of : Inhalation, Eye contact, Skin contact

exposure

# **Potential Health Effects**

Eyes : Causes eye irritation.

Skin : Health injuries are not known or expected under normal use.

Ingestion : Health injuries are not known or expected under normal use.

Inhalation : Health injuries are not known or expected under normal use.

Chronic Exposure : Health injuries are not known or expected under normal use.

## **Experience with human exposure**

: Redness, Irritation Eye contact

Skin contact : No symptoms known or expected.

928998-03 4/8

# KEYSTONE GREASELIFT™ DEGREASER & FRYER CLEANER RTU

Ingestion : No symptoms known or expected.

Inhalation : No symptoms known or expected.

**Toxicity** 

**Product** 

Acute oral toxicity : Acute toxicity estimate : > 5,000 mg/kg Acute inhalation toxicity : 4 h Acute toxicity estimate : 15.47 mg/l

Test atmosphere: dust/mist

Acute dermal toxicity : Acute toxicity estimate : > 5,000 mg/kg

Skin corrosion/irritation : No data available Serious eye damage/eye : No data available

irritation

Respiratory or skin

sensitization

: No data available

Carcinogenicity : No data available
Reproductive effects : No data available
Germ cell mutagenicity : No data available
Teratogenicity : No data available
STOT-single exposure : No data available
STOT-repeated exposure : No data available
Aspiration toxicity : No data available

## **SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity** 

Environmental Effects : This product has no known ecotoxicological effects.

**Product** 

Toxicity to fish : No data available

Toxicity to daphnia and other aquatic invertebrates : No data available

aquatio invertebrates

: No data available

Toxicity to algae **Components** 

Toxicity to fish : Benzyl alcohol

96 h LC50 Pimephales promelas: 460 mg/l

Components

Toxicity to daphnia and other

aquatic invertebrates

: Benzyl alcohol

48 h EC50 Daphnia magna (Water flea): 230 mg/l

Monoethanolamine

48 h LC50 Daphnia magna (Water flea): 65 mg/l

Components

Toxicity to algae : Benzyl alcohol

72 h EC50 Pseudokirchneriella subcapitata (green algae): 770 mg/l

928998-03 5 / 8

## KEYSTONE GREASELIFT™ DEGREASER & FRYER CLEANER RTU

## Persistence and degradability

Readily biodegradable.

#### **Bioaccumulative potential**

No data available

#### Mobility in soil

No data available

#### Other adverse effects

No data available

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

Disposal methods : Diluted product can be flushed to sanitary sewer.

Disposal considerations : Dispose of in accordance with local, state, and federal regulations.

#### **SECTION 14. TRANSPORT INFORMATION**

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

#### Land transport (DOT)

Not dangerous goods

## Sea transport (IMDG/IMO)

Not dangerous goods

# **SECTION 15. REGULATORY INFORMATION**

#### **EPCRA - Emergency Planning and Community Right-to-Know**

## **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

# SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Serious eye damage or eye irritation

SARA 302 : This material does not contain any components with a section 302

EHS TPQ.

SARA 313 : This material does not contain any chemical components with known

CAS numbers that exceed the threshold (De Minimis) reporting levels

established by SARA Title III, Section 313.

## California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

#### California Cleaning Product Right to Know Act of 2017 (SB 258)

928998-03 6 / 8

# KEYSTONE GREASELIFT™ DEGREASER & FRYER CLEANER RTU

This regulation applies to this product.

The regulation applies to the product						
Hazardous ingredients	CAS-No.	Function	List(s)			
water	7732-18-5	Diluent	Not Applicable			
Benzyl alcohol	100-51-6	Solvent	FRA			
Monoethanolamine	141-43-5	Solvent	Not Applicable			
Amine	Withheld	Solvent	Not Applicable			
nonionic surfactant	Withheld	Cleaning Agent	Not Applicable			
Orange dye	Withheld	Dye	Not Applicable			
Isothiazolinones	Withheld	Dye	Not Applicable			

<sup>\*</sup>refer to ecolab.com/sds for electronic links to designated lists

## The ingredients of this product are reported in the following inventories:

#### United States TSCA Inventory:

On or in compliance with the active portion of the TSCA inventory

### Canadian Domestic Substances List (DSL):

This product contains one or several components listed in the Canadian NDSL.

## Australia. Australian Industrial Chemicals Introduction Scheme (AICIS):

On the inventory, or in compliance with the inventory

## New Zealand. Inventory of Chemical Substances:

not determined

#### Japan. ENCS - Existing and New Chemical Substances Inventory :

not determined

## Korea. Korean Existing Chemicals Inventory (KECI):

not determined

#### Philippines Inventory of Chemicals and Chemical Substances (PICCS):

not determined

## China. Inventory of Existing Chemical Substances in China (IECSC):


not determined

## Taiwan Chemical Substance Inventory (TCSI):

not determined

#### **SECTION 16. OTHER INFORMATION**

#### NFPA:



#### HMIS III:

HEALTH	1
FLAMMABILITY	0
PHYSICAL HAZARD	0

- 0 = not significant, 1 = Slight,
- 2 = Moderate, 3 = High
- 4 = Extreme, \* = Chronic

928998-03 7 / 8

# KEYSTONE GREASELIFT™ DEGREASER & FRYER CLEANER RTU

Issuing date : 02/29/2024

Version : 1.0

Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

928998-03 8 / 8