

PERFORMANCE XXL SOUR

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : PERFORMANCE XXL SOUR

Other means of identification : Not applicable

Recommended use : Laundry product

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : Product is sold ready to use.

Company : Ecolab Inc.

1 Ecolab Place

St. Paul, Minnesota USA 55102

1-800-352-5326

Emergency health

information

: 1-800-328-0026 (US/Canada), 1-651-222-5352 (outside US)

Issuing date : 07/25/2019

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Acute toxicity (Oral) : Category 4
Skin corrosion : Category 1A
Serious eye damage : Category 1

GHS label elements

Hazard pictograms :





Signal Word : Danger

Hazard Statements : Harmful if swallowed.

Causes severe skin burns and eye damage.

Precautionary Statements : **Prevention:**

Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/ protective clothing/ eye

protection/ face protection.

Response:

IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Wash

contaminated clothing before reuse.

Storage: Store locked up. Disposal:

951285-06 1 / 9

PERFORMANCE XXL SOUR

Dispose of contents/ container to an approved waste disposal plant.

Other hazards : Do not mix with bleach or other chlorinated products – will cause

chlorine gas.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

Chemical name CAS-No. Concentration (%)

fluorosilicic acid 16961-83-4 10 - 30 hydrochloric acid 7647-01-0 1 - 5

SECTION 4. FIRST AID MEASURES

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Get medical attention immediately.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use

a mild soap if available. Wash clothing before reuse. Thoroughly clean

shoes before reuse. Get medical attention immediately.

If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give

anything by mouth to an unconscious person. Get medical attention

immediately.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if

symptoms occur.

Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal

protective equipment.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and

delayed

: See Section 11 for more detailed information on health effects and

symptoms.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable extinguishing

media

: None known.

Specific hazards during fire

fighting

: Not flammable or combustible.

Hazardous combustion

products

: Decomposition products may include the following materials:

Special protective equipment

for fire-fighters

: Use personal protective equipment.

Specific extinguishing

methods

: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire

951285-06 2 / 9

PERFORMANCE XXL SOUR

and/or explosion do not breathe fumes.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

Environmental precautions

: Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up

: Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Do not ingest. Do not get in eyes, on skin, or on clothing. Do not

breathe dust/ fume/ gas/ mist/ vapors/ spray. Use only with adequate ventilation. Wash hands thoroughly after handling. Do not mix with bleach or other chlorinated products – will cause chlorine gas. In case of mechanical malfunction, or if in contact with unknown dilution of

product, wear full Personal Protective Equipment (PPE).

Conditions for safe storage : Keep away from strong bases. Keep out of reach of children. Store in

cuitable labeled containers

suitable labeled containers.

Storage temperature : 0 °C to 50 °C

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
hydrochloric acid	7647-01-0	Ceiling	2 ppm	ACGIH
		Ceiling	5 ppm 7 mg/m3	NIOSH REL
		С	5 ppm 7 mg/m3	OSHA Z1

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations

below occupational exposure standards.

Personal protective equipment

Eye protection : Wear eye protection/ face protection.

Hand protection : Wear the following personal protective equipment:

Standard glove type.

Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

951285-06 3 / 9

PERFORMANCE XXL SOUR

Skin protection : Personal protective equipment comprising: suitable protective gloves,

safety goggles and protective clothing

Respiratory protection : When workers are facing concentrations above the exposure limit they

must use appropriate certified respirators.

: Handle in accordance with good industrial hygiene and safety Hygiene measures

practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes

and body in case of contact or splash hazard.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : clear, light yellow Odor : Disinfectants pΗ : 1.0, (100 %)

Flash point : Not applicable, Does not sustain combustion.

Odor Threshold : No data available Melting point/freezing point : No data available

Initial boiling point and

boiling range

: > 100 °C

Evaporation rate : No data available Flammability (solid, gas) : No data available Upper explosion limit : No data available Lower explosion limit : No data available Vapor pressure No data available Relative vapor density : No data available

: 1.22 Relative density : soluble Water solubility

Solubility in other solvents : No data available Partition coefficient: n-

octanol/water

: No data available

Autoignition temperature : No data available : No data available Thermal decomposition Viscosity, kinematic : No data available Explosive properties : No data available

The substance or mixture is not classified as oxidizing. Oxidizing properties

Molecular weight No data available VOC : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

951285-06 4/9

PERFORMANCE XXL SOUR

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

: Do not mix with bleach or other chlorinated products - will cause

chlorine gas.

Conditions to avoid : None known.

Incompatible materials : Bases

Metals

Hazardous decomposition

products

: Decomposition products may include the following materials:

SECTION 11. TOXICOLOGICAL INFORMATION

exposure

Information on likely routes of : Inhalation, Eye contact, Skin contact

Potential Health Effects

Eyes : Causes serious eye damage.

Skin : Causes severe skin burns.

Ingestion : Harmful if swallowed. Causes digestive tract burns.

Inhalation : May cause nose, throat, and lung irritation.

: Health injuries are not known or expected under normal use. Chronic Exposure

Experience with human exposure

Eye contact : Redness, Pain, Corrosion

Skin contact : Redness, Pain, Corrosion

Ingestion : Corrosion, Abdominal pain

Inhalation : Respiratory irritation, Cough

Toxicity

Product

: Acute toxicity estimate : 1,871 mg/kg Acute oral toxicity

: 4 h Acute toxicity estimate : > 30000 ppm Acute inhalation toxicity

Test atmosphere: gas

Acute dermal toxicity : No data available Skin corrosion/irritation : No data available Serious eye damage/eye : No data available

irritation

Respiratory or skin

sensitization

: No data available

Carcinogenicity : No data available Reproductive effects : No data available Germ cell mutagenicity : No data available

951285-06 5/9

PERFORMANCE XXL SOUR

Teratogenicity : No data available
STOT-single exposure : No data available
STOT-repeated exposure : No data available
Aspiration toxicity : No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Environmental Effects : This product has no known ecotoxicological effects.

Product

Toxicity to fish : No data available

Toxicity to daphnia and other : No data available

aquatic invertebrates

Toxicity to algae : No data available

Components

Toxicity to fish : fluorosilicic acid

96 h LC50 Fish: 50 mg/l

Persistence and degradability

Not applicable - inorganic

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods : Where possible recycling is preferred to disposal or incineration. If

recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to

an approved waste handling site for recycling or disposal. Do not reuse empty containers. Dispose of in accordance with local, state, and

federal regulations.

RCRA - Resource : D002 (Corrosive)

Conservation and Recovery Authorization Act Hazardous

waste

SECTION 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

951285-06 6 / 9

PERFORMANCE XXL SOUR

Land transport (DOT)

UN number : 1778

Description of the goods : Fluorosilicic acid, solution

Class : 8
Packing group : II
Environmentally hazardous : no

Sea transport (IMDG/IMO)

UN number : 1778

Description of the goods : FLUOROSILICIC ACID SOLUTION

Class : 8
Packing group : II
Marine pollutant : no

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
hydrogen fluoride	7664-39-3	100	20008

SARA 304 Extremely Hazardous Substances Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ
			(lbs)
hydrogen fluoride	7664-39-3	100	20008

SARA 311/312 Hazards : Acute toxicity (any route of exposure)

Skin corrosion or irritation

Serious eye damage or eye irritation

SARA 302 : The following components are subject to reporting levels established

by SARA Title III, Section 302:

hydrochloric acid 7647-01-0 1 - 5 %

SARA 313 : This material does not contain any chemical components with known

CAS numbers that exceed the threshold (De Minimis) reporting levels

established by SARA Title III, Section 313.

California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

California Cleaning Product Right to Know Act of 2017 (SB 258)

This regulation applies to this product.

Chemical Name	CAS-No.	Function	List(s)
water	7732-18-5	Diluent	Not Applicable
fluorosilicic acid	16961-83-4	Buffer	Not Applicable
Inorganic salt	Withheld	Absorbent	Not Applicable

^{*}refer to ecolab.com/sds for electronic links to designated lists

951285-06 7 / 9

PERFORMANCE XXL SOUR

The ingredients of this product are reported in the following inventories:

United States TSCA Inventory:

All substances listed as active on the TSCA inventory

Canadian Domestic Substances List (DSL):

All components of this product are on the Canadian DSL

Australia Inventory of Chemical Substances (AICS):

On the inventory, or in compliance with the inventory

New Zealand. Inventory of Chemical Substances:

not determined

Japan. ENCS - Existing and New Chemical Substances Inventory:

On the inventory, or in compliance with the inventory

Korea. Korean Existing Chemicals Inventory (KECI):

On the inventory, or in compliance with the inventory

Philippines Inventory of Chemicals and Chemical Substances (PICCS):

On the inventory, or in compliance with the inventory

China. Inventory of Existing Chemical Substances in China (IECSC):


On the inventory, or in compliance with the inventory

Taiwan Chemical Substance Inventory (TCSI):

On the inventory, or in compliance with the inventory

SECTION 16. OTHER INFORMATION

NFPA:



HMIS III:

HEALTH	3
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,

2 = Moderate, 3 = High

4 = Extreme, * = Chronic

Issuing date : 07/25/2019

Version : 1.2

Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific

951285-06 8 / 9

PERFORMANCE XXL SOUR

material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

951285-06 9 / 9