



# SAFETY DATA SHEET

Issuing date 11-Sep-2012

Revision Date 30-Jun-2015

Version 1

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

### Product identifier

**Product name** Swisher Free Strength

### Other means of identification

**Product Code** 40318

**UN/ID No** UN1759

**Other information** Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

### Recommended use of the chemical and restrictions on use

**Recommended use** Solid Alkaline Detergent

### Details of the supplier of the safety data sheet

#### **Distributor**

Swisher Hygiene Inc.  
4725 Piedmont Row Drive  
Suite 400  
Charlotte, NC 28210

#### Emergency telephone number

**24 Hour Emergency Phone Number** CHEMTREC: 1-800-424-9300 (NORTH AMERICA)  
1-703-527-3887 (INTERNATIONAL)

**Company Phone Number** 800-444-4138

## 2. HAZARDS IDENTIFICATION

### Classification

#### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute Toxicity - Oral	Category 4
Acute Toxicity - Dermal	Category 5
Skin corrosion/irritation	Category 1 Sub-category A
Serious eye damage/eye irritation	Category 1
Specific target organ toxicity (single exposure)	Category 3

### Label elements

#### **Emergency Overview**

**Danger**

#### **Hazard Statements**

Harmful if swallowed  
Causes severe skin burns and eye damage  
May cause respiratory irritation. May cause drowsiness or dizziness  
Toxic to aquatic life with long lasting effects

**Appearance** White**Physical state** Powder**Odor** Odorless**Precautionary Statements - Prevention**

- Wash face, hands and any exposed skin thoroughly after handling
- Do not eat, drink or smoke when using this product
- Do not breathe dust/fume/gas/mist/vapors/spray
- Wear protective gloves/protective clothing/eye protection/face protection
- Use only outdoors or in a well-ventilated area
- Avoid release to the environment

**Precautionary Statements - Response**

- Immediately call a POISON CENTER or doctor/physician
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- Immediately call a POISON CENTER or doctor/physician
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- Wash contaminated clothing before reuse
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- Call a POISON CENTER or doctor/physician
- IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
- Rinse mouth
- Do NOT induce vomiting

**Precautionary Statements - Storage**

Store locked up  
 Store in a well-ventilated place. Keep container tightly closed  
 Keep locked up and out of reach of children.

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

**Hazards not otherwise classified (HNOC)****Other information**

Unknown Acute Toxicity

84% of the mixture consists of ingredient(s) of unknown toxicity

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Chemical Name	CAS-No	Weight-%	Trade Secret
Sodium hydroxide	1310-73-2	15% - 40%	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

#### 4. FIRST AID MEASURES

##### First aid measures for different exposure routes

<b>General advice</b>	Show this safety data sheet to the doctor in attendance.
<b>Eye contact</b>	Immediate medical attention is not required. Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area.
<b>Skin contact</b>	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Wash contaminated clothing before reuse. If burns are present or if irritation persists, seek medical attention. For minor skin contact, avoid spreading material on unaffected skin. For severe burns, immediate medical attention is required.
<b>Inhalation</b>	If dust is formed or irritation occurs, leave area and do not return until dust has settled. If irritation persists, see a physician. If breathing is difficult, give oxygen. Remove to fresh air. If breathing has stopped, apply suitable artificial respiration. Get medical help.
<b>Ingestion</b>	Immediate medical attention is not required. Rinse mouth. Do NOT induce vomiting. Drink plenty of water. Never give anything by mouth to an unconscious person.
<b>Protection of First-aiders</b>	Use personal protective equipment as required. Avoid contact with skin, eyes, or clothing.

##### Most important symptoms/effects, acute and delayed

<b>Main Symptoms</b>	Causes severe skin burns and eye damage. Irritation or burning to mucous membranes.
----------------------	---

##### Indication of immediate medical attention and special treatment needed, if necessary

<b>Notes to physician</b>	Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. Treat symptomatically.
---------------------------	---

#### 5. FIRE-FIGHTING MEASURES

##### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**Unsuitable Extinguishing Media** CAUTION: Use of water spray when fighting fire may be inefficient.

##### Specific hazards arising from the chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating and toxic gases and vapors. In the event of fire and/or explosion do not breathe fumes.

<b>Hazardous Combustion Products</b>	Contact with metals in presence of moisture will produce hydrogen gas, which can form explosive mixture in air.
--------------------------------------	---

##### Explosion Data

**Sensitivity to Mechanical Impact** None.

**Sensitivity to Static Discharge** None.

##### Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

#### 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions, protective equipment and emergency procedures**

**Personal precautions** Evacuate personnel to safe areas. Use personal protective equipment as required. Avoid contact with skin, eyes and clothing. Keep people away from and upwind of spill/leak.

**Environmental precautions**

**Environmental precautions** Do not allow into any sewer, on the ground or into any body of water. Should not be released into the environment. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

**Methods and materials for containment and cleaning up**

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Avoid creating dust. Sweep up and shovel into suitable containers for disposal. Dilute residual material with dilute acetic acid (vinegar) to pH of less than 10.

**7. HANDLING AND STORAGE****Precautions for safe handling**

**Advice on safe handling** Use personal protective equipment as required. Avoid contact with skin, eyes, or clothing. Ensure adequate ventilation, especially in confined areas. In case of insufficient ventilation, wear suitable respiratory equipment.

**Conditions for safe storage, including any incompatibilities**

**Technical measures/Storage conditions** Keep containers tightly closed in a cool, well-ventilated place. KEEP OUT OF REACH OF CHILDREN. Keep in properly labeled containers.

**Incompatible products** Strong acids. Metals such as aluminum, tin, lead, and zinc especially in the presence of moisture. Aluminum.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Control parameters**

**Exposure Guidelines** Review Section 3 & 4 for Exposure Guidelines.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Sodium hydroxide 1310-73-2	-	TWA: 2 mg/m <sup>3</sup>	IDLH: 10 mg/m <sup>3</sup> Ceiling: 2 mg/m <sup>3</sup>

NIOSH IDLH: *Immediately Dangerous to Life or Health*

**Other information** Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

**Appropriate engineering controls**

**Engineering Measures** Showers, eyewash stations, and ventilation systems

**Individual protection measures, such as personal protective equipment**

**Eye/Face Protection** Tightly fitting safety goggles.

**Skin and body protection** Wear chemical resistant gloves. Other protective equipment not required under normal use. Wear impervious protective clothing, including boots, gloves, lab coat, apron, or coveralls, as appropriate, to prevent skin contact.

**Respiratory protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be

required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

**Hygiene measures**

Do not eat, drink or smoke when using this product. Avoid contact with skin, eyes and clothing. Wear suitable gloves and eye/face protection. Contaminated work clothing should not be allowed out of the workplace. Remove and wash contaminated clothing before re-use.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Physical and chemical properties**

<b>Physical state</b>	Powder	<b>Odor</b>	Odorless
<b>Appearance</b>	White	<b>Odor Threshold</b>	No information available
<b>Color</b>	No information available		
<b><u>Property</u></b>	<b><u>Values</u></b>	<b><u>Remarks • Methods</u></b>	
<b>pH</b>	12.0 - 14.0	@1%	
<b>Melting/freezing point</b>	No information available		
<b>Boiling point/boiling range</b>	N/A	not applicable	
<b>Flash Point</b>	No information available		
<b>Evaporation rate</b>	N/A	not applicable	
<b>Flammability (solid, gas)</b>	No information available		
<b>Flammability Limits in Air</b>			
<b>Upper flammability limit</b>	No information available		
<b>Lower flammability limit</b>	No information available		
<b>Vapor pressure</b>	No information available		
<b>Vapor density</b>	No information available		
<b>Specific Gravity</b>	N/A		
<b>Water solubility</b>	No information available	Completely soluble.	
<b>Solubility in other solvents</b>	No information available		
<b>Partition coefficient: n-octanol/water</b>	No information available		
<b>Autoignition temperature</b>	No information available		
<b>Decomposition temperature</b>	No information available		
<b>Viscosity, kinematic</b>	No information available		
<b>Viscosity, dynamic</b>	No information available		
<b>Explosive properties</b>	Not explosive		
<b>Oxidizing Properties</b>	Not an oxidizer		

**Other information**

<b>Softening point</b>	N/A
<b>Molecular Weight</b>	N/A
<b>VOC Content(%)</b>	Negligible
<b>Density VALUE</b>	N/A
<b>Bulk Density VALUE</b>	N/A

## 10. STABILITY AND REACTIVITY

**Chemical stability**

Stable under recommended storage conditions.

**Possibility of hazardous reactions**

Contact with metals in presence of moisture will produce hydrogen gas, which can form explosive mixture in air.

**Conditions to Avoid**

Moisture, elevated temperatures.

**Incompatible Materials**

Strong acids. Metals such as aluminum, tin, lead, and zinc especially in the presence of moisture. Aluminum.

**Hazardous Decomposition Products**

Thermal decomposition can lead to release of irritating gases and vapors. Oxides of Carbon.

## 11. TOXICOLOGICAL INFORMATION

**Information on likely routes of exposure**

<b>Product Information</b>	There is no data available for this product
<b>Inhalation</b>	Causes burns.
<b>Eye contact</b>	Corrosive to the eyes and may cause severe damage including blindness.
<b>Skin contact</b>	May be harmful in contact with skin.
<b>Ingestion</b>	Causes burns. Harmful if swallowed.

Chemical Name	Oral LD50	Dermal LD50	LC50 Inhalation
Sodium hydroxide 1310-73-2	140 mg/kg (Rat)	= 1350 mg/kg ( Rabbit )	-

**Information on toxicological effects**

**Symptoms** No information available.

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

<b>Corrosivity</b>	Causes burns. Extremely corrosive and destructive to tissue. Risk of serious damage to eyes.
<b>Sensitization</b>	None known.
<b>Mutagenic effects</b>	No information available.
<b>Carcinogenicity</b>	The table below indicates whether each agency has listed any ingredient as a carcinogen. <i>IARC: (International Agency for Research on Cancer)</i> <i>Group 2B - Possibly Carcinogenic to Humans</i> <i>OSHA: (Occupational Safety &amp; Health Administration)</i> <i>X - Present</i>
<b>Reproductive toxicity</b>	No information available.
<b>Developmental Toxicity</b>	No information available.
<b>Teratogenicity</b>	No information available.
<b>STOT - single exposure</b>	No information available.
<b>STOT - repeated exposure</b>	No information available.
<b>Chronic toxicity</b>	Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by jaw necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Avoid repeated exposure. Possible risks of irreversible effects.
<b>Target Organ Effects</b>	Eyes, Respiratory system, Skin.
<b>Aspiration hazard</b>	No information available.

**Numerical measures of toxicity - Product Information**

<b>Unknown Acute Toxicity</b>	84% of the mixture consists of ingredient(s) of unknown toxicity
<b>The following values are calculated based on chapter 3.1 of the GHS document .</b>	
<b>ATEmix (oral)</b>	738 mg/kg
<b>ATEmix (dermal)</b>	7200 mg/kg

**12. ECOLOGICAL INFORMATION****Ecotoxicity**

2.88% of the mixture consists of component(s) of unknown hazards to the aquatic environment.

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Sodium hydroxide 1310-73-2	-	45.4: 96 h Oncorhynchus mykiss mg/L LC50 static	-

**Persistence and degradability**

No information available.

**Bioaccumulation**

Not likely to bioaccumulate.

**Other adverse effects**

No information available

**13. DISPOSAL CONSIDERATIONS****Waste treatment****Waste Disposal Methods**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Contaminated packaging**

Do not reuse container.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
Sodium hydroxide 1310-73-2	Toxic Corrosive

**14. TRANSPORT INFORMATION****Note**

UN1759, Corrosive Solid, n.o.s. (Contains Sodium Hydroxide), 8, PG II

**DOT**

UN/ID No	Regulated UN1759
Proper shipping name	Not regulated
Hazard class	8
Packing Group	II
Emergency Response Guide Number	154

**TDG**

UN/ID No	UN1759
Hazard class	8
Packing Group	II

**15. REGULATORY INFORMATION****International Inventories**

TSCA	Complies
DSL/NDL	Complies
EINECS/ELINCS	Complies
ENCS	Complies
IECSC	Complies

KECL	Complies
PICCS	Complies
AICS	Complies

**Legend:**

TSCA - Complies  
 DSL/NDL - Complies  
 EINECS/ELINCS - Does not comply  
 ENCS - Does not comply  
 IECSC - Complies  
 KECL - Does not comply  
 PICCS - Does not comply  
 AICS - Does not comply

**U.S. Federal Regulations****SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

**SARA 311/312 Hazard Categories**

Acute Health Hazard	Yes
Chronic Health Hazard	Yes
Fire Hazard	no
Sudden Release of Pressure Hazard	no
Reactive Hazard	no

**Clean Water Act**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium hydroxide 1310-73-2	1000 lb	-	-	X

**CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Sodium hydroxide 1310-73-2	1000 lb	-	RQ 1000 lb final RQ RQ 454 kg final RQ

**U.S. State Regulations****California Proposition 65**

This product does not contain any Proposition 65 chemicals.

**U.S. State Right-to-Know Regulations**

This product contains substances regulated by state right-to-know regulations.

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Sodium hydroxide 1310-73-2	X	X	X

**U.S. EPA Label Information**

EPA Pesticide Registration Number Not applicable

<b>16. OTHER INFORMATION</b>
------------------------------



---

<b><u>NFPA</u></b>	<b>Health Hazards</b> 3	<b>Flammability</b> 0	<b>Instability</b> 0	<b>Physical and chemical hazards</b> COR
<b><u>HMIS</u></b>	<b>Health hazard</b> 3	<b>Flammability</b> 0	<b>Physical Hazards</b> 0	<b>Personal protection</b> X

**Prepared By**

Swisher Hygiene Inc.  
4725 Piedmont Row Drive  
Suite 400  
Charlotte, NC 28210

**Issuing date**

11-Sep-2012

**Revision Date**

30-Jun-2015

**Revision Note**

1

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**