

OUTSHINE ACID

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : OUTSHINE ACID

Other means of identification : Not applicable

Recommended use : Cleaning product

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : 0.08 % - 0.78 %

Company : Ecolab Inc.

1 Ecolab Place

St. Paul, Minnesota USA 55102

1-800-352-5326

Emergency health

information

1-800-328-0026 (US/Canada), 1-651-222-5352 (outside US)

Issuing date : 04/12/2019

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Product AS SOLD

Skin corrosion : Category 1A Serious eye damage : Category 1

Product AT USE DILUTION

Skin corrosion : Category 1A Serious eye damage : Category 1

GHS label elements

Product AS SOLD

Hazard pictograms



Signal Word : Danger

Hazard Statements : Causes severe skin burns and eye damage.

Precautionary Statements : **Prevention:**

Wash skin thoroughly after handling. Wear protective gloves/

protective clothing/ eye protection/ face protection.

Response:

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep

comfortable for breathing. Immediately call a POISON

CENTER/doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing. Immediately call a POISON CENTER/doctor. Wash

contaminated clothing before reuse.

922317 1 / 11

OUTSHINE ACID

Storage:

Store locked up. **Disposal:**

Dispose of contents/ container to an approved waste disposal plant.

Product AT USE DILUTION

Hazard pictograms

Signal Word : Danger

Hazard Statements : Causes severe skin burns and eye damage.

Precautionary Statements : **Prevention:**

Wash skin thoroughly after handling. Wear protective gloves/

protective clothing/ eye protection/ face protection.

Response:

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep

comfortable for breathing. Immediately call a POISON

CENTER/doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing. Immediately call a POISON CENTER/doctor. Wash

contaminated clothing before reuse.

Storage: Store locked up. Disposal:

Dispose of contents/ container to an approved waste disposal plant.

Product AS SOLD

Other hazards : Do not mix with bleach or other chlorinated products – will cause

chlorine gas.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Product AS SOLD

Pure substance/mixture : Mixture

Chemical name CAS-No. Concentration (%)

 nitric acid
 7697-37-2
 10 - 30

 citric acid
 77-92-9
 5 - 10

 sulfuric acid
 7664-93-9
 1 - 5

 Sodium Xylenesulfonate
 1300-72-7
 1 - 5

Product AT USE DILUTION

No hazardous ingredients

SECTION 4. FIRST AID MEASURES

Product AS SOLD

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Get medical attention immediately.

922317 2 / 11

OUTSHINE ACID

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use

a mild soap if available. Wash clothing before reuse. Thoroughly clean

shoes before reuse. Get medical attention immediately.

If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give

anything by mouth to an unconscious person. Get medical attention

immediately.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if

symptoms occur.

Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal

protective equipment.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and

delayed

: See Section 11 for more detailed information on health effects and

symptoms.

Product AT USE DILUTION

: Rinse immediately with plenty of water, also under the eyelids, for at In case of eye contact

least 15 minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Get medical attention immediately.

: Wash off immediately with plenty of water for at least 15 minutes. Use In case of skin contact

a mild soap if available. Wash clothing before reuse. Thoroughly clean

shoes before reuse. Get medical attention immediately.

If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give

anything by mouth to an unconscious person. Get medical attention

immediately.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if

symptoms occur.

SECTION 5. FIRE-FIGHTING MEASURES

Product AS SOLD

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable extinguishing

media

: None known.

Specific hazards during fire

fighting

: Not flammable or combustible.

Hazardous combustion

products

: Decomposition products may include the following materials:

Carbon oxides

Nitrogen oxides (NOx)

Sulfur oxides

for fire-fighters

Special protective equipment : Use personal protective equipment.

Specific extinguishing

methods

: Fire residues and contaminated fire extinguishing water must be

disposed of in accordance with local regulations. In the event of fire

OUTSHINE ACID

and/or explosion do not breathe fumes.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Product AS SOLD

Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

Environmental precautions

: Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up

: Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

Product AT USE DILUTION

Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

Environmental precautions

: Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up

: Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

SECTION 7. HANDLING AND STORAGE

Product AS SOLD

Advice on safe handling

: Do not ingest. Do not get in eyes, on skin, or on clothing. Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Use only with adequate ventilation. Wash hands thoroughly after handling. Do not mix with bleach or other chlorinated products – will cause chlorine gas.

Conditions for safe storage

: Keep away from strong bases. Keep out of reach of children. Store in suitable labeled containers.

Storage temperature : -15 °C to 40 °C

Product AT USE DILUTION

Advice on safe handling

: Do not ingest. Do not get in eyes, on skin, or on clothing. Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Use only with adequate ventilation. Wash hands thoroughly after handling.

Conditions for safe storage : Keep out of reach of children. Store in suitable labeled containers.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

922317 4 / 11

OUTSHINE ACID

Product AS SOLD Ingredients with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
Nitric acid	7697-37-2	TWA	2 ppm	ACGIH
		STEL	4 ppm	ACGIH
		STEL	4 ppm 10 mg/m3	NIOSH REL
		TWA	2 ppm 5 mg/m3	NIOSH REL
		TWA	2 ppm 5 mg/m3	OSHA Z1
sulphuric acid	7664-93-9	TWA (Thoracic fraction)	0.2 mg/m3	ACGIH
		TWA	1 mg/m3	NIOSH REL
		TWA	1 mg/m3	OSHA Z1

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations

below occupational exposure standards.

Personal protective equipment

Eye protection : Wear eye protection/ face protection.

Hand protection : Wear the following personal protective equipment:

Standard glove type.

Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Skin protection : Personal protective equipment comprising: suitable protective gloves,

safety goggles and protective clothing

Respiratory protection : When workers are facing concentrations above the exposure limit they

must use appropriate certified respirators.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes

and body in case of contact or splash hazard.

Product AT USE DILUTION

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations

below occupational exposure standards.

Personal protective equipment

Eye protection : Wear eye protection/ face protection.

Hand protection : Wear the following personal protective equipment:

Standard glove type.

Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Skin protection : Personal protective equipment comprising: suitable protective gloves,

safety goggles and protective clothing

922317 5 / 11

OUTSHINE ACID

Respiratory protection : When workers are facing concentrations above the exposure limit they

must use appropriate certified respirators.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Product AS SOLD Product AT USE DILUTION

Appearance : liquid liquid

Color clear, amber colorless Odor slight slight pΗ : 0.7, (100 %) 2.0 - 5.0

Flash point Not applicable, Does not sustain combustion.

: No data available Odor Threshold Melting point/freezing point : No data available

Initial boiling point and

boiling range

: > 100 °C

Evaporation rate : No data available Flammability (solid, gas) : No data available : No data available Upper explosion limit Lower explosion limit : No data available Vapor pressure : No data available : No data available Relative vapor density

Relative density : 1.151 Water solubility : soluble

Solubility in other solvents : No data available Partition coefficient: n-

octanol/water

: No data available

Autoignition temperature : No data available Thermal decomposition : No data available Viscosity, kinematic : No data available Explosive properties : No data available Oxidizing properties : No data available Molecular weight : No data available VOC : No data available

SECTION 10. STABILITY AND REACTIVITY

Product AS SOLD

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

: Do not mix with bleach or other chlorinated products - will cause

chlorine gas.

Conditions to avoid : None known.

OUTSHINE ACID

Incompatible materials : Bases

Metals

Hazardous decomposition

products

: Decomposition products may include the following materials:

Carbon oxides

Nitrogen oxides (NOx)

Sulfur oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of : Inhalation, Eye contact, Skin contact

exposure

Potential Health Effects

Product AS SOLD

Eyes : Causes serious eye damage.

Skin : Causes severe skin burns.

Ingestion : Causes digestive tract burns.

Inhalation : May cause nose, throat, and lung irritation.

Chronic Exposure : Health injuries are not known or expected under normal use.

Product AT USE DILUTION

Eyes : Causes serious eye damage.

Skin : Causes severe skin burns.

Ingestion : Causes digestive tract burns.

Inhalation : May cause nose, throat, and lung irritation.

Chronic Exposure : Health injuries are not known or expected under normal use.

Experience with human exposure

Product AS SOLD

Eye contact : Redness, Pain, Corrosion

Skin contact : Redness, Pain, Corrosion

Ingestion : Corrosion, Abdominal pain

Inhalation : Respiratory irritation, Cough

Product AT USE DILUTION

Eye contact : Redness, Pain, Corrosion

Skin contact : Redness, Pain, Corrosion

Ingestion : Corrosion, Abdominal pain

Inhalation : Respiratory irritation, Cough

Toxicity

922317 7 / 11

OUTSHINE ACID

Product AS SOLD

Product

: No data available Acute oral toxicity Acute inhalation toxicity : No data available Acute dermal toxicity : No data available Skin corrosion/irritation : No data available : No data available Serious eye damage/eye

irritation

Respiratory or skin

sensitization

: No data available

Carcinogenicity : No data available Reproductive effects : No data available

Germ cell mutagenicity : No data available Teratogenicity : No data available

STOT-single exposure : No data available STOT-repeated exposure : No data available Aspiration toxicity : No data available

Components

Acute oral toxicity : citric acid

LD50 Rat: 11,700 mg/kg

Sodium Xylenesulfonate LD50 Rat: > 7,000 mg/kg

SECTION 12. ECOLOGICAL INFORMATION

Product AS SOLD Ecotoxicity

Environmental Effects : This product has no known ecotoxicological effects.

Product

Toxicity to fish : 96 h LC50: > 120 mg/l Toxicity to daphnia and other : 48 h EC50: > 120 mg/l

aquatic invertebrates

Toxicity to algae : No data available

Components

Toxicity to algae : Sodium Xylenesulfonate 96 h EC50: 230 mg/l

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

OUTSHINE ACID

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Product AS SOLD

Disposal methods : Where possible recycling is preferred to disposal or incineration. If

recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to

an approved waste handling site for recycling or disposal. Do not reuse empty containers. Dispose of in accordance with local, state, and

federal regulations.

RCRA - Resource

Conservation and Recovery Authorization Act Hazardous

waste

: D002 (Corrosive)

Product AT USE DILUTION

Disposal methods : Where possible recycling is preferred to disposal or incineration. If

recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to

an approved waste handling site for recycling or disposal. Do not reuse empty containers. Dispose of in accordance with local, state, and

federal regulations.

SECTION 14. TRANSPORT INFORMATION

Product AS SOLD

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (DOT)

UN number : 3264

Description of the goods : Corrosive liquid, acidic, inorganic, n.o.s.

(Nitric acid, sulphuric acid)

Class : 8
Packing group : II
Environmentally hazardous : no

Sea transport (IMDG/IMO)

UN number : 3264

Description of the goods : CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.

(Nitric acid, sulphuric acid)

Class : 8
Packing group : II
Marine pollutant : no

SECTION 15. REGULATORY INFORMATION

922317 9 / 11

OUTSHINE ACID

Product AS SOLD

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ
			(lbs)
sulfuric acid	7664-93-9	1000	2146

SARA 304 Extremely Hazardous Substances Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ
			(lbs)
nitric acid	7697-37-2	1000	7463

SARA 311/312 Hazards : Acute Health Hazard

SARA 302 : The following components are subject to reporting levels established

by SARA Title III, Section 302:

nitric acid 7697-37-2 13.4 % sulfuric acid 7664-93-9 4.6595 %

SARA 313 : The following components are subject to reporting levels established

by SARA Title III, Section 313:

nitric acid 7697-37-2 13.4 %

California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

The ingredients of this product are reported in the following inventories:

United States TSCA Inventory:

On TSCA Inventory

Canadian Domestic Substances List (DSL):

All components of this product are on the Canadian DSL

Australia Inventory of Chemical Substances (AICS):

not determined

New Zealand. Inventory of Chemical Substances:

On the inventory, or in compliance with the inventory

Japan. ENCS - Existing and New Chemical Substances Inventory:

On the inventory, or in compliance with the inventory

Japan. ISHL - Inventory of Chemical Substances (METI) :

On the inventory, or in compliance with the inventory

Korea. Korean Existing Chemicals Inventory (KECI):

not determined

Philippines Inventory of Chemicals and Chemical Substances (PICCS):

not determined

922317 10 / 11


OUTSHINE ACID

China. Inventory of Existing Chemical Substances in China (IECSC):

On the inventory, or in compliance with the inventory

SECTION 16. OTHER INFORMATION

Product AS SOLD NFPA:



HMIS III:

HEALTH	3
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,

2 = Moderate, 3 = High 4 = Extreme, * = Chronic

Product AT USE DILUTION NFPA: Flammability 0



HMIS III:

HEALTH	3
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,

2 = Moderate, 3 = High 4 = Extreme, * = Chronic

: 04/12/2019 Issuing date

Version : 1.1

Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.