

**SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : SOLVAXX PRO-101HF

Other means of identification : Not applicable

Recommended use : Cleaning product

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : No dilution information provided.

Company : Ecolab Inc.  
1 Ecolab Place  
St. Paul, Minnesota USA 55102  
1-800-352-5326

Emergency health information : 1-800-328-0026 (US/Canada), 1-651-222-5352 (outside US)

Issuing date : 08/03/2022

**SECTION 2. HAZARDS IDENTIFICATION**
**GHS Classification**

Skin corrosion : Category 1A  
Serious eye damage : Category 1

**GHS label elements**

Hazard pictograms :



Signal Word : Danger

Hazard Statements : Causes severe skin burns and eye damage.

Precautionary Statements : **Prevention:**  
Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection.  
**Response:**  
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor. Wash contaminated clothing before reuse.  
**Storage:**  
Store locked up.  
**Disposal:**  
Dispose of contents/ container to an approved waste disposal plant.

Other hazards : None known.

# SAFETY DATA SHEET

## SOLVAXX PRO-101HF

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

| Chemical name                                 | CAS-No.    | Concentration (%) |
|---|------------|-------------------|
| Sodium Xylenesulfonate                        | 1300-72-7  | 1 - 5             |
| 2-(2-ethoxyethoxy)ethanol                     | 111-90-0   | 1 - 5             |
| 2-(2-butoxyethoxy)ethanol                     | 112-34-5   | 1 - 5             |
| benzenesulfonic acid, methyl-, potassium salt | 30526-22-8 | 1 - 5             |
| amines, coco alkyltrimethyl, n-oxides         | 61788-90-7 | 1 - 5             |
| Sodium hydroxide                              | 1310-73-2  | 0.1 - 1           |

### SECTION 4. FIRST AID MEASURES

- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
- In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.
- If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately.
- If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if symptoms occur.
- Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal protective equipment.
- Notes to physician : Treat symptomatically.
- Most important symptoms and effects, both acute and delayed : See Section 11 for more detailed information on health effects and symptoms.

### SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media : None known.
- Specific hazards during fire fighting : Not flammable or combustible.
- Hazardous combustion products : Decomposition products may include the following materials:  
Carbon oxides  
Sulfur oxides
- Special protective equipment for fire-fighters : Use personal protective equipment.
- Specific extinguishing methods : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire

# SAFETY DATA SHEET

## SOLVAXX PRO-101HF

and/or explosion do not breathe fumes.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : Do not allow contact with soil, surface or ground water.
- Methods and materials for containment and cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

### SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : Do not ingest. Do not get in eyes, on skin, or on clothing. Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Use only with adequate ventilation. Wash hands thoroughly after handling. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE).
- Conditions for safe storage : Do not store near acids. Keep out of reach of children. Store in suitable labeled containers.
- Storage temperature : 0 °C to 50 °C

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

| Components                | CAS-No.   | Form of exposure                      | Permissible concentration | Basis     |
|---------------------------|-----------|---------------------------------------|---------------------------|-----------|
| 2-(2-ethoxyethoxy)ethanol | 111-90-0  | TWA                                   | 25 ppm                    | US WEEL   |
| 2-(2-butoxyethoxy)ethanol | 112-34-5  | TWA<br>(Inhalable fraction and vapor) | 10 ppm                    | ACGIH     |
| sodium hydroxide          | 1310-73-2 | C                                     | 2 mg/m3                   | ACGIH     |
|                           |           | C                                     | 2 mg/m3                   | NIOSH REL |
|                           |           | TWA                                   | 2 mg/m3                   | OSHA Z-1  |
|                           |           | C                                     | 2 mg/m3                   | OSHA P0   |
|                           |           | C                                     | 2 mg/m3                   |           |

- Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

#### Personal protective equipment

- Eye protection : Wear eye protection and/or face protection.

## SAFETY DATA SHEET

### SOLVAXX PRO-101HF

|                        |  |
|------------------------|--|
| Hand protection        | : Wear the following personal protective equipment:<br>Standard glove type.<br>Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.   |
| Skin protection        | : Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing   |
| Respiratory protection | : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.   |
| Hygiene measures       | : Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use.<br>Wash face, hands and any exposed skin thoroughly after handling.<br>Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard. |

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

|   |  |
|---|--|
| Appearance                              | : liquid   |
| Color                                   | : colorless  |
| Odor                                    | : slight   |
| pH                                      | : 13.3, (100 %)  |
| Flash point                             | : Not applicable   |
| Odor Threshold                          | : No data available  |
| Melting point/freezing point            | : No data available  |
| Initial boiling point and boiling range | : No data available  |
| Evaporation rate                        | : No data available  |
| Flammability (solid, gas)               | : Not applicable   |
| Upper explosion limit                   | : No data available  |
| Lower explosion limit                   | : No data available  |
| Vapor pressure                          | : No data available  |
| Relative vapor density                  | : No data available  |
| Relative density                        | : 1.04   |
| Water solubility                        | : soluble  |
| Solubility in other solvents            | : No data available  |
| Partition coefficient: n-octanol/water  | : No data available  |
| Autoignition temperature                | : No data available  |
| Thermal decomposition                   | : No data available  |
| Viscosity, kinematic                    | : No data available  |
| Explosive properties                    | : No data available  |
| Oxidizing properties                    | : The substance or mixture is not classified as oxidizing. |
| Molecular weight                        | : No data available  |
| VOC                                     | : No data available  |

## SAFETY DATA SHEET

**SOLVAXX PRO-101HF**

### SECTION 10. STABILITY AND REACTIVITY

|                                    |   |
|------------------------------------|---|
| Reactivity                         | : No dangerous reaction known under conditions of normal use.   |
| Chemical stability                 | : Stable under normal conditions.   |
| Possibility of hazardous reactions | : No dangerous reaction known under conditions of normal use.   |
| Conditions to avoid                | : None known.   |
| Incompatible materials             | : Acids   |
| Hazardous decomposition products   | : In case of fire hazardous decomposition products may be produced such as:<br>Carbon oxides<br>Sulfur oxides |

### SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

#### Potential Health Effects

|                  |   |
|------------------|---|
| Eyes             | : Causes serious eye damage.                                  |
| Skin             | : Causes severe skin burns.                                   |
| Ingestion        | : Causes digestive tract burns.                               |
| Inhalation       | : May cause nose, throat, and lung irritation.                |
| Chronic Exposure | : Health injuries are not known or expected under normal use. |

#### Experience with human exposure

|              |                                 |
|--------------|---------------------------------|
| Eye contact  | : Redness, Pain, Corrosion      |
| Skin contact | : Redness, Pain, Corrosion      |
| Ingestion    | : Corrosion, Abdominal pain     |
| Inhalation   | : Respiratory irritation, Cough |

#### Toxicity

##### Product

|                           |   |
|---------------------------|---|
| Acute oral toxicity       | : Acute toxicity estimate : > 5,000 mg/kg |
| Acute inhalation toxicity | : No data available                       |
| Acute dermal toxicity     | : Acute toxicity estimate : > 5,000 mg/kg |
| Skin corrosion/irritation | : No data available                       |

## SAFETY DATA SHEET

### SOLVAXX PRO-101HF

|                                   |                     |
|-----------------------------------|---------------------|
| Serious eye damage/eye irritation | : No data available |
| Respiratory or skin sensitization | : No data available |
| Carcinogenicity                   | : No data available |
| Reproductive effects              | : No data available |
| Germ cell mutagenicity            | : No data available |
| Teratogenicity                    | : No data available |
| STOT-single exposure              | : No data available |
| STOT-repeated exposure            | : No data available |
| Aspiration toxicity               | : No data available |

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

|                       |   |
|-----------------------|---|
| Environmental Effects | : Toxic to aquatic life. Harmful to aquatic life with long lasting effects. |
|-----------------------|---|

### Product

|   |                     |
|---|---------------------|
| Toxicity to fish                                    | : No data available |
| Toxicity to daphnia and other aquatic invertebrates | : No data available |
| Toxicity to algae                                   | : No data available |

### Components

|                  |   |
|------------------|---|
| Toxicity to fish | : 2-(2-ethoxyethoxy)ethanol<br>96 h LC50 <i>Ictalurus punctatus</i> (channel catfish): 6,010 mg/l |
|                  | 2-(2-butoxyethoxy)ethanol<br>96 h LC50 Fish: 1,300 mg/l   |
|                  | benzenesulfonic acid, methyl-, potassium salt<br>96 h LC50 Fish: > 100 mg/l                       |

### Components

|   |  |
|---|--|
| Toxicity to daphnia and other aquatic invertebrates | : 2-(2-ethoxyethoxy)ethanol<br>48 h LC50 <i>Daphnia magna</i> (Water flea): 1,982 mg/l |
|   | Sodium hydroxide<br>48 h EC50 <i>Daphnia magna</i> (Water flea): 40 mg/l               |

### Components

|                   |   |
|-------------------|---|
| Toxicity to algae | : Sodium Xylenesulfonate<br>96 h EC50: 230 mg/l   |
|                   | 2-(2-ethoxyethoxy)ethanol<br>96 h EC50 <i>Desmodesmus subspicatus</i> (green algae): > 100 mg/l<br>Test substance: Information given is based on data obtained from similar substances.<br>96 h NOEC <i>Desmodesmus subspicatus</i> (green algae): > 100 mg/l<br>Test substance: Information given is based on data obtained from similar substances. |

# SAFETY DATA SHEET

## SOLVAXX PRO-101HF

### Persistence and degradability

Biodegradable

### Bioaccumulative potential

No data available

### Mobility in soil

No data available

### Other adverse effects

No data available

## SECTION 13. DISPOSAL CONSIDERATIONS

- Disposal methods : Do not contaminate ponds, waterways or ditches with chemical or used container. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.
- Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.
- RCRA - Resource Conservation and Recovery Authorization Act Hazardous waste : D002 (Corrosive)

## SECTION 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

## SECTION 15. REGULATORY INFORMATION

### EPCRA - Emergency Planning and Community Right-to-Know

#### CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

- SARA 311/312 Hazards** : Skin corrosion or irritation  
Serious eye damage or eye irritation
- SARA 302** : This material does not contain any components with a section 302 EHS TPQ.
- SARA 313** : The following components are subject to reporting levels established by SARA Title III, Section 313:
- |                           |          |         |
|---------------------------|----------|---------|
| 2-(2-ethoxyethoxy)ethanol | 111-90-0 | 1 - 5 % |
| 2-(2-butoxyethoxy)ethanol | 112-34-5 | 1 - 5 % |

## SAFETY DATA SHEET

### SOLVAXX PRO-101HF

#### California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

#### California Cleaning Product Right to Know Act of 2017 (SB 258)

This regulation does not apply to this product.

The ingredients of this product are reported in the following inventories:

#### United States TSCA Inventory :

All substances listed as active on the TSCA inventory

#### Canadian Domestic Substances List (DSL) :

All components of this product are on the Canadian DSL

#### Australia. Australian Industrial Chemicals Introduction Scheme (AICIS) :

not determined

#### New Zealand. Inventory of Chemical Substances :

not determined

#### Japan. ENCS - Existing and New Chemical Substances Inventory :

On the inventory, or in compliance with the inventory

#### Korea. Korean Existing Chemicals Inventory (KECI) :

not determined

#### Philippines Inventory of Chemicals and Chemical Substances (PICCS) :

not determined

#### China. Inventory of Existing Chemical Substances in China (IECSC) :


not determined

#### Taiwan Chemical Substance Inventory (TCSI) :

not determined

## SECTION 16. OTHER INFORMATION

#### NFPA:



#### HMIS III:

|                 |   |
|-----------------|---|
| HEALTH          | 3 |
| FLAMMABILITY    | 0 |
| PHYSICAL HAZARD | 0 |

0 = not significant, 1 = Slight,  
2 = Moderate, 3 = High  
4 = Extreme, \* = Chronic

Issuing date : 08/03/2022  
Version : 1.0  
Prepared by : Regulatory Affairs



## **SAFETY DATA SHEET**

**SOLVAXX PRO-101HF**

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.