

# POOL TITRATOR REAGENT CARTRIDGE FREE CHLORINE TEST SOLUTION A

## **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : POOL TITRATOR REAGENT CARTRIDGE FREE CHLORINE TEST

**SOLUTION A** 

Other means of identification : Not applicable

Recommended use : Pool chemical

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : Product is sold ready to use.

Company : Ecolab Inc.

1 Ecolab Place

St. Paul, Minnesota USA 55102

1-800-352-5326

Emergency health

information

: 1-800-328-0026 (US/Canada), 1-651-222-5352 (outside US)

Issuing date : 04/24/2025

#### **SECTION 2. HAZARDS IDENTIFICATION**

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin sensitization : Category 1

**GHS** label elements

Hazard pictograms :



Signal Word : Warning

Hazard Statements : May cause an allergic skin reaction.

Precautionary Statements : **Prevention:** 

Wash hands thoroughly after handling.

Response:

IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/ attention. Take off contaminated clothing and

wash it before reuse.

Storage:

Store in accordance with local regulations.

Disposal:

Dispose of contents/ container to an approved waste disposal plant.

Other hazards : None known.

## **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Pure substance/mixture : Mixture

Chemical name CAS-No. Concentration (%)

931740 1 / 8

# POOL TITRATOR REAGENT CARTRIDGE FREE CHLORINE TEST SOLUTION A

Limonene 5989-27-5 0.1 - 1 Sodium Carbonate 497-19-8 0.1 - 1

#### **SECTION 4. FIRST AID MEASURES**

In case of eye contact : Rinse with plenty of water.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use

a mild soap if available. Wash clothing before reuse. Thoroughly clean

shoes before reuse. Get medical attention.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

If inhaled : Get medical attention if symptoms occur.

Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal

protective equipment.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and

delayed

: See Section 11 for more detailed information on health effects and

symptoms.

#### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable extinguishing

media

: None known.

Specific hazards during fire

fighting

: Not flammable or combustible.

Hazardous combustion

products

: Decomposition products may include the following materials:

Carbon oxides

Oxides of phosphorus

Special protective equipment

for fire-fighters

: Use personal protective equipment.

Specific extinguishing

methods

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire

and/or explosion do not breathe fumes.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures : Ensure clean-up is conducted by trained personnel only. Refer to

protective measures listed in sections 7 and 8.

Environmental precautions : Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up

: Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to

local / national regulations (see section 13). For large spills, dike

931740 2 / 8

# POOL TITRATOR REAGENT CARTRIDGE FREE CHLORINE TEST SOLUTION A

spilled material or otherwise contain material to ensure runoff does not reach a waterway.

## **SECTION 7. HANDLING AND STORAGE**

Advice on safe handling : Do not get in eyes, on skin, or on clothing. Wash hands thoroughly

after handling. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment

(PPE).

Conditions for safe storage : Keep out of reach of children. Store in suitable labeled containers.

Storage temperature : 0 °C to 50 °C

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### Ingredients with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
Limonene	5989-27-5	TWA	30 ppm	AIHA WEEL

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations

below occupational exposure standards.

#### Personal protective equipment

Eye protection : No special protective equipment required.

Hand protection : Due to the form and packaging of the product, no protective

equipment is needed under normal use conditions.

Skin protection : No special protective equipment required.

Respiratory protection : No personal respiratory protective equipment normally required.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice. Wash face, hands and any exposed skin thoroughly after

handling.

#### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State : liquid

Color : clear, colorless

Odor : none pH : 10

Flash point : Not applicable

Odor Threshold : No data available

Melting point/freezing point : No data available

Boiling point, initial boiling point and boiling range

 $: > 212 \, ^{\circ}F$ 

931740 3 / 8

# POOL TITRATOR REAGENT CARTRIDGE FREE CHLORINE TEST SOLUTION A

Evaporation rate : No data available Flammability : Not applicable Upper explosion limit : No data available : No data available Lower explosion limit Vapor pressure : No data available Relative vapor density : No data available Relative density : No data available Density : No data available Water solubility : No data available Solubility in other solvents : No data available Partition coefficient: n-

octanol/water (logarithmic

value)

: No data available

Autoignition temperature : No data available Decomposition temperature : No data available Viscosity, kinematic : No data available Explosive properties : No data available Oxidizing properties : No data available Molecular weight : No data available VOC : No data available Particle characteristics : No data available

## **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

: No dangerous reaction known under conditions of normal use.

Conditions to avoid : None known.

Incompatible materials : None known.

Hazardous decomposition

products

: In the event of fire, see Section 5

## **SECTION 11. TOXICOLOGICAL INFORMATION**

exposure

Information on likely routes of : Inhalation, Eye contact, Skin contact

#### **Potential Health Effects**

Eyes : Health injuries are not known or expected under normal use.

Skin May cause allergic skin reaction.

Ingestion : Health injuries are not known or expected under normal use.

931740 4/8

# POOL TITRATOR REAGENT CARTRIDGE FREE CHLORINE TEST SOLUTION A

Inhalation : Health injuries are not known or expected under normal use.

Chronic Exposure : Health injuries are not known or expected under normal use.

**Experience with human exposure** 

Eye contact : No symptoms known or expected.

Skin contact : Redness, Irritation, Allergic reactions

Ingestion : No symptoms known or expected.

Inhalation : No symptoms known or expected.

**Toxicity** 

**Product** 

Acute oral toxicity : Acute toxicity estimate : > 5,000 mg/kg

Acute inhalation toxicity : No data available

Acute dermal toxicity : Acute toxicity estimate : > 5,000 mg/kg

Skin corrosion/irritation : No data available
Serious eye damage/eye : No data available

irritation

Respiratory or skin

sensitization

: No data available

Carcinogenicity : No data available
Reproductive effects : No data available
Germ cell mutagenicity : No data available
Teratogenicity : No data available
STOT-single exposure : No data available
STOT-repeated exposure : No data available
Aspiration toxicity : No data available

#### **SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity** 

Environmental Effects : Harmful to aquatic life with long lasting effects.

Product

Toxicity to fish : No data available

Toxicity to daphnia and other : No data available

aquatic invertebrates

Toxicity to algae : No data available

Components

Toxicity to fish : Sodium Carbonate

96 h LC50 Lepomis macrochirus (Bluegill sunfish): 300 mg/l

Components

931740 5 / 8

# POOL TITRATOR REAGENT CARTRIDGE FREE CHLORINE TEST SOLUTION A

Toxicity to daphnia and other

aquatic invertebrates

: Limonene

48 h EC50 Daphnia magna (Water flea): 0.307 mg/l

Sodium Carbonate

48 h EC50 Ceriodaphnia (water flea): 213.5 mg/l

Components

Toxicity to algae : Limonene

72 h EC50 Pseudokirchneriella subcapitata (algae): 0.32 mg/l

#### Persistence and degradability

Not applicable - inorganic

## **Bioaccumulative potential**

No data available

#### Mobility in soil

No data available

#### Other adverse effects

No data available

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

Disposal methods : Do not contaminate ponds, waterways or ditches with chemical or

used container. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste

disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to

an approved waste handling site for recycling or disposal. Do not reuse empty containers. Dispose of in accordance with local, state, and

federal regulations.

#### **SECTION 14. TRANSPORT INFORMATION**

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

#### Land transport (DOT)

Not dangerous goods

#### Sea transport (IMDG/IMO)

Not dangerous goods

#### **SECTION 15. REGULATORY INFORMATION**

## **EPCRA - Emergency Planning and Community Right-to-Know**

#### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

931740 6 / 8

# POOL TITRATOR REAGENT CARTRIDGE FREE CHLORINE TEST SOLUTION A

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Respiratory or skin sensitization

SARA 302 : This material does not contain any components with a section 302

EHS TPQ.

SARA 313 : This material does not contain any chemical components with known

CAS numbers that exceed the threshold (De Minimis) reporting levels

established by SARA Title III, Section 313.

#### California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

## California Cleaning Product Right to Know Act of 2017 (SB 258)

This regulation does not apply to this product.

#### The ingredients of this product are reported in the following inventories:

#### **United States TSCA Inventory:**

All substances listed as active on the TSCA inventory

#### Canadian Domestic Substances List (DSL):

All components of this product are on the Canadian DSL

# Australia. Australian Industrial Chemicals Introduction Scheme (AICIS):

On the inventory, or in compliance with the inventory

#### New Zealand Inventory of Chemicals (NZIoC):

not determined

## Japan. ENCS - Existing and New Chemical Substances Inventory :

On the inventory, or in compliance with the inventory

#### Korea. Korean Existing Chemicals Inventory (KECI):

On the Korea Existing Chemicals Inventory.

## Philippines Inventory of Chemicals and Chemical Substances (PICCS):

On the inventory, or in compliance with the inventory

#### China. Inventory of Existing Chemical Substances in China (IECSC):

On the inventory, or in compliance with the inventory

## Taiwan Chemical Substance Inventory (TCSI):


On the inventory, or in compliance with the inventory

## **SECTION 16. OTHER INFORMATION**

931740 7 / 8

# POOL TITRATOR REAGENT CARTRIDGE FREE CHLORINE TEST SOLUTION A

#### NFPA:



#### HMIS® IV:

HEALTH	/ 2
FLAMMABILITY	0
PHYSICAL HAZARD	0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Issuing date : 04/24/2025

Version : 1.1

Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

931740 8 / 8