

# MAXFORCE® FC FIRE ANT BAIT

Version 2.0 / USA 102000014471

Revision Date: 02/13/2015 Print Date: 02/13/2015

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

**Product identifier** 

MAXFORCE® FC FIRE ANT BAIT **Trade name** 

Product code (UVP) 06009890

**SDS Number** 102000014471

**EPA Registration No.** 432-1433

Relevant identified uses of the substance or mixture and uses advised against

Use Insecticide

Restrictions on use See product label for restrictions.

Information on manufacturer

Bayer Environmental Science 2 T.W. Alexander Drive

Research Triangle PK, NC 27709

**United States** 

Emergency telephone no.

**Emergency Telephone** Number (24hr/ 7 days)

1-800-334-7577 (24 hours/day)

**Product Information Telephone Number** 

1-800-331-2867

SDS Information or Request SDSINFO.BCS-NA@bayer.com

#### SECTION 2: HAZARDS IDENTIFICATION

#### Classification in accordance with regulation HCS 29CFR §1910.1200

This material is not hazardous under the criteria of the Federal OSHA Hazard Communication Standard 29CFR 1910.1200.

Other hazards

No particular hazards known.

#### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

**Hazardous Component Name** Concentration % by weight CAS-No.

**Fipronil** 120068-37-3 0.00045



# **MAXFORCE® FC FIRE ANT BAIT**

 Version 2.0 / USA
 Revision Date: 02/13/2015

 102000014471
 Print Date: 02/13/2015

## **SECTION 4: FIRST AID MEASURES**

Description of first aid measures

General advice When possible, have the product container or label with you when

calling a poison control center or doctor or going for treatment.

**Inhalation** Move to fresh air. If person is not breathing, call 911 or an ambulance,

then give artificial respiration, preferably mouth-to-mouth if possible. Call

a physician or poison control center immediately.

Skin contact Take off contaminated clothing and shoes immediately. Wash off

immediately with plenty of water for at least 15 minutes. Call a physician

or poison control center immediately.

**Eye contact** Hold eye open and rinse slowly and gently with water for 15-20 minutes.

Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center

immediately.

**Ingestion** Call a physician or poison control center immediately. Rinse out mouth

and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim

unattended.

Most important symptoms and effects, both acute and delayed

**Symptoms** Symptoms of Overexposure, Lethargy, Tremors, Convulsions

Indication of any immediate medical attention and special treatment needed

**Treatment** Appropriate supportive and symptomatic treatment as indicated by the

patient's condition is recommended. There is no specific antidote.

#### **SECTION 5: FIREFIGHTING MEASURES**

**Extinguishing media** 

**Suitable** Water spray, Foam, Carbon dioxide (CO2), Dry chemical

**Unsuitable** None known.

Special hazards arising from the substance or

mixture

Accumulation of fine dust may entail the risk of a dust explosion in the

presence of air.

Advice for firefighters

Special protective equipment for fire-fighters

Firefighters should wear NIOSH approved self-contained breathing

apparatus and full protective clothing.

**Further information** Fight fire from upwind position. Keep out of smoke. Cool closed

containers exposed to fire with water spray. Do not allow run-off from

fire fighting to enter drains or water courses.

Flash point not applicable



# **MAXFORCE® FC FIRE ANT BAIT**

Version 2.0 / USA Revision Date: 02/13/2015 102000014471 Print Date: 02/13/2015

Autoignition temperatureno data availableLower explosion limitnot applicableUpper explosion limitnot applicableExplosivityno data available

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures

**Precautions** Isolate hazard area. Keep unauthorized people away. Avoid contact

with spilled product or contaminated surfaces.

Methods and materials for containment and cleaning up

**Methods for cleaning up** Avoid dust formation. Sweep up or vacuum up spillage and collect in

suitable container for disposal. Clean contaminated floors and objects

thoroughly, observing environmental regulations.

Additional advice Use personal protective equipment. Do not allow to enter soil,

waterways or waste water canal.

**Reference to other sections** Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

#### **SECTION 7: HANDLING AND STORAGE**

Precautions for safe handling

**Advice on safe handling**Use only in area provided with appropriate exhaust ventilation. Handle

and open container in a manner as to prevent spillage.

**Hygiene measures** Wash hands thoroughly with soap and water after handling and before

eating, drinking, chewing gum, using tobacco, using the toilet or

applying cosmetics.

Remove Personal Protective Equipment (PPE) immediately after

handling this product. Before removing gloves clean them with soap and water. Remove soiled clothing immediately and clean thoroughly before

using again. Wash thoroughly and put on clean clothing.

Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in original container and out of the reach of children, preferably in a locked storage area. Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products,

fertilizers, food, and feed.

# Bayer Environmental Science

SAFETY DATA SHEET



# MAXFORCE® FC FIRE ANT BAIT

Version 2.0 / USA Revision Date: 02/13/2015 102000014471 Print Date: 02/13/2015

#### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Fipronil (Particulate.)	120068-37-3	50ug/m3 (ST ESL)	02 2013	TX ESL
Fipronil (Particulate.)	120068-37-3	5ug/m3 (AN ESL)	02 2013	TX ESL
Fipronil	120068-37-3	0.035 mg/m3 (TWA)		OES BCS*

<sup>\*</sup>OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

# **Exposure controls**

### Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

**Respiratory protection** When respirators are required, select NIOSH approved equipment

based on actual or potential airborne concentrations and in

accordance with the appropriate regulatory standards and/or industry

recommendations.

Hand protection Chemical resistant nitrile rubber gloves

**Eye protection** Safety glasses with side-shields

**Skin and body protection** Wear long-sleeved shirt and long pants and shoes plus socks.

General protective measures Follow manufacturer's instructions for cleaning/maintaining PPE. If

no such instructions for washables, use detergent and warm/tepid

water.

Keep and wash PPE separately from other laundry.

# **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

**Appearance** light yellow **Physical State** granular Odor characteristic **Odour Threshold** no data available Hq no data available **Vapor Pressure** no data available Vapor Density (Air = 1) no data available **Bulk density** ca. 12 - 19 lb/ft3 **Evapouration rate** not applicable **Boiling Point** not applicable **Melting / Freezing Point** not applicable



# MAXFORCE® FC FIRE ANT BAIT

Version 2.0 / USA Revision Date: 02/13/2015 102000014471 Print Date: 02/13/2015

Water solubility dispersible

Minimum Ignition Energyno data availableDecompositionno data available

Partition coefficient: n-

octanol/water

temperature

not applicable

**Viscosity** 

not applicable

Flash point not applicable

Autoignition temperatureno data availableLower explosion limitnot applicableUpper explosion limitnot applicableExplosivityno data available

### **SECTION 10: STABILITY AND REACTIVITY**

Reactivity

Thermal decomposition no data available

**Chemical stability** Stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid no data available

**Incompatible materials** no data available

**Hazardous decomposition** 

products

No decomposition products expected under normal conditions of use.

# **SECTION 11: TOXICOLOGICAL INFORMATION**

**Exposure routes** Eye contact, Skin Absorption, Skin contact, Ingestion

**Immediate Effects** 

**Eye** Moderate eye irritation.

**Skin** Harmful if absorbed through skin.

Information on toxicological effects

Acute oral toxicity LD50 (rat) > 5,000 mg/kg



# MAXFORCE® FC FIRE ANT BAIT

Version 2.0 / USA 102000014471

Revision Date: 02/13/2015 Print Date: 02/13/2015

Acute inhalation toxicity LC50 (rat) > 5.2 mg/l

Exposure time: 4 h

Determined in the form of dust.

LC50 (rat) > 20 mg/l Exposure time: 1 h

Determined in the form of dust. Extrapolated from the 4 hr LC50.

Acute dermal toxicity LD50 (rabbit) > 2,000 mg/kg

Skin irritationSlight irritation (rabbit)Eye irritationMild eye irritation. (rabbit)SensitisationNon-sensitizing. (quinea pig)

# Assessment repeated dose toxicity

Fipronil caused specific target organ toxicity in experimental animal studies in the following organ(s): liver. Fipronil caused neurobehavioral effects and/or neuropathological changes in animal studies.

### **Assessment Mutagenicity**

Fipronil was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

### **Assessment Carcinogenicity**

Fipronil caused an increased incidence of tumours in rats in the following organ(s): Thyroid. The mechanism that triggers tumours in rodents and the type of tumours observed are not relevant to humans.

#### **ACGIH**

None.

**NTP** 

None.

**IARC** 

None.

**OSHA** 

None.

## Assessment toxicity to reproduction

Fipronil caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Fipronil is related to parental toxicity.

## Assessment developmental toxicity

Fipronil did not cause developmental toxicity in rats and rabbits.

#### **Further information**

Acute toxicity studies have been bridged from a similar formulation(s).

The non-acute information pertains to the active ingredient(s).



# MAXFORCE® FC FIRE ANT BAIT

 Version 2.0 / USA
 Revision Date: 02/13/2015

 102000014471
 Print Date: 02/13/2015

#### **SECTION 12: ECOLOGICAL INFORMATION**

**Toxicity to fish** LC50 (Oncorhynchus mykiss (rainbow trout)) 0.25 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient fipronil.

Toxicity to aquatic

EC50 (Daphnia magna (Water flea)) 0.19 mg/l Exposure time: 48 h

invertebrates

The value mentioned relates to the active ingredient fipronil.

**Toxicity to aquatic plants** EC50 (Scenedesmus subspicatus) 0.068 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient fipronil.

**Biodegradability** Fipronil: ; not rapidly biodegradable

**Koc** Fipronil: Koc: 427 - 1278

**Bioaccumulation** Fipronil: Bioconcentration factor (BCF) 321; Does not bioaccumulate.

**Mobility in soil** Fipronil: Slightly mobile in soils

**Environmental precautions** Do not apply directly to water, to areas where surface water is present

or to intertidal areas below the mean high water mark.

Do not contaminate surface or ground water by cleaning equipment or

disposal of wastes, including equipment wash water.

Drift and runoff from treated areas may be hazardous to aquatic

organisms in adjacent sites.

Do not allow to get into surface water, drains and ground water.

Apply this product as specified on the label.

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

#### Waste treatment methods

**Product** Improper disposal of excess pesticide, spray mixture, or rinsate is a

violation of Federal Law.

Pesticide, spray mixture or rinse water that cannot be used according to label instructions may be disposed of on site or at an approved waste

disposal facility.

**Contaminated packaging** Do not re-use empty containers.

Completely empty container into application equipment, then dispose of

empty container in a sanitary landfill, by incineration or by other procedures approved by state/provincial and local authorities.

If burned, stay out of smoke.

Follow advice on product label and/or leaflet.

RCRA Information Characterization and proper disposal of this material as a special or

hazardous waste is dependent upon Federal, State and local laws and

are the user's responsibility. RCRA classification may apply.

# Bayer Environmental Science

SAFETY DATA SHEET



# MAXFORCE® FC FIRE ANT BAIT

Version 2.0 / USA 102000014471

Revision Date: 02/13/2015 Print Date: 02/13/2015

#### **SECTION 14: TRANSPORT INFORMATION**

According to national and international transport regulations this material is not classified as dangerous goods / hazardous material.

Freight Classification: INSECTICIDES OR FUNGICIDES, N.O.I., OTHER THAN

**POISON** 

#### **SECTION 15: REGULATORY INFORMATION**

**EPA Registration No.** 432-1433

**US Federal Regulations** 

TSCA list

None.

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

SARA Title III - Section 302 - Notification and Information

None.

SARA Title III - Section 313 - Toxic Chemical Release Reporting

None.

**US States Regulatory Reporting** 

CA Prop65

This product does not contain any substances known to the State of California to cause cancer.

This product does not contain any substances known to the State of California to cause reproductive harm.

#### **US State Right-To-Know Ingredients**

None.

**Canadian Regulations** 

**Canadian Domestic Substance List** 

None.

**Environmental** 

CERCLA

None.

**Clean Water Section 307 Priority Pollutants** 

None.

Safe Drinking Water Act Maximum Contaminant Levels

None.

#### **EPA/FIFRA Information:**

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:



# MAXFORCE® FC FIRE ANT BAIT

Version 2.0 / USA Revision Date: 02/13/2015 Print Date: 02/13/2015

Signal word: Caution!

**Hazard statements:** Harmful if absorbed through skin.

Moderate eye irritation.

Avoid contact with skin, eyes and clothing.

Wash thoroughly with soap and water after handling.

#### **SECTION 16: OTHER INFORMATION**

NFPA 704 (National Fire Protection Association):

Health - 1 Flammability - 1 Instability - 0 Others - none

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 1 Flammability - 1 Physical Hazard - 0 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason for Revision: Revised according to the current OSHA Hazard Communication Standard

(29CFR1910.1200)

**Revision Date:** 02/13/2015

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.