

| FIRST AID<br>HAVE LABEL WHEN GOING FOR TREATMENT ADVICE   |   |
|---|---|
| <b>If on Skin or on Clothing:</b>   | Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for further treatment advice.   |
| <b>If Swallowed:</b>  | Immediately call a poison control center, doctor, or <b>1-800-498-5743</b> . Do not give <b>any</b> liquid to the person. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not administer anything by mouth to an unconscious person. |
| <b>Note to Physician:</b> Contains petroleum distillates. Vomiting may cause aspiration pneumonia.                                  |   |
| <b>For 24-hour emergency information on this product, call 1-800-498-5743 (US &amp; Canada) or 1-651-523-0318 (all other areas)</b> |   |

#### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

**CAUTION:** Avoid contact with skin or clothing. Harmful if swallowed. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

When using this product as a space spray in food plants, food must be removed or covered during treatment. Apply only when the facility is not in operation. All food processing surfaces must be thoroughly cleaned with an appropriate cleaning agent and rinsed with potable water before reuse.

#### PHYSICAL OR CHEMICAL HAZARDS

**FLAMMABLE.** Contents under pressure. Keep away from heat, sparks, and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130° F may cause bursting.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**READ THIS LABEL:** Read this entire label and follow all use directions, use restrictions, and precautions.

#### Use Restrictions

##### **Not for Use in Residential Areas**

- Do not use in nurseries or rooms where infants, ill, or aged persons are present.
- For use as a space spray: Except when used on livestock, do not enter or allow other to enter until vapors, mists and aerosols have dispersed, and the area has been thoroughly ventilated. Do not remain in treated area. Exit area immediately and remain outside the treated area until aerosols, vapors, and/or mists have dispersed.

#### Application Restrictions

- Do not apply this product in a way that will contact workers or other persons either directly or through drift. Only protected handlers may be in the area during application.
- Do not place metering device directly over or within 8 ft. of exposed food, dishes, utensils, food processing equipment, and food handling or preparation areas.

**SureKill**  
Advanced Insecticide Products

# LD-44T

- **30 DAY SUPPLY**
- **Kills flies, mosquitoes, and small flying moths**

#### ACTIVE INGREDIENTS:

|   |               |
|---|---------------|
| Pyrethrins.....                           | 1.0%          |
| Piperonyl Butoxide*                       | 2.0%          |
| N-Octyl Bicycloheptene Dicarboximide..... | 3.0%          |
| <b>OTHER INGREDIENTS**:</b>               | <b>94.0%</b>  |
| <b>TOTAL</b> .....                        | <b>100.0%</b> |

\* (butylcarbityl) (6-propylpiperonyl) ether and related compounds

\*\*Contains petroleum distillates

## KEEP OUT OF REACH OF CHILDREN CAUTION

### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

**STORAGE:** Store in a cool, dry secure area in original container.

**CONTAINER DISPOSAL:** Do not puncture or incinerate!

*If empty:* Place in trash or offer for recycling if available.

*If partly filled:* Call your local solid waste agency for disposal instructions.

**Manufactured by:** Chem-Tech, Ltd.  
1006 Business Hwy 5, Pleasantville, IA 50225 U.S.A.

Chem-Tech, Ltd. is a wholly-owned subsidiary of Neogen Corporation



**Net Contents:**  
6.5 oz. (184.27g)



- When using this product as a space spray, installers and service technicians must comply with the license, certificate, or registration requirements of the state(s), tribe(s) or local authority(ies) when they are installed.
- When applying via remote activation device, do not apply when people and pets are present. If possible, when applying via automatic timer, set the timing for application when people and pets are unlikely to be present.
- Direct nozzles to spray toward the target area and away from areas where people are typically present.
- Do not install within 3 ft. of air vents, air conditioner units, or windows.
- Carefully follow directions for the dispenser unit when installing the dispenser and replacing cans or conducting maintenance.
- The maximum application rate for metered release devices is 0.00046 lb. pyrethrin per 1000 ft.<sup>3</sup>.
- When used in dairy barns or facilities: Close milk bulk tanks to prevent contamination from spray and from dead or falling insects. Remove or cover milking utensils before application. Wash teats of animals before milking.
- Do not apply this product in barns or stables where animals intended for slaughter or human consumption will be maintained.
- Do not apply when food, feed, and/or water is present.

#### FOR USE IN:

Food handling and food preparation areas of restaurants and food processing plants, stores, farm buildings, dairies, barns, kennels, factories, hotels, motels, offices, ships, planes (cargo areas only), supermarkets, food warehouses, bottling plants, and milk and egg handling areas of dairies and chicken houses.

#### For Use in Automatic Dispensers

Use 1 dispensing unit for each 6,000 ft.<sup>3</sup> of space to be treated. Large drafts or forced ventilation may reduce or eliminate the insecticidal efficiency of these installations.

The dispenser activates once every 15 mins.; after 2 hrs. of operation, enough insecticide is suspended in the air to kill flies, mosquitoes, and gnats in the treated area. Usually, the effectiveness will be noticeable within 1 hr. after the dispenser is activated. If less than 24 hr. control is required, the dispenser should be set to start 1 hr. before control is desired and run 1 hr. after control is no longer needed. Keep in mind that such factors as air flow rate, size of space treated, humidity, and room temperatures all affect insect activity and control. As with any method of insect control, best results are achieved when sanitation and Integrated Pest Management (IPM) practices are followed.

This product kills flies, gnats, flying moths, and mosquitoes in food handling establishments, food processing establishments, restrooms, dining rooms, and restaurants.

#### DISCLAIMER

To the extent permitted by applicable law, Seller makes no representation or warranty, either express or implied, for results due to misuse, improper handling, or improper storage of this material. Nor does Seller assume any responsibility for injury to persons, crops, animals, soil, or property arising out of misuse, improper handling, or improper storage of this material.

For non-emergency (e.g., current product information), call: **1-800-621-8829**.

L5642-0318