

**SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : KX-6257

Other means of identification : Not applicable

Recommended use : Cleaning product

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : 0.05 % - 2.0 %

Company : Ecolab Inc.  
1 Ecolab Place  
St. Paul, Minnesota USA 55102  
1-800-352-5326

Emergency health information : 1-800-328-0026 (US/Canada), 1-651-222-5352 (outside US)

Issuing date : 04/17/2024

**SECTION 2. HAZARDS IDENTIFICATION**
**GHS Classification**
**Product AS SOLD**

Flammable liquids : Category 4

Oxidizing liquids : Category 3

Skin corrosion : Category 1A

Serious eye damage : Category 1

Specific target organ toxicity - single exposure : Category 3 (Respiratory system)

**Product AT USE DILUTION**

Skin corrosion : Category 1A

Serious eye damage : Category 1

**GHS label elements**
**Product AS SOLD**

Hazard pictograms :



Signal Word : Danger

Hazard Statements : Combustible liquid.  
May intensify fire; oxidizer.  
Harmful if swallowed, in contact with skin or if inhaled.  
Causes severe skin burns and eye damage.

Precautionary Statements : **Prevention:**  
Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.  
Keep/Store away from clothing/ combustible materials. Take any precaution to avoid mixing with combustibles. Avoid breathing mist or vapors. Wash skin thoroughly after handling. Do not eat, drink or

## SAFETY DATA SHEET

**KX-6257**

smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**

IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor. Wash contaminated clothing before reuse. In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

**Storage:**

Store in a well-ventilated place. Keep cool. Store locked up.

**Disposal:**

Dispose of contents/ container to an approved waste disposal plant.

### Product AT USE DILUTION

Hazard pictograms



Signal Word

: Danger

Hazard Statements

: Causes severe skin burns and eye damage.

Precautionary Statements

: **Prevention:**

Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor. Wash contaminated clothing before reuse.

**Storage:**

Store locked up.

**Disposal:**

Dispose of contents/ container to an approved waste disposal plant.

### Product AS SOLD

Other hazards

: Do not mix with bleach or other chlorinated products – will cause chlorine gas.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

### Product AS SOLD

Pure substance/mixture

: Mixture

**Chemical name**

Sulfuric acid

Acetic acid

Peroxyacetic acid

**CAS-No.**

7664-93-9

64-19-7

79-21-0

**Concentration (%)**

10 - 30

10 - 30

10 - 30

# SAFETY DATA SHEET

**KX-6257**

Hydrogen peroxide

7722-84-1

10.62

## Product AT USE DILUTION

Chemical name

CAS-No.

Concentration (%)

Sulfuric acid

7664-93-9

0.1 - 1

## SECTION 4. FIRST AID MEASURES

### Product AS SOLD

- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
- In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.
- If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately.
- If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention.
- Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal protective equipment.
- Notes to physician : Treat symptomatically.
- Most important symptoms and effects, both acute and delayed : See Section 11 for more detailed information on health effects and symptoms.

### Product AT USE DILUTION

- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
- In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.
- If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately.
- If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if symptoms occur.

## SECTION 5. FIRE-FIGHTING MEASURES

### Product AS SOLD

- Suitable extinguishing media : Water
- Unsuitable extinguishing media : Foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical  
High volume water jet

## SAFETY DATA SHEET

**KX-6257**

Specific hazards during fire fighting	: Fire Hazard Keep away from heat and sources of ignition. Flash back possible over considerable distance. Special protective equipment for fire-fighters Oxidizer. Contact with other material may cause fire. On decomposition, releases oxygen which may intensify fire. Oxidizer; material is an oxidizer which may readily react with other materials, especially upon heating. In case of a fire, if it is possible without risk, remove all containers exposed to the fire and store them in a safe place, away from any source of heat. Cool closed containers exposed to fire with water spray.
Hazardous combustion products	: Decomposition products may include the following materials: Carbon oxides Sulfur oxides
Special protective equipment for fire-fighters	: In case of fire, wear a full face positive-pressure self contained breathing apparatus and protective suit.
Specific extinguishing methods	: Use water spray to cool unopened containers. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

#### Product AS SOLD

Personal precautions, protective equipment and emergency procedures	: Ensure adequate ventilation. Remove all sources of ignition. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Move all flammable sources out of danger and keep them away from the scene. Refer to protective measures listed in sections 7 and 8.
Environmental precautions	: Do not allow contact with soil, surface or ground water. DO NOT hermetically seal any defective containers, including drums (risk of bursting due to the decomposition of the product)
Methods and materials for containment and cleaning up	: Eliminate all ignition sources if safe to do so. Stop leak if safe to do so. Isolate the waste do not allow it to come into contact with incompatible materials. For small spills contain with sand or vermiculite and dilute the contained product at least 10 times with water. Transfer to an open topped container and remove to a safe place for neutralization* / disposal. For large spills contain spill and evacuate the area, leave until the reaction subsides, then collect up for disposal. Obtain consent from the local water company / authority if considering discharge to sewer. *NEUTRALIZATION : once diluted, neutralize with a suitable alkali such as sodium bicarbonate. Combustible materials exposed to this product should be rinsed immediately with large amounts of water to ensure that all product is removed. Residual product which is allowed to dry on organic materials such as rags, cloths, paper, fabrics, cotton, leather, wood, or other combustibles may spontaneously ignite and result in a fire.

#### Product AT USE DILUTION

## SAFETY DATA SHEET

**KX-6257**

Personal precautions, protective equipment and emergency procedures	: Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.
Environmental precautions	: Do not allow contact with soil, surface or ground water.
Methods and materials for containment and cleaning up	: Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

### SECTION 7. HANDLING AND STORAGE

#### Product AS SOLD

Advice on safe handling	: Do not ingest. Do not get in eyes, on skin, or on clothing. Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Use only with adequate ventilation. Keep away from fire, sparks and heated surfaces. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Wash hands thoroughly after handling. Do not mix with bleach or other chlorinated products – will cause chlorine gas. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE).
Conditions for safe storage	: Keep away from heat and sources of ignition. Keep in a cool, well-ventilated place. Keep away from reducing agents. Keep away from strong bases. Keep away from combustible material. Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers. Pressure bursts may occur due to gas evolution if the container is not adequately vented. May be stored with other similar strong oxidizing agents, provided they are compatible. Do not hermetically seal the container. Always transport and store the containers upright. Risk of overpressure and bursting in the event of decomposition in closed containers and in pipes.
Storage temperature	: 5 °C to 35 °C

#### Product AT USE DILUTION

Advice on safe handling	: Do not ingest. Do not get in eyes, on skin, or on clothing. Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Use only with adequate ventilation. Wash hands thoroughly after handling. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE).
Conditions for safe storage	: Keep out of reach of children. Store in suitable labeled containers.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Product AS SOLD

##### Ingredients with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
------------	---------	------------------	---------------------------	-------

## SAFETY DATA SHEET

**KX-6257**

sulphuric acid	7664-93-9	TWA (Thoracic particulate matter)	0.2 mg/m3	ACGIH
		TWA	1 mg/m3	NIOSH REL
		TWA	1 mg/m3	OSHA Z1
Acetic acid	64-19-7	TWA	10 ppm	ACGIH
		STEL	15 ppm	ACGIH
		TWA	10 ppm 25 mg/m3	NIOSH REL
		STEL	15 ppm 37 mg/m3	NIOSH REL
		TWA	10 ppm 25 mg/m3	OSHA Z1
Peracetic acid	79-21-0	STEL	0.4 ppm	ACGIH
Hydrogen peroxide	7722-84-1	TWA	1 ppm	ACGIH
		TWA	1 ppm 1.4 mg/m3	NIOSH REL
		TWA	1 ppm 1.4 mg/m3	OSHA Z1

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

### Personal protective equipment

Eye protection : Wear eye protection and/or face protection.

Hand protection : Wear the following personal protective equipment:  
Standard glove type.  
Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Skin protection : Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing

Respiratory protection : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use.  
Wash face, hands and any exposed skin thoroughly after handling.  
Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

### Product AT USE DILUTION

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

### Personal protective equipment

Eye protection : Wear eye protection and/or face protection.

Hand protection : Wear the following personal protective equipment:  
Standard glove type.  
Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Skin protection : Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing

## SAFETY DATA SHEET

**KX-6257**

Respiratory protection : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

	Product AS SOLD	Product AT USE DILUTION
Appearance	: liquid	liquid
Color	: clear, colorless	colorless
Odor	: pungent	pungent
pH	: 0.1 - 1.5, (100 %)	1.5 - 5.0
Flash point	: 74 °C closed cup	
Odor Threshold	: No data available	
Melting point/freezing point	: No data available	
Initial boiling point and boiling range	: > 35 °C	
Evaporation rate	: No data available	
Flammability (solid, gas)	: Not applicable	
Upper explosion limit	: No data available	
Lower explosion limit	: No data available	
Vapor pressure	: No data available	
Relative vapor density	: No data available	
Relative density	: 1.19 - 1.23	
Water solubility	: soluble	
Solubility in other solvents	: No data available	
Partition coefficient: n-octanol/water	: No data available	
Autoignition temperature	: No data available	
Thermal decomposition	: No data available	
Viscosity, kinematic	: No data available	
Explosive properties	: No data available	
Oxidizing properties	: yes	
Molecular weight	: No data available	
VOC	: No data available	

### SECTION 10. STABILITY AND REACTIVITY

#### Product AS SOLD

Reactivity	: Decomposes on heating. Potential for exothermic hazard.
Chemical stability	: Decomposes on heating. Contamination may result in dangerous pressure increases - closed containers may rupture.
Possibility of hazardous reactions	: Do not mix with bleach or other chlorinated products – will cause chlorine gas.

# SAFETY DATA SHEET

**KX-6257**

Conditions to avoid	: Heat, flames and sparks. Direct sources of heat. Exposure to sunlight.
Incompatible materials	: Chlorine-based bleaching agents Mild steel Strong bases Polyvinyl chloride Metals  Metals Reducing agents Flammable materials
Hazardous decomposition products	: In case of fire hazardous decomposition products may be produced such as: Carbon oxides Sulfur oxides

## SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

### Potential Health Effects

#### Product AS SOLD

Eyes	: Causes serious eye damage.
Skin	: Causes severe skin burns.
Ingestion	: Harmful if swallowed. Causes digestive tract burns.
Inhalation	: May cause respiratory tract irritation. Harmful if inhaled. May cause nose, throat, and lung irritation.
Chronic Exposure	: Health injuries are not known or expected under normal use.

#### Product AT USE DILUTION

Eyes	: Causes serious eye damage.
Skin	: Causes severe skin burns.
Ingestion	: Causes digestive tract burns.
Inhalation	: May cause nose, throat, and lung irritation.
Chronic Exposure	: Health injuries are not known or expected under normal use.

### Experience with human exposure

#### Product AS SOLD

Eye contact	: Redness, Pain, Corrosion
Skin contact	: Redness, Pain, Corrosion
Ingestion	: Corrosion, Abdominal pain



# SAFETY DATA SHEET

**KX-6257**

Inhalation : Respiratory irritation, Cough

## Product AT USE DILUTION

Eye contact : Redness, Pain, Corrosion

Skin contact : Redness, Pain, Corrosion

Ingestion : Corrosion, Abdominal pain

Inhalation : Respiratory irritation, Cough

## Toxicity

### Product AS SOLD

#### Product

Acute oral toxicity : No data available

Acute inhalation toxicity : No data available

Acute dermal toxicity : No data available

Skin corrosion/irritation : No data available

Serious eye damage/eye irritation : No data available

Respiratory or skin sensitization : No data available

Carcinogenicity

IARC No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

sulphuric acid 7664-93-9

### Group 1: Carcinogenic to humans

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.  
Sulfuric acid 7664-93-9

### Known to be human carcinogen

Reproductive effects : No data available

Germ cell mutagenicity : No data available

Teratogenicity : No data available

STOT-single exposure : No data available

STOT-repeated exposure : No data available

Aspiration toxicity : No data available

## Components

Acute oral toxicity : Acetic acid  
LD50 Rat: 3,310 mg/kg

Peroxyacetic acid

# SAFETY DATA SHEET

**KX-6257**

LD50 Rat: 1,634 mg/kg

Hydrogen peroxide  
LD50 Rat: 486 mg/kg

## Components

Acute inhalation toxicity : Peroxyacetic acid  
4 h LC50 Rat: 4.080 mg/l  
Test atmosphere: dust/mist

## Components

Acute dermal toxicity : Acetic acid  
LD50 Rabbit: 1,060 mg/kg

Peroxyacetic acid  
LD50 Rat: 1,012 mg/kg

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Product AS SOLD

Environmental Effects : Harmful to aquatic life.

#### Product AT USE DILUTION

Environmental Effects : This product has no known ecotoxicological effects.

#### Product AS SOLD

##### Product

Toxicity to fish : 96 h LC50 Pimephales promelas: 13.98 mg/l

Toxicity to daphnia and other aquatic invertebrates : 48 h LC50 Ceriodaphnia dubia (water flea): 14.7 mg/l

Toxicity to algae : No data available

## Components

Toxicity to algae : Acetic acid  
72 h EC50 Skeletonema costatum (marine diatom): > 1,000 mg/l

Peroxyacetic acid  
72 h EC50: 0.7 mg/l

Hydrogen peroxide  
72 h EC50 Skeletonema costatum (marine diatom): 1.38 mg/l

### Persistence and degradability

#### Product AT USE DILUTION

Poorly biodegradable

### Bioaccumulative potential

No data available

### Mobility in soil

No data available

### Other adverse effects

# SAFETY DATA SHEET

**KX-6257**

No data available

## SECTION 13. DISPOSAL CONSIDERATIONS

### Product AS SOLD

- Disposal methods : Do not contaminate ponds, waterways or ditches with chemical or used container. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.
- Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.
- RCRA - Resource Conservation and Recovery Act Hazardous waste : D002 (Corrosive)

### Product AT USE DILUTION

- Disposal methods : Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.
- Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.

## SECTION 14. TRANSPORT INFORMATION

### Product AS SOLD

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

#### Land transport (DOT)

- UN number : 3109
- Description of the goods : ORGANIC PEROXIDE TYPE F, LIQUID (Peroxyacetic acid)
- Class : 5.2 (8)
- Environmentally hazardous : no

#### Sea transport (IMDG/IMO)

- UN number : 3109
- Proper shipping name : ORGANIC PEROXIDE TYPE F, LIQUID (Peroxyacetic acid)
- Class : 5.2 (8)
- Marine pollutant : no

## SECTION 15. REGULATORY INFORMATION

### Product AS SOLD

**EPCRA - Emergency Planning and Community Right-to-Know**

## SAFETY DATA SHEET

**KX-6257**

### CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Sulfuric acid	7664-93-9	1000	6188

### SARA 304 Extremely Hazardous Substances Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Peroxyacetic acid	79-21-0	500	4721

**SARA 311/312 Hazards** : Oxidizer (liquid, solid or gas)  
Flammable (gases, aerosols, liquids, or solids)  
Skin corrosion or irritation  
Serious eye damage or eye irritation  
Specific target organ toxicity (single or repeated exposure)

**SARA 302** : The following components are subject to reporting levels established by SARA Title III, Section 302:

Sulfuric acid	7664-93-9	10 - 20 %
Peroxyacetic acid	79-21-0	10.34 %
Hydrogen peroxide	7722-84-1	10.62 %

The following components are subject to reporting levels established by SARA Title III, Section 302:

Sulfuric acid	7664-93-9	10 - 20 %
Peroxyacetic acid	79-21-0	10 - 20 %
Hydrogen peroxide	7722-84-1	10 - 20 %

**SARA 313** : The following components are subject to reporting levels established by SARA Title III, Section 313:

Peroxyacetic acid	79-21-0	10.34 %
-------------------	---------	---------

The following components are subject to reporting levels established by SARA Title III, Section 313:

Peroxyacetic acid	79-21-0	10 - 20 %
-------------------	---------	-----------

### California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

### California Cleaning Product Right to Know Act of 2017 (SB 258)

This regulation applies to this product.

Hazardous ingredients	CAS-No.	Function	List(s)
water	7732-18-5	Diluent	Not Applicable
Acetic acid	64-19-7	Cleaning Agent	Not Applicable
Peroxyacetic acid	79-21-0	Biocide	Not Applicable
Sulfuric acid	7664-93-9	Cleaning Agent	20
Hydrogen peroxide	7722-84-1	Biocide	Not Applicable
Chelating agent	Withheld	Stabilizer	Not Applicable
Aryl carboxylic acid	Withheld	Stabilizer	Not Applicable
Inorganic acid	Withheld	Cleaning Agent	Not Applicable

\*refer to [ecolab.com/sds](http://ecolab.com/sds) for electronic links to designated lists

The ingredients of this product are reported in the following inventories:

## SAFETY DATA SHEET

**KX-6257**

### United States TSCA Inventory :

All substances listed as active on the TSCA inventory

### Canadian Domestic Substances List (DSL) :

All components of this product are on the Canadian DSL

### Australia. Australian Industrial Chemicals Introduction Scheme (AICIS) :

On the inventory, or in compliance with the inventory

### New Zealand. Inventory of Chemical Substances :

not determined

### Japan. ENCS - Existing and New Chemical Substances Inventory :

On the inventory, or in compliance with the inventory

### Korea. Korean Existing Chemicals Inventory (KECI) :

On the inventory, or in compliance with the inventory

### Philippines Inventory of Chemicals and Chemical Substances (PICCS) :

On the inventory, or in compliance with the inventory

### China. Inventory of Existing Chemical Substances in China (IECSC) :

On the inventory, or in compliance with the inventory


### Taiwan Chemical Substance Inventory (TCSI) :

On the inventory, or in compliance with the inventory

## SECTION 16. OTHER INFORMATION

### Product AS SOLD

#### NFPA:



#### HMIS III:

HEALTH	3
FLAMMABILITY	2
PHYSICAL HAZARD	1


0 = not significant, 1 = Slight,  
2 = Moderate, 3 = High  
4 = Extreme, \* = Chronic

### Product AT USE DILUTION

# SAFETY DATA SHEET

KX-6257

## NFPA:



## HMIS III:

HEALTH	3
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,  
2 = Moderate, 3 = High  
4 = Extreme, \* = Chronic

Issuing date : 04/17/2024  
Version : 1.5  
Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.