

# LIQUID LAUNDRY WATER TREATMENT WITH METAL CONTROL

# **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : LIQUID LAUNDRY WATER TREATMENT WITH METAL CONTROL

Other means of identification : Not applicable

Recommended use : Laundry product

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : 0.04 % - 0.12 %

Company : Ecolab Inc.

1 Ecolab Place

St. Paul, Minnesota USA 55102

1-800-352-5326

Emergency health

information

: 1-800-328-0026 (US/Canada), 1-651-222-5352 (outside US)

Issuing date : 03/20/2024

#### **SECTION 2. HAZARDS IDENTIFICATION**

#### **GHS Classification**

**Product AS SOLD** 

Skin corrosion : Category 1A Serious eye damage : Category 1

#### **Product AT USE DILUTION**

Not a hazardous substance or mixture.

#### **GHS** label elements

# **Product AS SOLD**

Hazard pictograms :



Signal Word : Danger

Hazard Statements : Causes severe skin burns and eye damage.

Precautionary Statements : **Prevention:** 

Wash skin thoroughly after handling. Wear protective gloves/

protective clothing/ eye protection/ face protection.

Response:

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor. Wash contaminated

clothing before reuse.

Storage:

951277-13 1 / 11

# LIQUID LAUNDRY WATER TREATMENT WITH METAL CONTROL

Store locked up. Disposal:

Dispose of contents/ container to an approved waste disposal plant.

**Product AT USE DILUTION** 

**Precautionary Statements** : Prevention:

Wash hands thoroughly after handling.

Response:

Get medical advice/ attention if you feel unwell.

Storage:

Store in accordance with local regulations.

**Product AS SOLD** 

Other hazards : None known.

# **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

**Product AS SOLD** 

Pure substance/mixture : Mixture

**Chemical name** CAS-No. Concentration (%)

Tetrasodium EDTA 64-02-8 30 - 60 Sodium hydroxide 1310-73-2 1 - 5

#### **Product AT USE DILUTION**

No hazardous ingredients

### **SECTION 4. FIRST AID MEASURES**

**Product AS SOLD** 

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Get medical attention immediately.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes.

Wash clothing before reuse. Thoroughly clean shoes before reuse.

Get medical attention immediately.

: Rinse mouth with water. Do NOT induce vomiting. Never give If swallowed

anything by mouth to an unconscious person. Get medical attention

immediately.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if

symptoms occur.

Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal

protective equipment.

Notes to physician : Treat symptomatically.

Most important symptoms

and effects, both acute and

: See Section 11 for more detailed information on health effects and symptoms.

delayed

**Product AT USE DILUTION** 

In case of eye contact : Rinse with plenty of water.

951277-13 2/11

# LIQUID LAUNDRY WATER TREATMENT WITH METAL CONTROL

In case of skin contact : Rinse with plenty of water.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

If inhaled : Get medical attention if symptoms occur.

### **SECTION 5. FIRE-FIGHTING MEASURES**

**Product AS SOLD** 

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable extinguishing

media

: None known.

Specific hazards during fire

fighting

: Not flammable or combustible.

Hazardous combustion

products

: Decomposition products may include the following materials:

Carbon oxides

Nitrogen oxides (NOx)

Special protective equipment

for fire-fighters

: Use personal protective equipment.

Specific extinguishing

methods

: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire

and/or explosion do not breathe fumes.

# **SECTION 6. ACCIDENTAL RELEASE MEASURES**

#### **Product AS SOLD**

Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit theyust use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

listed in Sections 7 and C

Environmental precautions : Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up

: Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain

material to ensure runoff does not reach a waterway.

**Product AT USE DILUTION** 

Personal precautions, protective equipment and emergency procedures

: Refer to protective measures listed in sections 7 and 8.

Environmental precautions : No special environmental precautions required.

Methods and materials for containment and cleaning up

: Stop leak if safe to do so. Contain spillage, and then collect with noncombustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to

951277-13 3 / 11

# LIQUID LAUNDRY WATER TREATMENT WITH METAL CONTROL

local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

# **SECTION 7. HANDLING AND STORAGE**

**Product AS SOLD** 

Advice on safe handling : Do not ingest. Do not get in eyes, on skin, or on clothing. Do not

breathe dust/ fume/ gas/ mist/ vapors/ spray. Use only with adequate ventilation. Wash hands thoroughly after handling. In case of mechanical malfunction, or if in contact with unknown dilution of

product, wear full Personal Protective Equipment (PPE).

Conditions for safe storage : Do not store near acids. Keep out of reach of children. Store in

suitable labeled containers.

Storage temperature : -10 °C to 50 °C

**Product AT USE DILUTION** 

Advice on safe handling : Wash hands after handling. In case of mechanical malfunction, or if in

contact with unknown dilution of product, wear full Personal Protective

Equipment (PPE). For personal protection see section 8.

Conditions for safe storage : Keep out of reach of children. Store in suitable labeled containers.

### **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

# **Product AS SOLD**

# Ingredients with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
sodium hydroxide	1310-73-2	Ceiling	2 mg/m3	ACGIH
		Ceiling	2 mg/m3	NIOSH REL
		TWA	2 mg/m3	OSHA Z1

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations

below occupational exposure standards.

# Personal protective equipment

Eye protection : Wear eye protection and/or face protection.

Hand protection : Wear the following personal protective equipment:

Standard glove type.

Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Skin protection : Personal protective equipment comprising: suitable protective gloves,

safety goggles and protective clothing

Respiratory protection : When workers are facing concentrations above the exposure limit

theyust use appropriate certified respirators.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for guick drenching or flushing of the eyes

951277-13 4 / 11

# LIQUID LAUNDRY WATER TREATMENT WITH METAL CONTROL

and body in case of contact or splash hazard.

**Product AT USE DILUTION** 

Engineering measures : Good general ventilation should be sufficient to control worker

exposure to airborne contaminants.

Personal protective equipment

Eye protection : No special protective equipment required.

Hand protection : No special protective equipment required.

Skin protection : No special protective equipment required.

Respiratory protection : No personal respiratory protective equipment normally required.

### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

**Product AS SOLD** 

**Appearance** : liquid

Color : clear, light yellow

Odor : pungent

рΗ : 13.0 - 14.0, (100 %)

Flash point : Not applicable Odor Threshold : No data available Melting point/freezing point : No data available

Initial boiling point and

boiling range

: > 100 °C

Evaporation rate : No data available Flammability (solid, gas) : Not applicable Upper explosion limit : No data available : No data available Lower explosion limit : No data available Vapor pressure Relative vapor density : No data available

Relative density : 1.26 - 1.3 : soluble Water solubility

Solubility in other solvents : No data available Partition coefficient: n-

octanol/water

: No data available

Autoignition temperature : No data available Thermal decomposition : No data available Viscosity, kinematic : No data available Explosive properties : No data available : No data available Oxidizing properties : No data available Molecular weight VOC : No data available **Product AT USE DILUTION** 

liquid colorless

not significant

7.0 - 8.5

951277-13 5/11

# LIQUID LAUNDRY WATER TREATMENT WITH METAL CONTROL

### SECTION 10. STABILITY AND REACTIVITY

**Product AS SOLD** 

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

: No dangerous reaction known under conditions of normal use.

Conditions to avoid : None known.

: Acids Incompatible materials

Metals

Hazardous decomposition

products

: In case of fire hazardous decomposition products may be produced

such as:

Carbon oxides

Nitrogen oxides (NOx)

# **SECTION 11. TOXICOLOGICAL INFORMATION**

exposure

Information on likely routes of : Inhalation, Eye contact, Skin contact

#### **Potential Health Effects**

**Product AS SOLD** 

Eyes : Causes serious eye damage.

Skin : Causes severe skin burns.

Ingestion : Causes digestive tract burns.

Inhalation : May cause nose, throat, and lung irritation.

Chronic Exposure : Health injuries are not known or expected under normal use.

**Product AT USE DILUTION** 

Eyes : Health injuries are not known or expected under normal use.

Skin : Health injuries are not known or expected under normal use.

Ingestion : Health injuries are not known or expected under normal use.

Inhalation : Health injuries are not known or expected under normal use.

Chronic Exposure : Health injuries are not known or expected under normal use.

#### **Experience with human exposure**

**Product AS SOLD** 

Eye contact : Redness, Pain, Corrosion

Skin contact : Redness, Pain, Corrosion

Redness, Pain, Corrosion

951277-13 6/11

# LIQUID LAUNDRY WATER TREATMENT WITH METAL CONTROL

Ingestion : Corrosion, Abdominal pain

Inhalation : Respiratory irritation, Cough

**Product AT USE DILUTION** 

Eye contact : No symptoms known or expected.

Skin contact : No symptoms known or expected.

Ingestion : No symptoms known or expected.

Inhalation : No symptoms known or expected.

**Toxicity** 

**Product AS SOLD** 

**Product** 

: Acute toxicity estimate : 4,506 mg/kg Acute oral toxicity Acute inhalation toxicity : 4 h Acute toxicity estimate : 27.85 mg/l

Test atmosphere: vapor

Acute dermal toxicity : No data available Skin corrosion/irritation : No data available Serious eye damage/eye : No data available

irritation

Respiratory or skin

sensitization

: No data available

Carcinogenicity : No data available Reproductive effects : No data available Germ cell mutagenicity : No data available Teratogenicity : No data available STOT-single exposure : No data available STOT-repeated exposure : No data available Aspiration toxicity : No data available

### **SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity** 

**Product AS SOLD** 

**Environmental Effects** : This product has no known ecotoxicological effects.

**Product AT USE DILUTION** 

**Environmental Effects** : This product has no known ecotoxicological effects.

**Product AS SOLD** 

**Product** 

Toxicity to fish : No data available

aquatic invertebrates

Toxicity to daphnia and other : 48 h LC50 Ceriodaphnia dubia (water flea): 154 mg/l

Test substance: Product

Toxicity to algae : No data available

Components

951277-13 7/11

# LIQUID LAUNDRY WATER TREATMENT WITH METAL CONTROL

Toxicity to fish : Tetrasodium EDTA

96 h LC50 Fish: 121 mg/l

Components

Toxicity to algae : Tetrasodium EDTA

72 h EC50 Aquatic Plant: > 100 mg/l

### Persistence and degradability

### **Product AT USE DILUTION**

Poorly biodegradable

#### Bioaccumulative potential

No data available

#### Mobility in soil

No data available

#### Other adverse effects

No data available

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

**Product AS SOLD** 

Disposal methods : Where possible recycling is preferred to disposal or incineration. If

recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to

an approved waste handling site for recycling or disposal. Do not reuse empty containers. Dispose of in accordance with local, state, and

federal regulations.

RCRA - Resource : D002 (Corrosive)

Conservation and Recovery Authorization Act Hazardous

waste

ecovery

# **Product AT USE DILUTION**

Disposal methods : Diluted product can be flushed to sanitary sewer.

Disposal considerations : Dispose of in accordance with local, state, and federal regulations.

### **SECTION 14. TRANSPORT INFORMATION**

# **Product AS SOLD**

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (DOT)

UN number : 3267

Description of the goods : Corrosive liquid, basic, organic, n.o.s.

(EDTA, salt)

Class : 8
Packing group : III
Environmentally hazardous : no

951277-13 8 / 11

# LIQUID LAUNDRY WATER TREATMENT WITH METAL CONTROL

### Sea transport (IMDG/IMO)

UN number : 3267

Proper shipping name : CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S.

(EDTA, salt)

Class : 8
Packing group : III
Marine pollutant : no

### **SECTION 15. REGULATORY INFORMATION**

### **Product AS SOLD**

# **EPCRA - Emergency Planning and Community Right-to-Know**

### **CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Sodium hydroxide	1310-73-2	1000	100000

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Skin corrosion or irritation

Serious eye damage or eye irritation

SARA 302 : This material does not contain any components with a section 302

EHS TPQ.

SARA 313 : This material does not contain any chemical components with known

CAS numbers that exceed the threshold (De Minimis) reporting levels

established by SARA Title III, Section 313.

#### California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

# California Cleaning Product Right to Know Act of 2017 (SB 258)

This regulation applies to this product.

Hazardous ingredients	CAS-No.	Function	List(s)
water	7732-18-5	Diluent	Not Applicable
Tetrasodium EDTA	64-02-8	Cleaning Agent	Not Applicable
Sodium hydroxide	1310-73-2	Cleaning Agent	20

<sup>\*</sup>refer to ecolab.com/sds for electronic links to designated lists

### The ingredients of this product are reported in the following inventories:

#### **United States TSCA Inventory:**

All substances listed as active on the TSCA inventory

# Canadian Domestic Substances List (DSL) :

All components of this product are on the Canadian DSL

### Australia. Australian Industrial Chemicals Introduction Scheme (AICIS) :

951277-13 9 / 11

# LIQUID LAUNDRY WATER TREATMENT WITH METAL CONTROL

On the inventory, or in compliance with the inventory

# New Zealand. Inventory of Chemical Substances:

not determined

# Japan. ENCS - Existing and New Chemical Substances Inventory :

On the inventory, or in compliance with the inventory

# Korea. Korean Existing Chemicals Inventory (KECI):

On the inventory, or in compliance with the inventory

### Philippines Inventory of Chemicals and Chemical Substances (PICCS):

On the inventory, or in compliance with the inventory

# China. Inventory of Existing Chemical Substances in China (IECSC):


On the inventory, or in compliance with the inventory

# Taiwan Chemical Substance Inventory (TCSI):

On the inventory, or in compliance with the inventory

# **SECTION 16. OTHER INFORMATION**

#### **Product AS SOLD** NFPA:




# HMIS III:

HEALTH	3
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,

2 = Moderate, 3 = High 4 = Extreme, \* = Chronic

# **Product AT USE DILUTION** NFPA:



# HMIS III:

HEALTH	0
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,

2 = Moderate, 3 = High 4 = Extreme, \* = Chronic

: 03/20/2024 Issuing date

: 1.1 Version

Prepared by : Regulatory Affairs

951277-13 10/11

# LIQUID LAUNDRY WATER TREATMENT WITH METAL CONTROL

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

951277-13 11 / 11