

KEYSTONE SOLID POT & PAN DETERGENT

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : KEYSTONE SOLID POT & PAN DETERGENT

Other means of identification : Not applicable

Recommended use : Manual Warewashing Detergent

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : 0.028 % - 0.0623 %

Company : Ecolab Inc.

1 Ecolab Place

St. Paul, Minnesota USA 55102

1-800-352-5326

Emergency health

information

: 1-800-328-0026 (US/Canada), 1-651-222-5352 (outside US)

Issuing date : 05/18/2023

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Product AS SOLD

Skin irritation : Category 2 Eye irritation : Category 2B

Product AT USE DILUTION

Not a hazardous substance or mixture.

GHS label elements

Product AS SOLD

Hazard pictograms



Signal Word : Warning

Hazard Statements : Causes skin and eye irritation.

Precautionary Statements : **Prevention:**

Wash skin thoroughly after handling.

Response:

IF ON SKIN: Wash with plenty of soap and water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation occurs: Get medical advice/ attention. If eye irritation persists: Get medical advice/ attention. Take off contaminated clothing and wash before reuse.

Product AT USE DILUTION

Precautionary Statements : **Prevention:**

Wash hands thoroughly after handling.

Response:

999174-07 1 / 11

KEYSTONE SOLID POT & PAN DETERGENT

Get medical advice/ attention if you feel unwell.

Storage:

Store in accordance with local regulations.

Product AS SOLD

Other hazards : None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Product AS SOLD

Pure substance/mixture : Mixture

Chemical name	CAS-No.	Concentration (%)
Dodecylbenzenesulfonic acid, sodium salt	25155-30-0	30 - 60
Sodium poly(oxyethylene) dodecyl ether sulfate	68585-34-2	10 - 30
acetic acid, sodium salt	127-09-3	5 - 10
C10-16 Polyglycoside	110615-47-9	5 - 10
dodecanamide, n-(2-hydroxyethyl)-	142-78-9	5 - 10
amides, coco, n-(hydroxyethyl)	68140-00-1	1 - 5
Polyethylene Glycol	25322-68-3	1 - 5
Sodium silicate	1344-09-8	1 - 5

Product AT USE DILUTION

No hazardous ingredients

SECTION 4. FIRST AID MEASURES

Product AS SOLD

In case of eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. If eye

irritation persists: Get medical advice/ attention.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use

a mild soap if available. Get medical attention if irritation develops and

persists.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

If inhaled : Get medical attention if symptoms occur.

Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal

protective equipment.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and

delayed

: See Section 11 for more detailed information on health effects and

symptoms.

Product AT USE DILUTION

In case of eye contact : Rinse with plenty of water.

In case of skin contact : Rinse with plenty of water.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

If inhaled : Get medical attention if symptoms occur.

999174-07 2 / 11

KEYSTONE SOLID POT & PAN DETERGENT

SECTION 5. FIRE-FIGHTING MEASURES

Product AS SOLD

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable extinguishing

media

: None known.

Specific hazards during fire

fighting

: Not flammable or combustible.

Hazardous combustion

products

: Decomposition products may include the following materials:

Carbon oxides

Nitrogen oxides (NOx)

Sulfur oxides

for fire-fighters

Special protective equipment : Use personal protective equipment.

Specific extinguishing

methods

: Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Product AS SOLD

Personal precautions, protective equipment and emergency procedures

: Ensure clean-up is conducted by trained personnel only. Refer to

protective measures listed in sections 7 and 8.

Environmental precautions : Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up : Sweep up and shovel into suitable containers for disposal.

Product AT USE DILUTION

Personal precautions, protective equipment and emergency procedures

: Refer to protective measures listed in sections 7 and 8.

Environmental precautions : No special environmental precautions required.

Methods and materials for containment and cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with noncombustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. Do not flush into surface water or sanitary sewer

system.

SECTION 7. HANDLING AND STORAGE

Product AS SOLD

Advice on safe handling : Avoid contact with skin and eyes. Wash hands thoroughly after

handling. In case of mechanical malfunction, or if in contact with

999174-07 3/11

KEYSTONE SOLID POT & PAN DETERGENT

unknown dilution of product, wear full Personal Protective Equipment

(PPE).

Conditions for safe storage : Keep out of reach of children. Store in suitable labeled containers.

Storage temperature : 0 °C to 50 °C

Product AT USE DILUTION

Advice on safe handling : Wash hands after handling. In case of mechanical malfunction, or if in

contact with unknown dilution of product, wear full Personal Protective

Equipment (PPE). For personal protection see section 8.

Conditions for safe storage : Keep out of reach of children. Store in suitable labeled containers.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Product AS SOLD

Ingredients with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
Polyethylene Glycol	25322-68-3	TWA (Aerosol.)	10 mg/m3	US WEEL

Engineering measures : Good general ventilation should be sufficient to control worker

exposure to airborne contaminants.

Personal protective equipment

Eye protection : Due to the form and packaging of the product, no protective

equipment is needed under normal use conditions.

Hand protection : Due to the form and packaging of the product, no protective

equipment is needed under normal use conditions.

Skin protection : No special protective equipment required.

Respiratory protection : No personal respiratory protective equipment normally required.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice. Wash face, hands and any exposed skin thoroughly after

handling.

Product AT USE DILUTION

Engineering measures : Good general ventilation should be sufficient to control worker

exposure to airborne contaminants.

Personal protective equipment

Eye protection : No special protective equipment required.

Hand protection : No special protective equipment required.

Skin protection : No special protective equipment required.

Respiratory protection : No personal respiratory protective equipment normally required.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

999174-07 4 / 11

KEYSTONE SOLID POT & PAN DETERGENT

Product AS SOLD Product AT USE DILUTION

Appearance : Extruded solid. liquid Color opaque, purple purple Odor : citrus citrus 7.0 - 10.0 рΗ : 7.0 - 10.0, (1 %)

Flash point : Not applicable, Does not sustain combustion.

Odor Threshold : No data available Melting point/freezing point : No data available Initial boiling point and : No data available

boiling range

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable Upper explosion limit : No data available Lower explosion limit : No data available Vapor pressure No data available Relative vapor density : No data available

: 1.15 - 1.37 Relative density Water solubility : insoluble

: No data available Solubility in other solvents Partition coefficient: n-

octanol/water

: No data available

Autoignition temperature : No data available Thermal decomposition : No data available Viscosity, kinematic : No data available Explosive properties : No data available

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available VOC : No data available

SECTION 10. STABILITY AND REACTIVITY

Product AS SOLD

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

: No dangerous reaction known under conditions of normal use.

Conditions to avoid : None known.

Incompatible materials : None known.

Hazardous decomposition

products

: In case of fire hazardous decomposition products may be produced

such as:

999174-07 5/11

KEYSTONE SOLID POT & PAN DETERGENT

Carbon oxides Nitrogen oxides (NOx) Sulfur oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of : Eye contact, Skin contact

exposure

Potential Health Effects

Product AS SOLD

: Causes eye irritation. Eyes

: Causes skin irritation. Skin

Ingestion : Health injuries are not known or expected under normal use.

Inhalation : Health injuries are not known or expected under normal use.

Chronic Exposure : Health injuries are not known or expected under normal use.

Product AT USE DILUTION

Eyes : Health injuries are not known or expected under normal use.

Skin Health injuries are not known or expected under normal use.

Ingestion Health injuries are not known or expected under normal use.

Inhalation Health injuries are not known or expected under normal use.

Chronic Exposure : Health injuries are not known or expected under normal use.

Experience with human exposure

Product AS SOLD

: Redness, Pain, Irritation Eye contact

Skin contact : Redness, Irritation

Ingestion : No symptoms known or expected.

Inhalation : No symptoms known or expected.

Product AT USE DILUTION

Eye contact : No symptoms known or expected.

Skin contact No symptoms known or expected.

Ingestion No symptoms known or expected.

Inhalation : No symptoms known or expected.

Toxicity

Product AS SOLD

Product

: Acute toxicity estimate : 2,184 mg/kg Acute oral toxicity

999174-07 6/11

KEYSTONE SOLID POT & PAN DETERGENT

Acute inhalation toxicity : 4 h Acute toxicity estimate : 84.31 mg/l

Test atmosphere: dust/mist

Acute dermal toxicity : Acute toxicity estimate : > 5,000 mg/kg

Skin corrosion/irritation : No data available Serious eye damage/eye : No data available

irritation

Respiratory or skin

sensitization

: No data available

Carcinogenicity : No data available

Reproductive effects : No data available Germ cell mutagenicity : No data available

Teratogenicity : No data available STOT-single exposure : No data available STOT-repeated exposure : No data available Aspiration toxicity : No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product AS SOLD

Environmental Effects : Toxic to aquatic life.

Product AT USE DILUTION

Environmental Effects : This product has no known ecotoxicological effects.

Product AS SOLD Product

Toxicity to fish

: No data available : No data available Toxicity to daphnia and other aquatic invertebrates

Toxicity to algae : No data available

Components

Toxicity to fish : Dodecylbenzenesulfonic acid, sodium salt

96 h LC50 Fish: 3.2 mg/l

Sodium poly(oxyethylene) dodecyl ether sulfate

96 h LC50 Fish: 28 mg/l

acetic acid, sodium salt 96 h LC50 Fish: > 100 mg/l

C10-16 Polyglycoside

96 h LC50 Brachydanio rerio (zebrafish): 2.95 mg/l

dodecanamide, n-(2-hydroxyethyl)-

96 h LC50 Fish: > 100 mg/l

Polyethylene Glycol

96 h LC50 Fish: > 1,000 mg/l

999174-07 7/11

KEYSTONE SOLID POT & PAN DETERGENT

Sodium silicate

96 h LC50 Oncorhynchus mykiss (rainbow trout): 260 mg/l

Components

Toxicity to daphnia and other : C10-16 Polyglycoside

aquatic invertebrates

48 h EC50 Daphnia magna (Water flea): 7 mg/l

Sodium silicate

48 h EC50 Daphnia magna (Water flea): 1,700 mg/l

Components

Toxicity to algae : C10-16 Polyglycoside

72 h EC50 Desmodesmus subspicatus (green algae): 12.5 mg/l

amides, coco, n-(hydroxyethyl)

72 h EC50: 1.07 mg/l

Sodium silicate

72 h EC50 Desmodesmus subspicatus (green algae): 207 mg/l

Persistence and degradability

Product AT USE DILUTION

Readily biodegradable.

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Product AS SOLD

: Do not contaminate ponds, waterways or ditches with chemical or Disposal methods

> used container. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste

disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to

> an approved waste handling site for recycling or disposal. Do not reuse empty containers. Dispose of in accordance with local, state, and

federal regulations.

Product AT USE DILUTION

Disposal methods : Diluted product can be flushed to sanitary sewer.

: Dispose of in accordance with local, state, and federal regulations. Disposal considerations

SECTION 14. TRANSPORT INFORMATION

Product AS SOLD

999174-07 8/11

KEYSTONE SOLID POT & PAN DETERGENT

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (DOT)

Not dangerous goods

Sea transport (IMDG/IMO)

Not dangerous goods

SECTION 15. REGULATORY INFORMATION

Product AS SOLD

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Dodecylbenzenesulfonic acid, sodium salt	25155-30-0	1000	2416

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Serious eye damage or eye irritation

Skin corrosion or irritation

SARA 302 : This material does not contain any components with a section 302

EHS TPQ.

SARA 313 : This material does not contain any chemical components with known

CAS numbers that exceed the threshold (De Minimis) reporting levels

established by SARA Title III, Section 313.

California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

California Cleaning Product Right to Know Act of 2017 (SB 258)

This regulation applies to this product.

Hazardous ingredients	CAS-No.	Function	List(s)
Dodecylbenzenesulfonic acid,	25155-30-0	Cleaning Agent	Not Applicable
sodium salt			
Sodium poly(oxyethylene)	68585-34-2	Cleaning Agent	Not Applicable
dodecyl ether sulfate			
Magnesium Sulphate	10034-99-8	Cleaning Agent	Not Applicable
Heptahydrate			
acetic acid, sodium salt	127-09-3	Cleaning Agent	Not Applicable
water	7732-18-5	Diluent	Not Applicable
dodecanamide, n-(2-	142-78-9	Brightener	Not Applicable
hydroxyethyl)-			
amides, coco, n-(hydroxyethyl)	68140-00-1	Cleaning Agent	Not Applicable
Polyethylene Glycol	25322-68-3	Cleaning Agent	Not Applicable
C10-16 Polyglycoside	110615-47-9	Cleaning Agent	Not Applicable

999174-07 9 / 11

KEYSTONE SOLID POT & PAN DETERGENT

Sodium silicate	1344-09-8	Cleaning Agent	Not Applicable
sodium sulfate	7757-82-6	Cleaning Agent	20
Fragrance Ingredient(s)	Not Available	Fragrance	Not Applicable
Fatty alcohol sulfate	Withheld	Processing Aid	Not Applicable
Alcohol sulfate salt	Withheld	Processing Aid	Not Applicable
Substituted alkylamine	Withheld	Stabilizer	Not Applicable
Colorant	Withheld	Dye	Not Applicable
3-Cyclohexene-1-	68039-49-6	Fragrance	Not Applicable
carboxaldehyde, 2,4-dimethyl-			
Limonene	5989-27-5	Fragrance	FRA
Silicone	Withheld	Processing Aid	Not Applicable
Silicon-containing polymer	Withheld	Processing Aid	Not Applicable
Silicone	Withheld	Processing Aid	Not Applicable

^{*}refer to ecolab.com/sds for electronic links to designated lists

The ingredients of this product are reported in the following inventories:

United States TSCA Inventory:

Listed on TSCA

Canadian Domestic Substances List (DSL):

On the inventory, or in compliance with the inventory

Australia. Australian Industrial Chemicals Introduction Scheme (AICIS):

On the inventory, or in compliance with the inventory

New Zealand. Inventory of Chemical Substances:

On the inventory, or in compliance with the inventory

Japan. ENCS - Existing and New Chemical Substances Inventory :

On the inventory, or in compliance with the inventory

Korea. Korean Existing Chemicals Inventory (KECI):

not determined

China. Inventory of Existing Chemical Substances in China (IECSC):

On the inventory, or in compliance with the inventory

Taiwan Chemical Substance Inventory (TCSI):

not determined

Philippines Inventory of Chemicals and Chemical Substances (PICCS):

On the inventory, or in compliance with the inventory


SECTION 16. OTHER INFORMATION

Product AS SOLD

999174-07 10 / 11

KEYSTONE SOLID POT & PAN DETERGENT


NFPA:



HMIS III:

HEALTH	2
FLAMMABILITY	0
PHYSICAL HAZARD	0

- 0 = not significant, 1 = Slight,
- 2 = Moderate, 3 = High
- 4 = Extreme, * = Chronic



Issuing date : 05/18/2023

Version : 3.2

Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

999174-07 11 / 11