

FABRISTAT

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : FABRISTAT

Other means of identification : Not applicable

Recommended use : Cleaning product

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : No dilution information provided.

Company : Ecolab Inc.

1 Ecolab Place

St. Paul, Minnesota USA 55102

1-800-352-5326

Emergency health

information

: 1-800-328-0026 (US/Canada), 1-651-222-5352 (outside US)

Issuing date : 08/22/2019

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Acute toxicity (Oral) : Category 3
Acute toxicity (Inhalation) : Category 3
Acute toxicity (Dermal) : Category 4
Skin corrosion : Category 1A
Serious eye damage : Category 1

GHS label elements

Hazard pictograms :





Signal Word : Danger

Hazard Statements : Toxic if swallowed or if inhaled.

Harmful in contact with skin.

Causes severe skin burns and eye damage.

Precautionary Statements : Prevention:

Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray. Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

IF SWALLOWED: Immediately call a POISON CENTER/doctor. Rinse mouth. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Take off

914080 1 / 10

FABRISTAT

contaminated clothing and wash before reuse. In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Storage:

Store in a well-ventilated place. Keep cool. Store locked up.

Disposal:

Dispose of contents/ container to an approved waste disposal plant.

Other hazards : None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

Chemical nameCAS-No.Concentration (%)ethanol64-17-510 - 30Octyl decyl dimethyl ammonium chloride32426-11-225Didecyl Dimethyl Ammonium Chloride7173-51-515Dioctyl dimethyl ammonium chloride5538-94-310

SECTION 4. FIRST AID MEASURES

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Get medical attention immediately.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use

a mild soap if available. Wash clothing before reuse. Thoroughly clean

shoes before reuse. Get medical attention immediately.

If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give

anything by mouth to an unconscious person. Get medical attention

immediately.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention

immediately.

Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal

protective equipment.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and

delayed

: See Section 11 for more detailed information on health effects and

symptoms.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable extinguishing

media

: High volume water jet

Specific hazards during fire

fighting

: Fire Hazard

Keep away from heat and sources of ignition. Flash back possible over considerable distance.

Beware of vapors accumulating to form explosive concentrations.

Vapors can accumulate in low areas.

914080 2 / 10

FABRISTAT

Hazardous combustion

products

: Decomposition products may include the following materials:

Carbon oxides

Nitrogen oxides (NOx)

Special protective equipment

for fire-fighters

: Use personal protective equipment.

Specific extinguishing

methods

: Use water spray to cool unopened containers. Fire residues and contaminated fire extinguishing water must be disposed of in

accordance with local regulations. In the event of fire and/or explosion

do not breathe fumes.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation. Remove all sources of ignition. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and

8.

Environmental precautions

: Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up

: Eliminate all ignition sources if safe to do so. Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain

material to ensure runoff does not reach a waterway.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling

: Do not ingest. Do not get in eyes, on skin, or on clothing. Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Use only with adequate ventilation. Keep away from fire, sparks and heated surfaces. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Wash hands thoroughly after handling. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE).

Conditions for safe storage

: Keep away from heat and sources of ignition. Keep in a cool, well-ventilated place. Keep away from oxidizing agents. Keep out of reach of children. Keep container tightly closed. Store in suitable labeled

containers.

Storage temperature : -5 °C to 50 °C

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
ethanol	64-17-5	TWA	1,000 ppm	NIOSH REL

914080 3 / 10

FABRISTAT

	1,900 mg/m3	
TWA	1,000 ppm	OSHA Z1
	1.900 mg/m3	

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations

below occupational exposure standards.

Personal protective equipment

Eye protection : Wear eye protection/ face protection.

Hand protection : Wear the following personal protective equipment:

Standard glove type.

Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Skin protection : Personal protective equipment comprising: suitable protective gloves,

safety goggles and protective clothing

Respiratory protection : When workers are facing concentrations above the exposure limit they

must use appropriate certified respirators.

Ensure an MSHA/NIOSH-approved respirator or equivalent is used.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes

and body in case of contact or splash hazard.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : light yellow

Odor : mild

pH : 6.5 - 9.0, (100 %)

Flash point : 43 °C

Odor Threshold : No data available
Melting point/freezing point : No data available
Initial boiling point and : No data available

boiling range

Evaporation rate : No data available

Flammability (solid, gas) : No data available
Upper explosion limit : No data available
Lower explosion limit : No data available
Vapor pressure : No data available

Relative vapor density : No data available
Relative density : No data available
Water solubility : No data available

Solubility in other solvents : No data available
Partition coefficient: n- : No data available

914080 4 / 10

FABRISTAT

octanol/water

Autoignition temperature : No data available Thermal decomposition : No data available : No data available Viscosity, kinematic : No data available Explosive properties Oxidizing properties : No data available Molecular weight : No data available VOC : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

: No dangerous reaction known under conditions of normal use.

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : None known.

Hazardous decomposition

products

: In case of fire hazardous decomposition products may be produced

such as: Carbon oxides

Nitrogen oxides (NOx)

SECTION 11. TOXICOLOGICAL INFORMATION

exposure

Information on likely routes of : Inhalation, Eye contact, Skin contact

Potential Health Effects

Eyes : Causes serious eye damage.

Skin : Toxic in contact with skin. Causes severe skin burns.

: Fatal if swallowed. Causes digestive tract burns. Ingestion

Inhalation : Fatal if inhaled. May cause nose, throat, and lung irritation.

Chronic Exposure : Health injuries are not known or expected under normal use.

Experience with human exposure

Eye contact : Redness, Pain, Corrosion

Skin contact : Redness, Pain, Corrosion

Ingestion : Corrosion, Abdominal pain

Inhalation : Respiratory irritation, Cough

Toxicity

914080 5/10

FABRISTAT

Product

Acute oral toxicity : No data available Acute inhalation toxicity : No data available Acute dermal toxicity : No data available : No data available Skin corrosion/irritation : No data available

Serious eye damage/eye

irritation

Respiratory or skin

sensitization

: No data available

: No data available Carcinogenicity Reproductive effects : No data available

Germ cell mutagenicity : No data available Teratogenicity : No data available STOT-single exposure : No data available : No data available STOT-repeated exposure : No data available Aspiration toxicity

Components

Acute oral toxicity : ethanol

LD50 Rat: 10,470 mg/kg

Octyl decyl dimethyl ammonium chloride

LD50 Rat: 238 mg/kg

Didecyl Dimethyl Ammonium Chloride

LD50 Rat: 329 mg/kg

Dioctyl dimethyl ammonium chloride

LD50 Rat: 238 mg/kg

Components

Acute inhalation toxicity : ethanol

> 4 h LC50 Rat: 117 mg/l Test atmosphere: vapor

Octyl decyl dimethyl ammonium chloride

4 h LC50 Rat: 0.07 mg/l Test atmosphere: dust/mist

Didecyl Dimethyl Ammonium Chloride

4 h LC50 Rat: 0.07 mg/l Test atmosphere: dust/mist

Dioctyl dimethyl ammonium chloride

4 h LD50 Rat: 0.07 mg/l Test atmosphere: dust/mist

Components

Acute dermal toxicity : ethanol

LD50 Rabbit: > 15,800 mg/kg

914080 6/10

FABRISTAT

Octyl decyl dimethyl ammonium chloride

LD50 Rabbit: 2,930 mg/kg

Didecyl Dimethyl Ammonium Chloride

LD50 Rabbit: 2,930 mg/kg

Dioctyl dimethyl ammonium chloride

LD50 Rabbit: 259 mg/kg

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Environmental Effects : This product has no known ecotoxicological effects.

Product

Toxicity to fish : No data available Toxicity to daphnia and other : No data available

aquatic invertebrates

Toxicity to algae : No data available

Components

Toxicity to fish : ethanol

96 h LC50 Pimephales promelas: > 100 mg/l

Octyl decyl dimethyl ammonium chloride

96 h LC50 Fish: 1 mg/l

Didecyl Dimethyl Ammonium Chloride

96 h LC50 Fish: 1 mg/l

Dioctyl dimethyl ammonium chloride

96 h LC50 Oncorhynchus mykiss (rainbow trout): 0.35 mg/l

Components

aquatic invertebrates

Toxicity to daphnia and other : Dioctyl dimethyl ammonium chloride

96 h LC50: 0.073 mg/l

Components

Toxicity to algae : Dioctyl dimethyl ammonium chloride

72 h EC50 Pseudokirchneriella subcapitata (algae): 0.122 mg/l

Persistence and degradability

Not applicable - Biocide

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

914080 7/10

FABRISTAT

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods : Do not contaminate ponds, waterways or ditches with chemical or

used container. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste

disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to

an approved waste handling site for recycling or disposal. Do not reuse empty containers. Dispose of in accordance with local, state, and

federal regulations.

RCRA - Resource

Conservation and Recovery Authorization Act Hazardous

waste

: D001 (Ignitable)

SECTION 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (DOT)

UN number : 2920

Description of the goods : Corrosive liquids, flammable, n.o.s.

(dimethyldioctadecylammonium chloride)

Class : 8 (3)
Packing group : II
Environmentally hazardous : no

Sea transport (IMDG/IMO)

UN number : 2920

Description of the goods : CORROSIVE LIQUID, FLAMMABLE, N.O.S.

(dimethyldioctadecylammonium chloride)

Class : 8 (3)
Packing group : II
Marine pollutant : no

SECTION 15. REGULATORY INFORMATION

EPA Registration number : 6836-63-1677

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Acute toxicity (any route of exposure)

Skin corrosion or irritation

Serious eye damage or eye irritation

914080 8 / 10

FABRISTAT

SARA 302 : This material does not contain any components with a section 302

EHS TPQ.

SARA 313 : This material does not contain any chemical components with known

CAS numbers that exceed the threshold (De Minimis) reporting levels

established by SARA Title III, Section 313.

California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

California Cleaning Product Right to Know Act of 2017 (SB 258)

This regulation applies to this product.

Chemical Name	CAS-No.	Function	List(s)
water	7732-18-5	Diluent	Not Applicable
Octyl decyl dimethyl ammonium chloride	32426-11-2	Biocide	Not Applicable
Didecyl Dimethyl Ammonium Chloride	7173-51-5	Biocide	Not Applicable
ethanol	64-17-5	Solvent	Not Applicable
Dioctyl dimethyl ammonium chloride	5538-94-3	Biocide	Not Applicable

^{*}refer to ecolab.com/sds for electronic links to designated lists

The ingredients of this product are reported in the following inventories:

United States TSCA Inventory:

All substances listed as active on the TSCA inventory

Canadian Domestic Substances List (DSL):

All components of this product are on the Canadian DSL

Australia Inventory of Chemical Substances (AICS) :

not determined

New Zealand. Inventory of Chemical Substances :

not determined

Japan. ENCS - Existing and New Chemical Substances Inventory:

On the inventory, or in compliance with the inventory

Korea. Korean Existing Chemicals Inventory (KECI):

On the inventory, or in compliance with the inventory

Philippines Inventory of Chemicals and Chemical Substances (PICCS):

On the inventory, or in compliance with the inventory

China. Inventory of Existing Chemical Substances in China (IECSC):

On the inventory, or in compliance with the inventory

Taiwan Chemical Substance Inventory (TCSI):


On the inventory, or in compliance with the inventory

SECTION 16. OTHER INFORMATION

914080 9 / 10

FABRISTAT

NFPA:



HMIS III:

HEALTH	3
FLAMMABILITY	2
PHYSICAL HAZARD	0

0 = not significant, 1 =Slight,

2 = Moderate, 3 = High

4 = Extreme, * = Chronic

Issuing date : 08/22/2019

Version : 1.3

Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

914080 10 / 10