NALCO Champion

An Ecolab Company

NALCO® EC6734A

Section: 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : NALCO® EC6734A

Other means of identification : Not applicable.

Restrictions on use : Refer to available product literature or ask your local Sales

Representative for restrictions on use and dose limits.

Company : Nalco Champion Company

7705 Highway 90-A

Sugar Land, Texas 77478

USA

TEL: (281) 263-7000

Emergency telephone

number

: (800) 424-9300 (24 Hours) CHEMTREC

Issuing date : 05/28/2015

Section: 2. HAZARDS IDENTIFICATION

GHS Classification

Oxidizing liquids : Category 3
Organic Peroxides : Type F
Acute toxicity (Dermal) : Category 3
Acute toxicity (Inhalation) : Category 3
Acute toxicity (Oral) : Category 4
Skin corrosion : Category 1A
Serious eye damage : Category 1

GHS Label element

Hazard pictograms :









Signal Word : Danger

Hazard Statements : May intensify fire; oxidiser.

Heating may cause a fire.

Toxic in contact with skin or if inhaled

Harmful if swallowed.

Causes severe skin burns and eye damage.

Causes serious eye damage.

Precautionary Statements : Prevention:

Keep away from heat. Keep/Store away from clothing and other combustible materials. Take any precaution to avoid mixing with combustibles. Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Use only outdoors or in a well-ventilated area. Wear protective gloves/ protective clothing/ eye protection/ face

protection. Response:

NALCO® EC6734A

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/ physician. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor/ physician. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing.

Other hazards : Do not mix with bleach or other chlorinated products – will cause

chlorine gas.

Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

Chemical Name CAS-No. Concentration: (%)

 Acetic Acid
 64-19-7
 30 - 60

 Peroxyacetic Acid
 79-21-0
 15.2

 Hydrogen Peroxide
 7722-84-1
 11.2

Section: 4. FIRST AID MEASURES

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Get medical attention immediately.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes.

Use a mild soap if available. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention

immediately.

If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give

anything by mouth to an unconscious person. Get medical attention

immediately.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention

immediately.

Protection of first-aiders : In event of emergency assess the danger before taking action. Do

not put yourself at risk of injury. If in doubt, contact emergency responders. Use personal protective equipment as required.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and

delayed

: See Section 11 for more detailed information on health effects and

symptoms.

Section: 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable extinguishing

media

: None known.

NALCO® EC6734A

Specific hazards during

firefighting

: Special protective equipment for firefighters

Oxidizer. Contact with other material may cause fire. Oxidizer; material is an oxidizer which may readily react with

other materials, especially upon heating.

Hazardous combustion

products

: Decomposition products may include the following materials: Carbon oxides nitrogen oxides (NOx) Sulphur oxides Oxides of

phosphorus

Special protective equipment

for firefighters

: In case of fire, wear a full face positive-pressure self contained

breathing apparatus and protective suit.

Specific extinguishing

methods

: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the

event of fire and/or explosion do not breathe fumes.

Section: 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

: Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures

listed in sections 7 and 8.

Environmental precautions

: Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up Stop leak if safe to do so. Never soak up spilled or leaked acids and bases with sawdust, wood chips or similar materials. Isolate the waste do not allow it to come into contact with incompatible materials. For small spills contain with sand or vermiculite and dilute the contained product at least 10 times with water. Transfer to an open topped container and remove to a safe place for

neutralization* / disposal. For large spills contain spill and evacuate the area, leave until the reaction subsides, then collect up for disposal. Obtain consent from the local water company / authority if considering discharge to sewer. *NEUTRALIZATION: once diluted,

neutralize with a suitable alkali such as sodium bicarbonate.

Section: 7. HANDLING AND STORAGE

Advice on safe handling

: Do not ingest. Do not breathe dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Wash hands thoroughly after handling. Use only with adequate ventilation. Do not mix with bleach or other chlorinated products - will cause chlorine gas.

Conditions for safe storage

: Keep in a cool, well-ventilated place. Keep away from reducing agents. Keep away from strong bases. Keep away from combustible material. Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers. Pressure bursts may occur due to gas evolution if the container is not adequately vented. Store between the following temperatures: -10 and 50°C.

Suitable material

: The following compatibility data is suggested based on similar product data and/or industry experience: Shipping and long term storage compatibility with construction materials can vary; we therefore recommend that compatibility is tested prior to use.

Unsuitable material

: not determined

NALCO® EC6734A

Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
Acetic Acid	64-19-7	TWA	10 ppm	ACGIH
		STEL	15 ppm	ACGIH
		STEL	15 ppm 37 mg/m3	NIOSH REL
		TWA	10 ppm 25 mg/m3	NIOSH REL
		TWA	10 ppm 25 mg/m3	OSHA Z1
Peroxyacetic Acid	Proprietary	STEL (Inhalable fraction and vapor)	0.4 ppm	ACGIH
Hydrogen Peroxide	7722-84-1	TWA	1 ppm	ACGIH
		TWA	1 ppm 1.4 mg/m3	NIOSH REL
		TWA	1 ppm 1.4 mg/m3	OSHA Z1

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations

below occupational exposure standards.

Personal protective equipment

Eye protection : Safety goggles

Face-shield

Hand protection : Wear the following personal protective equipment:

Standard glove type.

Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Skin protection : Personal protective equipment comprising: suitable protective

gloves, safety goggles and protective clothing

Respiratory protection : When workers are facing concentrations above the exposure limit

they must use appropriate certified respirators.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes

and body in case of contact or splash hazard.

Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Liquid
Colour : colourless
Odour : amine-like

NALCO® EC6734A

Flash point : 96.0 °C

Method: closed cup

рΗ 100 % : 1.8.

Odour Threshold : no data available Melting point/freezing point : no data available

Initial boiling point and boiling : > 100.0 °C

range

Evaporation rate : no data available Flammability (solid, gas) : no data available Upper explosion limit : no data available Lower explosion limit : no data available Vapour pressure : no data available Relative vapour density : no data available Relative density : 1.11 (20.0 °C) : 1.10 g/cm3 Density

9.2 lb/gal

Water solubility completely soluble Solubility in other solvents : no data available Partition coefficient: n-: no data available

octanol/water

: no data available Auto-ignition temperature Thermal decomposition : no data available

temperature

Viscosity, dynamic : no data available Viscosity, kinematic : no data available

VOC : 46.6 % Calculation method

Section: 10. STABILITY AND REACTIVITY

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

: Do not mix with bleach or other chlorinated products - will cause

chlorine gas.

Conditions to avoid : Direct sources of heat.

Exposure to sunlight.

Incompatible materials : Metals

Bases

Organic materials

Hazardous decomposition

products

Decomposition products may include the following materials:

Carbon oxides

nitrogen oxides (NOx) Sulphur oxides

Oxides of phosphorus

NALCO® EC6734A

Section: 11. TOXICOLOGICAL INFORMATION

exposure

Information on likely routes of : Inhalation, Eye contact, Skin contact

Potential Health Effects

Eyes : Causes serious eye damage.

Skin Toxic in contact with skin. Causes severe skin burns.

Ingestion : Harmful if swallowed. Causes digestive tract burns.

Inhalation : Toxic if inhaled. May cause respiratory tract irritation. May

cause nose, throat, and lung irritation. Inhalation may cause

central nervous system effects.

Chronic Exposure : Health injuries are not known or expected under normal use.

Experience with human exposure

Eye contact : Redness, Pain, Corrosion

Skin contact : Redness, Pain, Corrosion

Ingestion : Corrosion, Abdominal pain

Inhalation : Respiratory irritation, Cough, Dizziness, Drowsiness

Toxicity

Product

Acute oral toxicity : Acute toxicity estimate : > 300 mg/kg

Acute inhalation toxicity : Acute toxicity estimate : > 0.5 mg/l

Exposure time: 4 h

Acute dermal toxicity : Acute toxicity estimate : 500 mg/kg

Skin corrosion/irritation : no data available

Serious eye damage/eye

irritation

: no data available

Respiratory or skin

sensitization

: no data available

Carcinogenicity : no data available

Reproductive effects : no data available

Germ cell mutagenicity : no data available

Teratogenicity : no data available

STOT - single exposure : no data available

NALCO® EC6734A

STOT - repeated exposure : no data available

Aspiration toxicity : no data available

Section: 12. ECOLOGICAL INFORMATION

Ecotoxicity

Environmental Effects : Toxic to aquatic life.

Product

Toxicity to fish : LC50 Oncorhynchus mykiss (rainbow trout): 8.4 mg/l

Exposure time: 96 h
Test substance: Product

NOEC Oncorhynchus mykiss (rainbow trout): 5.0 mg/l

Exposure time: 96 h Test substance: Product

LC50 Inland Silverside: 1.3 mg/l

Exposure time: 96 h
Test substance: Product

NOEC Inland Silverside: 4.2 mg/l

Exposure time: 96 h
Test substance: Product

Toxicity to daphnia and other

aquatic invertebrates

: LC50 Ceriodaphnia dubia: 2.9 mg/l

Exposure time: 48 h Test substance: Product

NOEC Ceriodaphnia dubia: 1.3 mg/l

Exposure time: 48 h Test substance: Product

LC50 Mysid Shrimp (Mysidopsis bahia): 10.0 mg/l

Exposure time: 96 h
Test substance: Product

NOEC Mysid Shrimp (Mysidopsis bahia): 5.0 mg/l

Exposure time: 96 h Test substance: Product

Toxicity to algae : EC50 Pseudokirchneriella subcapitata (green algae): 15.29

mg/l

Exposure time: 96 h Test substance: Product

IC50 Pseudokirchneriella subcapitata (green algae): 8.78 mg/l

Exposure time: 96 h
Test substance: Product

NOEC Pseudokirchneriella subcapitata (green algae): 3 mg/l

Exposure time: 96 h Test substance: Product

Components

NALCO® EC6734A

Toxicity to bacteria : Peroxyacetic Acid

5.1 mg/l

Persistence and degradability

The organic portion of this preparation is expected to be readily biodegradable.

Mobility

The environmental fate was estimated using a level III fugacity model embedded in the EPI (estimation program interface) Suite TM, provided by the US EPA. The model assumes a steady state condition between the total input and output. The level III model does not require equilibrium between the defined media. The information provided is intended to give the user a general estimate of the environmental fate of this product under the defined conditions of the models.

If released into the environment this material is expected to distribute to the air, water and soil/sediment in the approximate respective percentages;

Air : <5% Water : 30 - 50% Soil : 50 - 70%

The portion in water is expected to be soluble or dispersible.

Bioaccumulative potential

This preparation or material is not expected to bioaccumulate.

Other information

no data available

Section: 13. DISPOSAL CONSIDERATIONS

If this product becomes a waste, it could meet the criteria of a hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Before disposal, it should be determined if the waste meets the criteria of a hazardous waste.

Hazardous Waste: : D002, D001

Disposal methods : Pesticide wastes are acutely hazardous. Improper disposal of

excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for

guidance.

The product should not be allowed to enter drains, water courses or the soil. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in

an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be

taken to an approved waste handling site for recycling or

disposal. Do not re-use empty containers.

Section: 14. TRANSPORT INFORMATION

NALCO® EC6734A

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (DOT)

The presence of an RQ component (Reportable Quantity for U.S. EPA and DOT) in this product causes it to be regulated with an additional description of RQ for road, or as a class 9 for road and air, ONLY when the net weight in the package exceeds the calculated RQ for the product.

Proper shipping name : ORGANIC PEROXIDE TYPE F, LIQUID

Technical name(s) : Peroxyacetic Acid

UN/ID No. : UN 3109 Transport hazard class(es) : 5.2, 8 Packing group : II

Reportable Quantity (per

package)

: 15,924 lbs

RQ Component : Acetic Acid

Air transport (IATA)

The presence of an RQ component (Reportable Quantity for U.S. EPA and DOT) in this product causes it to be regulated with an additional description of RQ for road, or as a class 9 for road and air, ONLY when the net weight in the package exceeds the calculated RQ for the product.

Proper shipping name : ORGANIC PEROXIDE TYPE F, LIQUID

Technical name(s) : Peroxyacetic Acid

UN/ID No. : UN 3109 Transport hazard class(es) : 5.2, 8 Packing group : II

Reportable Quantity (per

package)

: 15,924 lbs

RQ Component : Acetic Acid

Sea transport (IMDG/IMO)

Proper shipping name : ORGANIC PEROXIDE TYPE F, LIQUID

Technical name(s) : Peroxyacetic Acid

UN/ID No. : UN 3109
Transport hazard class(es) : 5.2, 8
Packing group : II

Section: 15. REGULATORY INFORMATION

EPA Reg. No. : 1677-185-68708

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Acetic Acid	64-19-7	5000	15924

SARA 304 Extremely Hazardous Substances Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ
			(lbs)

NALCO® EC6734A

Peroxyacetic Acid	79-21-0	500	3289

SARA 311/312 Hazards : Fire Hazard

Acute Health Hazard

SARA 302 : The following components are subject to reporting levels established

by SARA Title III, Section 302:

Peroxyacetic Acid Proprietary

Hydrogen Peroxide 7722-84-1

SARA 313 : The following components are subject to reporting levels established

by SARA Title III, Section 313:

Peroxyacetic Acid 79-21-0 15.2 %

California Prop 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.


INTERNATIONAL CHEMICAL CONTROL LAWS:

TOXIC SUBSTANCES CONTROL ACT (TSCA)

The substances in this preparation are included on or exempted from the TSCA 8(b) Inventory (40 CFR 710)

Section: 16. OTHER INFORMATION

NFPA:



Special hazard.

HMIS III:

HEALTH	3
FLAMMABILITY	3
PHYSICAL HAZARD	1

0 = not significant, 1 = Slight,

2 = Moderate, 3 = High

4 = Extreme, * = Chronic

Revision Date : 05/28/2015

Version Number : 1.0

Prepared By : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

NAI	COO	EC6734A
NAL		EUD/34A

For additional copies of an MSDS visit www.nalco.com and request access.