



SAFETY DATA SHEET

OPX-2 LTL SOFTENER

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : OPX-2 LTL SOFTENER

Other means of identification : Not applicable

Recommended use : Laundry softener

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : No dilution information provided.

Company : Ecolab Inc.
1 Ecolab Place
St. Paul, Minnesota USA 55102
1-800-352-5326

Emergency health information : 1-800-328-0026 (US/Canada), 1-651-222-5352 (outside US)

Issuing date : 07/16/2019

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Flammable liquids : Category 4

GHS label elements

Signal Word : Warning

Hazard Statements : Combustible liquid.

Precautionary Statements : **Prevention:**
Keep away from heat/sparks/open flames/hot surfaces. No smoking.
Wear protective gloves/ eye protection/ face protection.
Response:
In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
Storage:
Store in a well-ventilated place. Keep cool.
Disposal:
Dispose of contents/ container to an approved waste disposal plant.

Other hazards : None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

Chemical name	CAS-No.	Concentration (%)
Isopropanol	67-63-0	1 - 5
Siloxanes and Silicones, 3-[(2-aminoethyl)amino]propyl Me, di-Me, hydroxy-terminated	75718-16-0	1 - 5

SECTION 4. FIRST AID MEASURES

SAFETY DATA SHEET

OPX-2 LTL SOFTENER

In case of eye contact	: Rinse with plenty of water.
In case of skin contact	: Rinse with plenty of water.
If swallowed	: Rinse mouth. Get medical attention if symptoms occur.
If inhaled	: Get medical attention if symptoms occur.
Protection of first-aiders	: No special precautions are necessary for first aid responders.
Notes to physician	: Treat symptomatically.
Most important symptoms and effects, both acute and delayed	: See Section 11 for more detailed information on health effects and symptoms.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	: High volume water jet
Specific hazards during fire fighting	: Fire Hazard Keep away from heat and sources of ignition. Flash back possible over considerable distance.
Hazardous combustion products	: Decomposition products may include the following materials: Carbon oxides Nitrogen oxides (NOx) Sulfur oxides
Special protective equipment for fire-fighters	: Use personal protective equipment.
Specific extinguishing methods	: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Remove all sources of ignition. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.
Environmental precautions	: Do not allow contact with soil, surface or ground water.
Methods and materials for containment and cleaning up	: Eliminate all ignition sources if safe to do so. Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	: Keep away from fire, sparks and heated surfaces. Take necessary
-------------------------	---

SAFETY DATA SHEET

OPX-2 LTL SOFTENER

action to avoid static electricity discharge (which might cause ignition of organic vapors). Wash hands thoroughly after handling. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE).

Conditions for safe storage : Keep away from heat and sources of ignition. Keep away from oxidizing agents. Keep out of reach of children. Store in suitable labeled containers.

Storage temperature : 10 °C to 40 °C

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
Isopropyl Alcohol	67-63-0	TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
		TWA	400 ppm 980 mg/m ³	NIOSH REL
		STEL	500 ppm 1,225 mg/m ³	NIOSH REL
		TWA	400 ppm 980 mg/m ³	OSHA Z1

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

Personal protective equipment

Eye protection : Wear eye protection/ face protection.

Hand protection : Wear the following personal protective equipment:
Standard glove type.
Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Skin protection : No special protective equipment required.

Respiratory protection : No personal respiratory protective equipment normally required.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid
Color : opaque, blue
Odor : Floral
pH : 3.0 - 5.0, (100 %)
Flash point : 66 °C closed cup
Odor Threshold : No data available

SAFETY DATA SHEET

OPX-2 LTL SOFTENER

Melting point/freezing point	: No data available
Initial boiling point and boiling range	: > 35 °C
Evaporation rate	: No data available
Flammability (solid, gas)	: No data available
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapor pressure	: No data available
Relative vapor density	: No data available
Relative density	: 0.99 - 1.02
Water solubility	: No data available
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Autoignition temperature	: No data available
Thermal decomposition	: No data available
Viscosity, kinematic	: No data available
Explosive properties	: No data available
Oxidizing properties	: yes
Molecular weight	: No data available
VOC	: No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reaction known under conditions of normal use.
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: None known.
Hazardous decomposition products	: In case of fire hazardous decomposition products may be produced such as: Carbon oxides Nitrogen oxides (NOx) Sulfur oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure	: Inhalation, Eye contact, Skin contact
--	---

Potential Health Effects

Eyes	: Health injuries are not known or expected under normal use.
------	---

SAFETY DATA SHEET

OPX-2 LTL SOFTENER

Skin : Health injuries are not known or expected under normal use.

Ingestion : Health injuries are not known or expected under normal use.

Inhalation : Health injuries are not known or expected under normal use.

Chronic Exposure : Health injuries are not known or expected under normal use.

Experience with human exposure

Eye contact : No symptoms known or expected.

Skin contact : No symptoms known or expected.

Ingestion : No symptoms known or expected.

Inhalation : No symptoms known or expected.

Toxicity

Product

Acute oral toxicity : Acute toxicity estimate : > 5,000 mg/kg

Acute inhalation toxicity : 4 h Acute toxicity estimate : > 200 mg/l
Test atmosphere: vapor

Acute dermal toxicity : No data available

Skin corrosion/irritation : No data available

Serious eye damage/eye irritation : No data available

Respiratory or skin sensitization : No data available

Carcinogenicity : No data available

Reproductive effects : No data available

Germ cell mutagenicity : No data available

Teratogenicity : No data available

STOT-single exposure : No data available

STOT-repeated exposure : No data available

Aspiration toxicity : No data available

Components

Acute dermal toxicity : Isopropanol
LD50 Rabbit: 12,870 mg/kg

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Environmental Effects : Harmful to aquatic life.

Product

Toxicity to fish : No data available

Toxicity to daphnia and other : No data available

SAFETY DATA SHEET

OPX-2 LTL SOFTENER

aquatic invertebrates

Toxicity to algae : No data available

Components

Toxicity to fish : Isopropanol
96 h LC50 Pimephales promelas: 9,640 mg/l

Siloxanes and Silicones, 3-[(2-aminoethyl)amino]propyl Me, di-Me,
hydroxy-terminated
96 h LC50: 43.169 mg/l

Components

Toxicity to daphnia and other : Isopropanol
aquatic invertebrates LC50 Daphnia magna (Water flea): > 10,000 mg/l

Persistence and degradability

Biodegradable

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods : Do not contaminate ponds, waterways or ditches with chemical or used container. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.

SECTION 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (DOT)

Not dangerous goods

Sea transport (IMDG/IMO)

Not dangerous goods

SECTION 15. REGULATORY INFORMATION

SAFETY DATA SHEET

OPX-2 LTL SOFTENER

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Flammable (gases, aerosols, liquids, or solids)

SARA 302 : This material does not contain any components with a section 302 EHS TPQ.

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

California Cleaning Product Right to Know Act of 2017 (SB 258)

This regulation applies to this product.

Chemical Name	CAS-No.	Function	List(s)
water	7732-18-5	Diluent	Not Applicable
ethanaminium, 2-hydroxy-n,n-bis(2-hydroxyethyl)-n-methyl-, esters with c16-18 and c18-unsatd. fatty acids, me sulfates (157905-74-3	Cleaning Agent	Not Applicable
Siloxanes and Silicones, 3-[(2-aminoethyl)amino]propyl Me, di-Me, hydroxy-terminated	75718-16-0	Cleaning Agent	Not Applicable
Sulfonic Acid	Withheld	Brightener	Not Applicable
Inorganic Salt	Withheld	Processing Aid	Not Applicable
4-tert-butylcyclohexyl acetate	32210-23-4	Fragrance	Not Applicable
Ionone, methyl-	1335-46-2	Fragrance	Not Applicable
Ethanone, 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)-	54464-57-2	Fragrance	Not Applicable
3-octanol, 3,7-dimethyl-	78-69-3	Fragrance	Not Applicable
3-Buten-2-one, 4-(2,6,6-trimethyl-1-cyclohexen-1-yl)-, (3E)-	79-77-6	Fragrance	Not Applicable
2-(4-tert-Butylbenzyl) propionald-hyd	80-54-6	Fragrance	FRA
Alpha-Isomethyl Ionone	127-51-5	Fragrance	FRA
1,6-Octadien-3-ol, 3,7-dimethyl-, 3-acetate	115-95-7	Fragrance	Not Applicable
Linalool	78-70-6	Fragrance	FRA
7-octen-2-ol, 2,6-dimethyl-	18479-58-8	Fragrance	Not Applicable
tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans)	63500-71-0	Fragrance	Not Applicable
phenethyl alcohol	60-12-8	Fragrance	Not Applicable
benzyl acetate	140-11-4	Fragrance	Not Applicable
(Z)-3,4,5,6,6-Pentamethylhept-3-en-2-one	81786-73-4	Fragrance	Not Applicable
2-Buten-1-one, 1-(2,6,6-trimethyl-3-cyclohexen-1-yl)-	57378-68-4	Fragrance	Not Applicable

SAFETY DATA SHEET

OPX-2 LTL SOFTENER

Violet dye	Withheld	Brightener	Not Applicable
Halogenated thiazole	Withheld	Biocide	Not Applicable
Isothiazolinones	Withheld	Biocide	Not Applicable

*refer to ecolab.com/sds for electronic links to designated lists

The ingredients of this product are reported in the following inventories:

United States TSCA Inventory :

All substances listed as active on the TSCA inventory

Canadian Domestic Substances List (DSL) :

This product contains one or several components listed in the Canadian NDSL.

Australia Inventory of Chemical Substances (AICS) :

not determined

New Zealand. Inventory of Chemical Substances :

not determined

Japan. ENCS - Existing and New Chemical Substances Inventory :

not determined

Korea. Korean Existing Chemicals Inventory (KECI) :

not determined

Philippines Inventory of Chemicals and Chemical Substances (PICCS) :

not determined

China. Inventory of Existing Chemical Substances in China (IECSC) :


On the inventory, or in compliance with the inventory

Taiwan Chemical Substance Inventory (TCSI) :

not determined

SECTION 16. OTHER INFORMATION

NFPA:



HMIS III:

HEALTH	1
FLAMMABILITY	2
PHYSICAL HAZARD	0

0 = not significant, 1 =Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

Issuing date : 07/16/2019
Version : 1.5
Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

SAFETY DATA SHEET

OPX-2 LTL SOFTENER

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.