

NALCO® 3DTS88

Section: 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : NALCO® 3DTS88

Other means of identification : Not applicable.

Recommended use : Cooling Water Treatment for Corrosive Waters

Restrictions on use : Refer to available product literature or ask your local Sales

Representative for restrictions on use and dose limits.

Company : Nalco Company

1601 W. Diehl Road

Naperville, Illinois 60563-1198

USA

TEL: (630)305-1000

Emergency telephone

number

(800) 424-9300 (24 Hours) CHEMTREC

Issuing date : 00/00/0000

Section: 2. HAZARDS IDENTIFICATION

GHS Classification

Not a hazardous substance or mixture.

GHS Label element

Precautionary Statements : **Prevention:**

Wash hands thoroughly after handling.

Response:

Specific measures: consult MSDS Section 4.

Storage:

Store in accordance with local regulations.

Other hazards : None known.

Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

Non-hazardous ingredients

Section: 4. FIRST AID MEASURES

In case of eye contact : Rinse with plenty of water. Get medical attention if symptoms occur.

In case of skin contact : Wash off with soap and plenty of water. Get medical attention if

symptoms occur.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

If inhaled : Remove to fresh air, treat symptomatically. Get medical attention if

symptoms occur.

Protection of first-aiders : In event of emergency assess the danger before taking action. Do

not put yourself at risk of injury. If in doubt, contact emergency

NALCO® 3DTS88

responders. Use personal protective equipment as required.

Notes to physician : Treat symptomatically.

See toxicological information (Section 11)

Section: 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable extinguishing

media

: None known.

Specific hazards during

firefighting.

: Not flammable or combustible.

Hazardous combustion

products

: Carbon oxides

for firefighters

Special protective equipment : Use personal protective equipment

Specific extinguishing

methods

: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

Section: 6. ACCIDENTAL RELEASE MEASURES

Personal precautions. protective equipment and emergency procedures

: Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

Environmental precautions

: Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth,

diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

Section: 7. HANDLING AND STORAGE

: Do not breathe dust/fume/gas/mist/vapours/spray. Do not get in Advice on safe handling

eyes, on skin, or on clothing. Wash hands thoroughly after handling.

Use only with adequate ventilation.

Conditions for safe storage Keep out of reach of children. Keep container tightly closed. Store in

suitable labeled containers.

Packaging material : Suitable material: Keep in properly labelled containers.

Unsuitable material: not determined

NALCO® 3DTS88

Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

| Components | CAS-No. | Form of exposure | Permissible concentration | Basis |
|-------------------------------|-----------|------------------|---------------------------|-----------|
| Sodium Pyrophosphate | 7722-88-5 | TWA | 5 mg/m3 | NIOSH REL |
| Sodium Phosphate, Tribasic | 7601-54-9 | STEL | 5 mg/m3 | WEEL |

Engineering measures : Good general ventilation should be sufficient to control worker

exposure to airborne contaminants.

Personal protective equipment

Eye protection : Not normally needed.

Hand protection : Not normally needed.

Skin protection : Not normally needed.

Respiratory protection : No personal respiratory protective equipment normally required.

Hygiene measures : Wash hands before breaks and immediately after handling the

product.

Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Solid

Colour : Light yellow

Odour : None Flash point : > 93.3 °C

pH : no data available
Odour Threshold : no data available
Melting point/freezing point : no data available
Initial boiling point and boiling : no data available

range

Evaporation rate : no data available
Flammability (solid, gas) : no data available
Upper explosion limit : no data available
Lower explosion limit : no data available
Vapour pressure : no data available
Relative vapour density : no data available

Relative density : 1.38

Density : no data available

Water solubility : completely soluble

Solubility in other solvents : no data available

NALCO® 3DTS88

Partition coefficient: n-

octanol/water

: no data available

Auto-ignition temperature : no data available : Carbon oxides Thermal decomposition

Viscosity, dynamic : no data available : no data available Viscosity, kinematic VOC : no data available

Section: 10. STABILITY AND REACTIVITY

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

: No dangerous reaction known under conditions of normal use.

Conditions to avoid : None known.

Incompatible materials : Contact with strong oxidizers (e.g. chlorine, peroxides, chromates,

nitric acid, perchlorate, concentrated oxygen, permanganate) may

generate heat, fires, explosions and/or toxic vapors.

Hazardous decomposition

products

: Oxides of carbon Oxides of nitrogen

Oxides of phosphorus

Section: 11. TOXICOLOGICAL INFORMATION

Information on likely routes of : Eye contact, Skin contact

exposure

Potential Health Effects

Eyes : Health injuries are not known or expected under normal use.

Skin : Health injuries are not known or expected under normal use.

Ingestion : Health injuries are not known or expected under normal use.

Inhalation : Health injuries are not known or expected under normal use.

Chronic Exposure : Health injuries are not known or expected under normal use.

Experience with human exposure

Eye contact : No symptoms known or expected

Skin contact : No symptoms known or expected

Ingestion : No symptoms known or expected

Inhalation : No symptoms known or expected

Toxicity

Product

NALCO® 3DTS88

Acute oral toxicity : no data available

Acute inhalation toxicity : no data available

: no data available Acute dermal toxicity

Skin corrosion/irritation : no data available

Serious eye damage/eye

irritation

: no data available

Respiratory or skin

sensitization

: no data available

Carcinogenicity

IARC No component of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

OSHA No component of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by OSHA.

NTP No component of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

Reproductive effects : no data available

Germ cell mutagenicity : no data available

Teratogenicity : no data available

STOT - single exposure : no data available

STOT - repeated exposure : no data available

Aspiration toxicity : no data available

Section: 12. ECOLOGICAL INFORMATION

Ecotoxicity

Toxicity to fish : no data available

Toxicity to daphnia and other : no data available

aquatic invertebrates.

Toxicity to algae : no data available

Persistence and degradability

The organic portion of this preparation is expected to be poorly biodegradable.

Mobility

NALCO® 3DTS88

The environmental fate was estimated using a level III fugacity model embedded in the EPI (estimation program interface) Suite TM, provided by the US EPA. The model assumes a steady state condition between the total input and output. The level III model does not require equilibrium between the defined media. The information provided is intended to give the user a general estimate of the environmental fate of this product under the defined conditions of the models.

If released into the environment this material is expected to distribute to the air, water and soil/sediment in the approximate respective percentages;

Air : <5% Water : 30 - 50% Soil : 50 - 70%

The portion in water is expected to be soluble or dispersible.

Bioaccumulative potential

This preparation or material is not expected to bioaccumulate.

Other information

no data available

Section: 13. DISPOSAL CONSIDERATIONS

If this product becomes a waste, it is not a hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA) 40 CFR 261, since it does not have the characteristics of Subpart C, nor is it listed under Subpart D.

Disposal methods : Where possible recycling is preferred to disposal or

incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an

approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be

taken to an approved waste handling site for recycling or

disposal. Do not re-use empty containers.

Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (DOT)

The presence of an RQ component (Reportable Quantity for U.S. EPA and DOT) in this product causes it to be regulated with an additional description of RQ for road, or as a class 9 for road and air, ONLY when the net weight in the package exceeds the calculated RQ for the product.

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

Technical name(s) : Sodium Phosphate, Tribasic

UN/ID No. : UN 3082

Transport hazard class(es) : 9
Packing group : III

Reportable Quantity (per : 19,240 lbs

package)

RQ Component : SODIUM PHOSPHATE, TRIBASIC

NALCO® 3DTS88

Air transport (IATA)

The presence of an RQ component (Reportable Quantity for U.S. EPA and DOT) in this product causes it to be regulated with an additional description of RQ for road, or as a class 9 for road and air, ONLY when the net weight in the package exceeds the calculated RQ for the product.

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

Technical name(s) : Sodium Phosphate, Tribasic

UN/ID No. : UN 3082

Transport hazard class(es) : 9
Packing group : III

Reportable Quantity (per : 19,240 lbs

package)

RQ Component : SODIUM PHOSPHATE, TRIBASIC

Sea transport (IMDG/IMO)

Proper shipping name : PRODUCT IS NOT REGULATED DURING

TRANSPORTATION

Section: 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

SULFUROUS ACID, 7631-90-5 5000

MONOSODIUM SALT

Sulfuric Acid 7664-93-9 1000

SARA 302

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

California Prop 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

INTERNATIONAL CHEMICAL CONTROL LAWS:

TOXIC SUBSTANCES CONTROL ACT (TSCA)

The substances in this preparation are included on or exempted from the TSCA 8(b) Inventory (40 CFR 710)


CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA)

The substance(s) in this preparation are included in or exempted from the Domestic Substance List (DSL).

Section: 16. OTHER INFORMATION

NALCO® 3DTS88

NFPA:



Special hazard.

HMIS III:

| HEALTH | 1 |
|-----------------|---|
| FLAMMABILITY | 1 |
| PHYSICAL HAZARD | 0 |

0 = not significant, 1 =Slight, 2 = Moderate, 3 = High 4 = Extreme, * = Chronic

Revision Date : 00/00/0000

Version Number : 0.0

Prepared By : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

For additional copies of an MSDS visit www.nalco.com and request access.