

**SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : LEMON-EZE

Other means of identification : Not applicable

Recommended use : Cleaning product

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : Product is sold ready to use.

Company : Ecolab Inc.  
1 Ecolab Place  
St. Paul, Minnesota USA 55102  
1-800-352-5326

Emergency health information : 1-800-328-0026 (US/Canada), 1-651-222-5352 (outside US)

Issuing date : 05/23/2024

**SECTION 2. HAZARDS IDENTIFICATION**
**GHS Classification**

Skin corrosion : Category 1A  
Serious eye damage : Category 1

**GHS label elements**

Hazard pictograms :



Signal Word : Danger

Hazard Statements : Causes severe skin burns and eye damage.

Precautionary Statements : **Prevention:**  
Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection.  
**Response:**  
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor. Wash contaminated clothing before reuse.  
**Storage:**  
Store locked up.  
**Disposal:**  
Dispose of contents/ container to an approved waste disposal plant.

**Other hazards** : Do not mix with bleach or other chlorinated products – will cause chlorine gas.

# SAFETY DATA SHEET

## LEMON-EZE

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

Chemical name	CAS-No.	Concentration (%)
silica, crystalline - quartz	14808-60-7	30 - 60
Fattyalcohol ethoxylates > 5EO	66455-14-9	1 - 5
Dodecylbenzenesulfonic Acid	68584-22-5	1 - 5
Alcohols, C9-11, ethoxylated	68439-46-3	1 - 5

### SECTION 4. FIRST AID MEASURES

- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
- In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.
- If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately.
- If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if symptoms occur.
- Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal protective equipment.
- Notes to physician : Treat symptomatically.
- Most important symptoms and effects, both acute and delayed : See Section 11 for more detailed information on health effects and symptoms.

### SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media : None known.
- Specific hazards during fire fighting : Not flammable or combustible.
- Hazardous combustion products : Decomposition products may include the following materials:  
Carbon oxides  
Sulfur oxides
- Special protective equipment for fire-fighters : Use personal protective equipment.
- Specific extinguishing methods : Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local

# SAFETY DATA SHEET

## LEMON-EZE

regulations. In the event of fire and/or explosion do not breathe fumes.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : Do not allow contact with soil, surface or ground water.
- Methods and materials for containment and cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. Do not flush into surface water or sanitary sewer system.

### SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : Do not ingest. Do not get in eyes, on skin, or on clothing. Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Use only with adequate ventilation. Wash hands thoroughly after handling. Do not mix with bleach or other chlorinated products – will cause chlorine gas. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE).
- Conditions for safe storage : Keep out of reach of children. Store in suitable labeled containers.
- Storage temperature : 0 °C to 50 °C

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
silica, crystalline - quartz	14808-60-7	TWA (Respirable dust)	0.05 mg/m <sup>3</sup>	OSHA Z1
		TWA (respirable)	10 mg/m <sup>3</sup> / %SiO <sub>2</sub> +2	OSHA Z3
		TWA (Respirable fraction)	0.025 mg/m <sup>3</sup> (Silica)	ACGIH
		PEL (respirable)	0.05 mg/m <sup>3</sup>	OSHA CARC
		TWA (Respirable dust)	0.05 mg/m <sup>3</sup> (Silica)	NIOSH REL

- Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

## SAFETY DATA SHEET

### LEMON-EZE

#### Personal protective equipment

Eye protection	: Wear eye protection and/or face protection.
Hand protection	: Wear the following personal protective equipment: Standard glove type. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
Skin protection	: Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing
Respiratory protection	: When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

#### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: slurry
Color	: opaque, white
Odor	: citrus
pH	: 1.4 - 2.5, (100 %)
Flash point	: Not applicable, Does not sustain combustion.
Odor Threshold	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: 100 °C
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapor pressure	: No data available
Relative vapor density	: No data available
Relative density	: 1.2 - 1.3
Water solubility	: insoluble
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Autoignition temperature	: No data available
Thermal decomposition	: No data available
Viscosity, kinematic	: No data available
Explosive properties	: No data available

## SAFETY DATA SHEET

### LEMON-EZE

Oxidizing properties	: The substance or mixture is not classified as oxidizing.
Molecular weight	: No data available
VOC	: No data available

#### SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Do not mix with bleach or other chlorinated products – will cause chlorine gas.
Conditions to avoid	: None known.
Incompatible materials	: Bases Metals
Hazardous decomposition products	: In case of fire hazardous decomposition products may be produced such as: Carbon oxides Sulfur oxides

#### SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

##### Potential Health Effects

Eyes	: Causes serious eye damage.
Skin	: Causes severe skin burns.
Ingestion	: Causes digestive tract burns.
Inhalation	: May cause nose, throat, and lung irritation.
Chronic Exposure	: Health injuries are not known or expected under normal use.

##### Experience with human exposure

Eye contact	: Redness, Pain, Corrosion
Skin contact	: Redness, Pain, Corrosion
Ingestion	: Corrosion, Abdominal pain
Inhalation	: Respiratory irritation, Cough

##### Toxicity

###### Product

Acute oral toxicity	: No data available
Acute inhalation toxicity	: No data available
Acute dermal toxicity	: No data available

## SAFETY DATA SHEET

### LEMON-EZE

Skin corrosion/irritation	: No data available
Serious eye damage/eye irritation	: No data available
Respiratory or skin sensitization	: No data available
Carcinogenicity	: No data available
Reproductive effects	: No data available
Germ cell mutagenicity	: No data available
Teratogenicity	: No data available
STOT-single exposure	: No data available
STOT-repeated exposure	: No data available
Aspiration toxicity	: No data available

#### Components

Acute oral toxicity	: Fattyalcohol ethoxylates > 5EO LD50 Rat: 7,560 mg/kg
---------------------	---

Dodecylbenzenesulfonic Acid  
LD50 Rat: 890 mg/kg

Alcohols, C9-11, ethoxylated  
LD50 Rat: 4,044 mg/kg

#### Components

Acute dermal toxicity	: Fattyalcohol ethoxylates > 5EO LD50 Rabbit: > 2,000 mg/kg
-----------------------	--

Alcohols, C9-11, ethoxylated  
LD50 Rabbit: 2,108 mg/kg  
Test substance: Information given is based on data obtained from similar substances.

## SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

Environmental Effects	: Toxic to aquatic life.
-----------------------	--------------------------

#### Product

Toxicity to fish	: No data available
Toxicity to daphnia and other aquatic invertebrates	: No data available
Toxicity to algae	: No data available

#### Components

Toxicity to fish	: silica, crystalline - quartz 96 h LC50 Danio rerio (zebra fish): > 10,000 mg/l
------------------	---

Dodecylbenzenesulfonic Acid  
96 h LC50 Fish: 5.07 mg/l

Alcohols, C9-11, ethoxylated

## SAFETY DATA SHEET

### LEMON-EZE

96 h LC50 Oncorhynchus mykiss (rainbow trout): 5 mg/l

#### Components

Toxicity to daphnia and other aquatic invertebrates : silica, crystalline - quartz  
24 h EC50 Daphnia magna (Water flea): > 10,000 mg/l

Fattyalcohol ethoxylates > 5EO  
48 h EC50: 0.37 mg/l

Alcohols, C9-11, ethoxylated  
48 h EC50 Daphnia magna (Water flea): 2.5 mg/l

#### Components

Toxicity to algae : silica, crystalline - quartz  
72 h EC50: > 1,000 mg/l

Alcohols, C9-11, ethoxylated  
96 h EC50 Pseudokirchneriella subcapitata (algae): 1.4 mg/l

#### Persistence and degradability

Readily biodegradable.

#### Bioaccumulative potential

No data available

#### Mobility in soil

No data available

#### Other adverse effects

No data available

### SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods : Do not contaminate ponds, waterways or ditches with chemical or used container. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.

RCRA - Resource Conservation and Recovery Authorization Act Hazardous waste : D002 (Corrosive)

### SECTION 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

#### Land transport (DOT)

Not dangerous goods

## SAFETY DATA SHEET

### LEMON-EZE

#### Sea transport (IMDG/IMO)

Not dangerous goods

## SECTION 15. REGULATORY INFORMATION

#### EPCRA - Emergency Planning and Community Right-to-Know

##### CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

##### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

**SARA 311/312 Hazards** : Skin corrosion or irritation  
Serious eye damage or eye irritation

**SARA 302** : This material does not contain any components with a section 302 EHS TPQ.

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

#### California Cleaning Product Right to Know Act of 2017 (SB 258)

This regulation applies to this product.

Hazardous ingredients	CAS-No.	Function	List(s)
water	7732-18-5	Diluent	Not Applicable
Quartz	14808-60-7	Abrasive	9
Fattyalcohol ethoxylates > 5EO	66455-14-9	Cleaning Agent	Not Applicable
Dodecylbenzenesulfonic Acid	68584-22-5	Cleaning Agent	Not Applicable
Alcohols, C9-11, ethoxylated	68439-46-3	Cleaning Agent	Not Applicable
Fragrance ingredient(s)	Not Available	Fragrance	FRA
Oxidizing agent	Withheld	Brightener	Not Applicable
quaternary ammonium compounds	Withheld	Biocide	Not Applicable
Quaternary ammonium compound	Withheld	Biocide	Not Applicable
Aliphatic alcohol	Withheld	Solvent	Not Applicable

\*refer to [ecolab.com/sds](http://ecolab.com/sds) for electronic links to designated lists

#### The ingredients of this product are reported in the following inventories:

##### Switzerland. New notified substances and declared preparations :

The mixture contains substances listed on the Swiss Inventory

##### United States TSCA Inventory :

On TSCA Inventory

##### Canadian Domestic Substances List (DSL) :

This product contains one or several components that are not on the Canadian DSL nor NDSL.



## SAFETY DATA SHEET

### LEMON-EZE

**Australia. Australian Industrial Chemicals Introduction Scheme (AICIS) :**  
On the inventory, or in compliance with the inventory

**New Zealand. Inventory of Chemical Substances :**  
not determined

**Japan. ENCS - Existing and New Chemical Substances Inventory :**  
not determined

**Korea. Korean Existing Chemicals Inventory (KECI) :**  
not determined


**Philippines Inventory of Chemicals and Chemical Substances (PICCS) :**  
not determined

**China. Inventory of Existing Chemical Substances in China (IECSC) :**  
On the inventory, or in compliance with the inventory

**Taiwan Chemical Substance Inventory (TCSI) :**  
not determined

## SECTION 16. OTHER INFORMATION

### NFPA:



### HMIS III:

HEALTH	33
FLAMMABILITY	0 0
PHYSICAL HAZARD	0 0

0 = not significant, 1 = Slight,  
2 = Moderate, 3 = High  
4 = Extreme, \* = Chronic

Issuing date : 05/23/2024  
Version : 1.14  
Prepared by : Regulatory Affairs

**REVISED INFORMATION:** Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.