

SAFETY DATA SHEET

Issuing date 26-Oct-2012 Revision Date 31-Dec-2014 Version 2

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product name Hi-Valu Floor Stripper No Rinse

Other means of identification

 Product Code
 957430

 UN/ID No
 UN3266

 Document
 957430CGH5

Recommended use of the chemical and restrictions on use
Recommended use

No Rinse Floor Stripper

Details of the supplier of the safety data sheet

Distributor Hi-Valu, LLC 11434 Moog Dr. Saint Louis, MO 63146

Emergency telephone number

24 Hour Emergency Phone Number CHEMTREC: 1-800-424-9300 (NORTH AMERICA)

1-703-527-3887 (INTERNATIONAL)

Company Phone Number 314-569-2800

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute Toxicity - Oral	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Specific target organ toxicity (single exposure)	Category 3
Flammable liquids	Category 3

Label elements

Emergency Overview

Danger

Hazard Statements

Harmful if swallowed

Causes skin irritation

Causes serious eye damage

May cause respiratory irritation. May cause drowsiness or dizziness

Flammable liquid and vapor



Appearance Transparent

Physical state Liquid

Odor Glycol ether

Precautionary Statements - Prevention

- · Wash face, hands and any exposed skin thoroughly after handling
- Do not eat, drink or smoke when using this product
- Wear protective gloves/protective clothing/eye protection/face protection
- Avoid breathing dust/fume/gas/mist/vapors/spray
- · Use only outdoors or in a well-ventilated area
- Keep away from heat/sparks/open flames/hot surfaces. No smoking
- Keep container tightly closed
- Ground/bond container and receiving equipment
- Use explosion-proof electrical/ventilating/lighting/equipment
- · Use only non-sparking tools
- · Take precautionary measures against static discharge
- Keep cool

Precautionary Statements - Response

- Call a POISON CENTER or doctor/physician if you feel unwell
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- Immediately call a POISON CENTER or doctor/physician
- If skin irritation occurs: Get medical advice/attention
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- · Wash contaminated clothing before reuse
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

In case of fire: Use CO2, dry chemical, or foam for extinction

Precautionary Statements - Storage

Store in a well-ventilated place. Keep container tightly closed Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Other information

• May be harmful in contact with skin

Unknown Acute Toxicity

2.3% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Chemical Name	CAS-No	Weight-%	Trade Secret
2-Butoxyethanol	111-76-2	20% - 25%	*
Isopropyl alcohol	67-63-0	1% - 10%	*
Ethanolamine	141-43-5	1% - 10%	*

Dipropylene glycol monomethyl ether	34590-94-8	1% - 10%	*
Sodium hydroxide	1310-73-2	1% - 5%	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures for different exposure routes

Immediate medical attention is required. General advice

Eye contact Immediately flush eye with plenty of cool, running water. Remove contact lenses if

applicable, and continue flushing for at least 15 minutes, holding eyelids apart to ensure

thorough rinsing of the entire eye. GET IMMEDIATE MEDICAL ATTENTION.

Skin contact Wash with water for 10-15 minutes. Remove contaminated clothing. Consult a physician.

Inhalation If qualified give oxygen or artificial respiration as needed.

Ingestion DO NOT induce vomiting. Give large amounts of water if victim is conscious. Never give

anything by mouth to an unconscious person. Get medical attention immediately.

Most important symptoms/effects, acute and delayed

The most important known symptoms and effects are described in the labelling in section 2 **Main Symptoms**

and/or in section 11.

Indication of immediate medical attention and special treatment needed, if necessary

Treat symptomatically. Notes to physician

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Carbon dioxide (CO₂). Dry chemical. Alcohol-resistant foam.

Unsuitable Extinguishing Media This product contains alcohols which will reduce the effectiveness of normal foam. Use

alcohol-resistant foam instead.

Specific hazards arising from the chemical

No information available.

Hazardous Combustion

Flammable hydrogen gas will be liberated upon contact with various metals. Ammonia.

Carbon monoxide. Nitrogen oxides (NOx).

Explosion Data

Products

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation. Avoid contact with skin, eyes and clothing. Use personal

protective equipment. Keep people away from and upwind of spill/leak, ELIMINATE all

ignition sources (no smoking, flares, sparks or flames in immediate area).

Environmental precautions

Environmental precautions Prevent entry into waterways, sewers, basements or confined areas. Neutralization is

normally necessary before waste water is discharged into water treatment plants. See

Section 12 for additional Ecological Information.

Methods and materials for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Contain spill. Neutralize with mild acid. Flush with large quantities of water.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling KEEP OUT OF REACH OF CHILDREN. Keep away from heat, sparks and open flame. No

smoking. Do not eat, drink or smoke when using this product. Use good personal hygiene practices. Wash hands before eating, drinking, smoking, or using toilet facilities. Wash

thoroughly after work using soap and water.

Conditions for safe storage, including any incompatibilities

Technical measures/Storage

conditions

Keep container closed when not in use. Store in a cool, well-ventilated area. Avoid overheating or freezing. Wash thoroughly after handling. Keep out of reach of children.

Spilled material is slippery.

Incompatible products Acids. Oxidizing agents. Prolonged contact with metals such as zinc,magnesium,aluminum

and galvanized metals.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines Review Section 3 & 4 for Exposure Guidelines.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
2-Butoxyethanol 111-76-2	TWA: 20 ppm	TWA: 50 ppm TWA: 240 mg/m³ S*	IDLH: 700 ppm TWA: 5 ppm TWA: 24 mg/m³
Isopropyl alcohol 67-63-0	STEL: 400 ppm TWA: 200 ppm	TWA: 400 ppm TWA: 980 mg/m³	IDLH: 2000 ppm TWA: 400 ppm TWA: 980 mg/m³ STEL: 500 ppm STEL: 1225 mg/m³
Ethanolamine 141-43-5	STEL: 6 ppm TWA: 3 ppm	TWA: 3 ppm TWA: 6 mg/m³	IDLH: 30 ppm TWA: 3 ppm TWA: 8 mg/m³ STEL: 6 ppm STEL: 15 mg/m³
Dipropylene glycol monomethyl ether 34590-94-8	STEL: 150 ppm TWA: 100 ppm	TWA: 100 ppm TWA: 600 mg/m³ S*	IDLH: 600 ppm TWA: 100 ppm TWA: 600 mg/m³ STEL: 150 ppm STEL: 900 mg/m³
Sodium hydroxide 1310-73-2	-	TWA: 2 mg/m ³	IDLH: 10 mg/m ³ Ceiling: 2 mg/m ³

NIOSH IDLH: Immediately Dangerous to Life or Health

Appropriate engineering controls

Engineering MeasuresEnsure adequate ventilation, especially in confined areas Ensure that eyewash stations and safety showers or an equivalent method of decontamination are close to the work location.

salety showers or an equivalent method of decontainination are c

Individual protection measures, such as personal protective equipment

Eye/Face Protection Splash-proof chemical goggles or face shield.

Skin and body protection Impervious rubber, alkali-proof protective gloves. Impervious rubber boots & apron..

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

Hygiene measuresDo not eat, drink or smoke when using this product. Practice good personal hygiene. Wash

after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and chemical properties

Physical state Liquid

AppearanceTransparentOdorGlycol ether

ColorColorlessOdor ThresholdNo information available

<u>Property</u> <u>Values</u> <u>Remarks • Methods</u>

pH 13.2 +/- 0.3

Melting/freezing point No information available

Evaporation rate About the same as water Similar to water

Flammability (solid, gas) No information available

Flammability Limits in Air

Upper flammability limit
Lower flammability limit
No information available
No information available

Vapor pressure NE Vapor density NE

Specific Gravity 0.977 +/- 0.005

Water solubility Completely soluble. Completely soluble.

Solubility in other solvents
Partition coefficient: n-octanol/waterNo information available
Autoignition temperature
No information available
Pecomposition temperature
Viscosity, kinematic
Viscosity, dynamic
Explosive properties
No information available

Other information

Softening point N/A
Molecular Weight N/A
VOC Content(%) < 40%
Density VALUE N/A
Bulk Density VALUE N/A

10. STABILITY AND REACTIVITY

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Conditions to Avoid

Keep away from open flames, hot surfaces and sources of ignition.

Incompatible Materials

Acids. Oxidizing agents. Prolonged contact with metals such as zinc, magnesium, aluminum and galvanized metals.

Hazardous Decomposition Products

If burned, normal combustion products: Carbon dioxide, Carbon monoxide; Nitrogen oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information Harmful if swallowed Causes skin irritation Causes serious eye damage May cause

respiratory irritation May cause drowsiness or dizziness

Inhalation May cause central nervous system depression with nausea, headache, dizziness, and

incoordination. May cause irritation of respiratory tract.

Eye contact Corrosive to the eyes and may cause severe damage including blindness.

Skin contact Contact causes severe skin irritation and possible burns.

Ingestion Severe irritation of the gastrointestinal tract, causing vomiting, nausea and burns.

Chemical Name	Oral LD50	Dermal LD50	LC50 Inhalation
2-Butoxyethanol 111-76-2	= 470 mg/kg(Rat)	= 99 mg/kg(Rabbit)	= 450 ppm (Rat)4 h
Isopropyl alcohol 67-63-0	= 1870 mg/kg(Rat)	= 4059 mg/kg(Rabbit)	= 72600 mg/m³ (Rat)4 h
Ethanolamine 141-43-5	= 1720 mg/kg(Rat)	= 1000 mg/kg(Rabbit)= 1 mL/kg (Rabbit)	<u>-</u>
Dipropylene glycol monomethyl ether 34590-94-8	= 5230 mg/kg(Rat)	= 9500 mg/kg(Rabbit)	-
Sodium hydroxide 1310-73-2	140 mg/kg (Rat)	= 1350 mg/kg (Rabbit)	-

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available. **Mutagenic effects** No information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Carcinogenicity	mogerificity The table below indicates whether each agency has listed any ingredient as a carcinogo			
Chemical Name	ACGIH	IARC	NTP	OSHA
2-Butoxyethanol 111-76-2	A3	Group 3	-	-
Isopropyl alcohol 67-63-0	-	Group 3	-	-

ACGIH: (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC: (International Agency for Research on Cancer) Group 3 - Not Classifiable as to Carcinogenicity in Humans

Reproductive toxicity No information available.

STOT - single exposure May cause respiratory irritation. May cause drowsiness or dizziness.

STOT - repeated exposureNo information available.

Chronic toxicity No information available. Avoid repeated exposure.

Aspiration hazard No information available.

Numerical measures of toxicity - Product Information

Unknown Acute Toxicity 2.3% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document.

ATEmix (oral) 1854 mg/kg
ATEmix (dermal) 3636 mg/kg
ATEmix (inhalation-dust/mist) 5.1 mg/l

ATEmix (inhalation-vapor) 1948 mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

2.3% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
2-Butoxyethanol 111-76-2	-	1490: 96 h Lepomis macrochirus mg/L LC50 static 2950: 96 h Lepomis macrochirus mg/L LC50	1698 - 1940: 24 h Daphnia magna mg/L EC50 >1000: 48 h Daphnia magna mg/L EC50
Isopropyl alcohol 67-63-0	1000: 96 h Desmodesmus subspicatus mg/L EC50 1000: 72 h Desmodesmus subspicatus mg/L EC50	11130: 96 h Pimephales promelas mg/L LC50 static 1400000: 96 h Lepomis macrochirus µg/L LC50 9640: 96 h Pimephales promelas mg/L LC50 flow-through	13299: 48 h Daphnia magna mg/L EC50
Ethanolamine 141-43-5	15: 72 h Desmodesmus subspicatus mg/L EC50	227: 96 h Pimephales promelas mg/L LC50 flow-through 3684: 96 h Brachydanio rerio mg/L LC50 static 300 - 1000: 96 h Lepomis macrochirus mg/L LC50 static 200: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 114 - 196: 96 h Oncorhynchus mykiss mg/L LC50 static	65: 48 h Daphnia magna mg/L EC50
Dipropylene glycol monomethyl ether 34590-94-8	-	10000: 96 h Pimephales promelas mg/L LC50 static	-
Sodium hydroxide 1310-73-2	-	45.4: 96 h Oncorhynchus mykiss mg/L LC50 static	-

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Chemical Name	Partition coefficient
2-Butoxyethanol 111-76-2	0.81
Isopropyl alcohol 67-63-0	0.05
Ethanolamine 141-43-5	-1.91
Dipropylene glycol monomethyl ether 34590-94-8	-0.064

Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment

Waste Disposal Methods Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
Isopropyl alcohol	Toxic Ignitable
67-63-0	

D---- 7/0

Sodium hydroxide	Toxic Corrosive
1310-73-2	

14. TRANSPORT INFORMATION

DOT Regulated

UN/ID No UN3266

Proper shipping name Corrosive Liquid, Basic, Inorganic, n.o.s., (Contains Monoethanolamine, Sodium Hydroxide)

Hazard class 8
Packing Group III
Emergency Response Guide 154

Number

15. REGULATORY INFORMATION

International Inventories

TSCA Complies
DSL/NDSL Complies
EINECS/ELINCS Complies
ENCS -

IECSCCompliesKECLCompliesPICCSCompliesAICSComplies

Legend:

TSCA - All components of this product are listed or are exempt or excluded from listing on the United States Toxic Substances Control Act Section 8(b) Inventory.

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	SARA 313 - Threshold Values %	
2-Butoxyethanol - 111-76-2	1,0	
Isopropyl alcohol - 67-63-0	1.0	

SARA 311/312 Hazard Categories

Acute Health Hazard Yes
Chronic Health Hazard no
Fire Hazard Yes
Sudden Release of Pressure Hazard no
Reactive Hazard Yes

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium hydroxide 1310-73-2	1000 lb	-	-	Х

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Sodium hydroxide 1310-73-2	1000 lb	-	RQ 1000 lb final RQ RQ 454 kg final RQ

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

This product contains substances regulated by state right-to-know regulations.

Chemical Name	New Jersey	Massachusetts	Pennsylvania
2-Butoxyethanol 111-76-2	Χ	X	X
Isopropyl alcohol 67-63-0	X	X	X
Ethanolamine 141-43-5	X	X	X
Dipropylene glycol monomethyl ether 34590-94-8	Х	-	Х
Sodium hydroxide 1310-73-2	Х	X	X

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION

NFPA Health Hazards 2 Flammability 2 Instability 0 Physical and chemical

hazards COR

HMIS Health hazard 2 Flammability 2 Physical Hazards 0 Personal protection X

Prepared By

Issuing date 26-Oct-2012
Revision Date 31-Dec-2014

Revision Note

2

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet