

# STONEMEDIC CTP 2 CERAMIC TILE POLISH 2

### **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : STONEMEDIC CTP 2 CERAMIC TILE POLISH 2

Other means of identification : Not applicable

Recommended use : Floor care product

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : Product is sold ready to use.

Company : Ecolab Inc.

1 Ecolab Place

St. Paul, Minnesota USA 55102

1-800-352-5326

Emergency health

information

: 1-800-328-0026 (US/Canada), 1-651-222-5352 (outside US)

Issuing date : 06/20/2019

### **SECTION 2. HAZARDS IDENTIFICATION**

#### **GHS Classification**

Skin corrosion : Category 1A Serious eye damage : Category 1

**GHS** label elements

Hazard pictograms :



Signal Word : Danger

Hazard Statements : Causes severe skin burns and eye damage.

Precautionary Statements : Prevention:

Do not breathe dusts or mists. Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face

protection. Response:

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep

comfortable for breathing. Immediately call a POISON

CENTER/doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing. Immediately call a POISON CENTER/doctor. Wash

contaminated clothing before reuse.

Storage: Store locked up. Disposal:

Dispose of contents/ container to an approved waste disposal plant.

Other hazards : Do not mix with bleach or other chlorinated products – will cause

910977 1 / 8

# STONEMEDIC CTP 2 CERAMIC TILE POLISH 2

chlorine gas.

# **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Pure substance/mixture Mixture

Chemical name CAS-No. Concentration (%) aluminium oxide 1344-28-1 60 - 100

magnesium hexafluorosilicate 10 - 30 16949-65-8 5 - 10 tin (iv) oxide 18282-10-5 citric acid 77-92-9 1 - 5

### **SECTION 4. FIRST AID MEASURES**

: Rinse immediately with plenty of water, also under the eyelids, for at In case of eye contact

least 15 minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Get medical attention immediately.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use

a mild soap if available. Wash clothing before reuse. Thoroughly clean

shoes before reuse. Get medical attention immediately.

If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give

anything by mouth to an unconscious person. Get medical attention

immediately.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if

symptoms occur.

Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal

protective equipment.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and

delayed

: See Section 11 for more detailed information on health effects and

symptoms.

### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable extinguishing

media

: None known.

Specific hazards during fire

fighting

: Not flammable or combustible.

Hazardous combustion

products

: Decomposition products may include the following materials:

Carbon oxides

for fire-fighters

Special protective equipment : Use personal protective equipment.

Specific extinguishing

methods

: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire

and/or explosion do not breathe fumes.

### STONEMEDIC CTP 2 CERAMIC TILE POLISH 2

### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

Environmental precautions

: Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up

: Sweep up and shovel into suitable containers for disposal.

### **SECTION 7. HANDLING AND STORAGE**

Advice on safe handling : Do not ingest. Do not get in eyes, on skin, or on clothing. Do not

breathe dust/ fume/ gas/ mist/ vapors/ spray. Use only with adequate ventilation. Wash hands thoroughly after handling. Do not mix with bleach or other chlorinated products – will cause chlorine gas. In case of mechanical malfunction, or if in contact with unknown dilution of

product, wear full Personal Protective Equipment (PPE).

Conditions for safe storage

: Keep out of reach of children. Store in suitable labeled containers.

Storage temperature : -10 °C to 50 °C

### **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

### Ingredients with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
aluminium oxide	1344-28-1	TWA (Total dust)	15 mg/m3	OSHA Z1
		TWA (respirable fraction)	5 mg/m3	OSHA Z1
		TWA (Respirable fraction)	1 mg/m3 (Aluminium)	ACGIH
tin (iv) oxide	18282-10-5	TWA	2 mg/m3 (as Sn)	NIOSH REL
		TWA	2 mg/m3 (as Sn)	OSHA Z1
		TWA	2 mg/m3 (as Sn)	ACGIH

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations

below occupational exposure standards.

### Personal protective equipment

Eye protection : Wear eye protection/ face protection.

Hand protection : Wear the following personal protective equipment:

Standard glove type.

Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

910977 3 / 8

### STONEMEDIC CTP 2 CERAMIC TILE POLISH 2

Skin protection : Personal protective equipment comprising: suitable protective gloves,

safety goggles and protective clothing

Respiratory protection : When workers are facing concentrations above the exposure limit they

must use appropriate certified respirators.

: Handle in accordance with good industrial hygiene and safety Hygiene measures

practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes

and body in case of contact or splash hazard.

### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

: powder Appearance

Color : opaque, white

Odor : odorless

pΗ : 2.0 - 4.0, (1 %)Flash point : Not applicable Odor Threshold : No data available

Initial boiling point and

Relative vapor density

Melting point/freezing point

boiling range

: > 100 °C

: No data available

Evaporation rate : No data available Flammability (solid, gas) : No data available Upper explosion limit : No data available Lower explosion limit : No data available Vapor pressure No data available

: 0.5 - 0.7 Relative density

Water solubility : slightly soluble Solubility in other solvents : No data available Partition coefficient: n-

octanol/water

: No data available

: No data available

Autoignition temperature : No data available : No data available Thermal decomposition Viscosity, kinematic : No data available Explosive properties : No data available Oxidizing properties : No data available Molecular weight No data available VOC : No data available

# **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No dangerous reaction known under conditions of normal use.

### STONEMEDIC CTP 2 CERAMIC TILE POLISH 2

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

: Do not mix with bleach or other chlorinated products – will cause

chlorine gas.

Conditions to avoid : None known.

Incompatible materials : None known.

Hazardous decomposition

products

: In case of fire hazardous decomposition products may be produced

such as:

Carbon oxides

### **SECTION 11. TOXICOLOGICAL INFORMATION**

exposure

Information on likely routes of : Inhalation, Eye contact, Skin contact

#### **Potential Health Effects**

Eyes : Causes serious eye damage.

Skin : Causes severe skin burns.

Ingestion : Causes digestive tract burns.

Inhalation : May cause nose, throat, and lung irritation.

: Health injuries are not known or expected under normal use. Chronic Exposure

#### **Experience with human exposure**

Eye contact : Redness, Pain, Corrosion

Skin contact : Redness, Pain, Corrosion

Ingestion : Corrosion, Abdominal pain

Inhalation : Respiratory irritation, Cough

**Toxicity** 

**Product** 

Acute oral toxicity : Acute toxicity estimate : 2,417 mg/kg : 4 h Acute toxicity estimate : 30 mg/l Acute inhalation toxicity

Test atmosphere: dust/mist

Acute dermal toxicity : Acute toxicity estimate : > 5,000 mg/kg

Skin corrosion/irritation : No data available Serious eye damage/eye : No data available

irritation

Respiratory or skin

sensitization

: No data available

Carcinogenicity : No data available Reproductive effects : No data available Germ cell mutagenicity : No data available

## STONEMEDIC CTP 2 CERAMIC TILE POLISH 2

Teratogenicity : No data available STOT-single exposure : No data available STOT-repeated exposure : No data available Aspiration toxicity : No data available

### **SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity** 

Environmental Effects : This product has no known ecotoxicological effects.

**Product** 

Toxicity to fish : No data available Toxicity to daphnia and other aquatic invertebrates : No data available

Toxicity to algae : No data available

Components

Toxicity to fish : magnesium hexafluorosilicate

96 h LC50 Fish: 112.5 mg/l

tin (iv) oxide

96 h LC50: > 100 mg/l

citric acid

96 h LC50 Fish: > 100 mg/l

Persistence and degradability

Readily biodegradable.

**Bioaccumulative potential** 

No data available

Mobility in soil

No data available

Other adverse effects

No data available

### **SECTION 13. DISPOSAL CONSIDERATIONS**

Disposal methods : Where possible recycling is preferred to disposal or incineration. If

recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to

an approved waste handling site for recycling or disposal. Do not reuse empty containers. Dispose of in accordance with local, state, and

federal regulations.

RCRA - Resource

Conservation and Recovery Authorization Act Hazardous

waste

: D002 (Corrosive)

910977 6 / 8

## STONEMEDIC CTP 2 CERAMIC TILE POLISH 2

### **SECTION 14. TRANSPORT INFORMATION**

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

## Land transport (DOT)

Not dangerous goods

### Sea transport (IMDG/IMO)

Not dangerous goods

### **SECTION 15. REGULATORY INFORMATION**

### **EPCRA - Emergency Planning and Community Right-to-Know**

### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Skin corrosion or irritation

Serious eye damage or eye irritation

SARA 302 : This material does not contain any components with a section 302

EHS TPQ.

SARA 313 : The following components are subject to reporting levels established

by SARA Title III, Section 313:

aluminium oxide 1344-28-1 70 - 90 %

#### California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

#### California Cleaning Product Right to Know Act of 2017 (SB 258)

This regulation applies to this product.

Chemical Name	CAS-No.	Function	List(s)
aluminium oxide	1344-28-1	Cleaning Agent	10
magnesium hexafluorosilicate	16949-65-8	Cleaning Agent	Not Applicable
tin (iv) oxide	18282-10-5	Cleaning Agent	Not Applicable
citric acid	77-92-9	Cleaning Agent	Not Applicable

<sup>\*</sup>refer to ecolab.com/sds for electronic links to designated lists

### The ingredients of this product are reported in the following inventories:

### **United States TSCA Inventory:**

All substances listed as active on the TSCA inventory

### Canadian Domestic Substances List (DSL):

All components of this product are on the Canadian DSL

### Australia Inventory of Chemical Substances (AICS) :

910977 7 / 8

## STONEMEDIC CTP 2 CERAMIC TILE POLISH 2

On the inventory, or in compliance with the inventory

### **New Zealand. Inventory of Chemical Substances:**

not determined

### Japan. ENCS - Existing and New Chemical Substances Inventory :

On the inventory, or in compliance with the inventory

### Korea. Korean Existing Chemicals Inventory (KECI):

On the inventory, or in compliance with the inventory

### Philippines Inventory of Chemicals and Chemical Substances (PICCS):

On the inventory, or in compliance with the inventory

### China. Inventory of Existing Chemical Substances in China (IECSC):


On the inventory, or in compliance with the inventory

### Taiwan Chemical Substance Inventory (TCSI):

On the inventory, or in compliance with the inventory

### **SECTION 16. OTHER INFORMATION**

#### NFPA:



#### HMIS III:

HEALTH	3
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,

2 = Moderate, 3 = High 4 = Extreme, \* = Chronic

Issuing date : 06/20/2019

Version : 1.1

Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.