

## **SOLVAXX PRO-200LF**

### **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : SOLVAXX PRO-200LF

Other means of identification : Not applicable

Recommended use : Cleaning product

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : No dilution information provided.

Company : Ecolab Inc.

1 Ecolab Place

St. Paul, Minnesota USA 55102

1-800-352-5326

Emergency health

information

: 1-800-328-0026 (US/Canada), 1-651-222-5352 (outside US)

Issuing date : 01/09/2020

### **SECTION 2. HAZARDS IDENTIFICATION**

#### **GHS Classification**

Skin corrosion : Category 1A Serious eye damage : Category 1

**GHS** label elements

Hazard pictograms :



Signal Word : Danger

Hazard Statements : Causes severe skin burns and eye damage.

Precautionary Statements : Prevention:

Wash skin thoroughly after handling. Wear protective gloves/

protective clothing/ eye protection/ face protection.

Response:

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep

comfortable for breathing. Immediately call a POISON

CENTER/doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing. Immediately call a POISON CENTER/doctor. Wash

contaminated clothing before reuse.

Storage:

Store locked up. **Disposal:** 

Dispose of contents/ container to an approved waste disposal plant.

Other hazards : None known.

917902-01 1 / 9

## SOLVAXX PRO-200LF

### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Pure substance/mixture : Mixture

Chemical name	CAS-No.	Concentration (%)
Sodium hydroxide	1310-73-2	1 - 5
Sodium Xylenesulfonate	1300-72-7	1 - 5
2-(2-ethoxyethoxy)ethanol	111-90-0	1 - 5
2-(2-butoxyethoxy)ethanol	112-34-5	1 - 5
benzenesulfonic acid, methyl-, potassium salt	30526-22-8	1 - 5
amines, coco alkyldimethyl, n-oxides	61788-90-7	1 - 5
disodium metasilicate	6834-92-0	1 - 5
silicic acid (h2sio3), dipotassium salt	10006-28-7	1 - 5

### **SECTION 4. FIRST AID MEASURES**

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Get medical attention immediately.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use

a mild soap if available. Wash clothing before reuse. Thoroughly clean

shoes before reuse. Get medical attention immediately.

If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give

anything by mouth to an unconscious person. Get medical attention

immediately.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if

symptoms occur.

Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal

protective equipment.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and

delayed

: See Section 11 for more detailed information on health effects and

symptoms.

## **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable extinguishing

media

: None known.

Specific hazards during fire

fighting

: Not flammable or combustible.

Hazardous combustion

products

: Decomposition products may include the following materials:

Carbon oxides

Nitrogen oxides (NOx)

Sulfur oxides

Oxides of phosphorus

Special protective equipment : Use personal protective equipment.

917902-01 2 / 9

# **SOLVAXX PRO-200LF**

for fire-fighters

Specific extinguishing methods

: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

# **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

**Environmental precautions** 

: Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up

: Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

### **SECTION 7. HANDLING AND STORAGE**

Advice on safe handling : Do not ingest. Do not get in eyes, on skin, or on clothing. Do not

breathe dust/ fume/ gas/ mist/ vapors/ spray. Use only with adequate ventilation. Wash hands thoroughly after handling. In case of mechanical malfunction, or if in contact with unknown dilution of

product, wear full Personal Protective Equipment (PPE).

Conditions for safe storage : Do not store near acids. Keep out of reach of children. Store in

suitable labeled containers.

Storage temperature : 0 °C to 50 °C

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
sodium hydroxide	1310-73-2	Ceiling	2 mg/m3	ACGIH
		Ceiling	2 mg/m3	NIOSH REL
		TWA	2 mg/m3	OSHA Z1
2-(2-ethoxyethoxy)ethanol	111-90-0	TWA	25 ppm	AIHA WEEL
2-(2-butoxyethoxy)ethanol	112-34-5	TWA (Inhalable fraction and vapor)	10 ppm	ACGIH

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations

below occupational exposure standards.

# Personal protective equipment

917902-01 3 / 9

## SOLVAXX PRO-200LF

Eye protection : Wear eye protection/ face protection.

Hand protection : Wear the following personal protective equipment:

Standard glove type.

Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Skin protection : Personal protective equipment comprising: suitable protective gloves,

safety goggles and protective clothing

Respiratory protection : When workers are facing concentrations above the exposure limit they

must use appropriate certified respirators.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes

and body in case of contact or splash hazard.

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid

Color : colorless

Odor : slight

pH : 14.0, (100 %)

Flash point : Not applicable

Odor Threshold : No data available

Melting point/freezing point : No data available

Initial boiling point and

boiling range

: No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Upper explosion limit : No data available

Lower explosion limit : No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : 1.13

Water solubility : soluble

Partition coefficient: n-

Solubility in other solvents

octanol/water

: No data available

: No data available

Autoignition temperature : No data available
Thermal decomposition : No data available
Viscosity, kinematic : No data available

Explosive properties : No data available

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

917902-01 4 / 9

## SOLVAXX PRO-200LF

VOC : No data available

## **SECTION 10. STABILITY AND REACTIVITY**

: No dangerous reaction known under conditions of normal use. Reactivity

: Stable under normal conditions. Chemical stability

Possibility of hazardous

reactions

: No dangerous reaction known under conditions of normal use.

Conditions to avoid : None known.

Incompatible materials : Acids

Hazardous decomposition

products

: In case of fire hazardous decomposition products may be produced

such as:

Carbon oxides

Nitrogen oxides (NOx)

Sulfur oxides

Oxides of phosphorus

### **SECTION 11. TOXICOLOGICAL INFORMATION**

exposure

Information on likely routes of : Inhalation, Eye contact, Skin contact

## **Potential Health Effects**

Eyes : Causes serious eye damage.

Skin : Causes severe skin burns.

Ingestion : Causes digestive tract burns.

Inhalation : May cause nose, throat, and lung irritation.

Chronic Exposure : Health injuries are not known or expected under normal use.

### Experience with human exposure

Eye contact : Redness, Pain, Corrosion

Skin contact : Redness, Pain, Corrosion

Ingestion : Corrosion, Abdominal pain

Inhalation : Respiratory irritation, Cough

**Toxicity** 

**Product** 

: Acute toxicity estimate : > 5,000 mg/kg Acute oral toxicity

Acute inhalation toxicity : No data available

Acute dermal toxicity : Acute toxicity estimate : > 5,000 mg/kg

Skin corrosion/irritation : No data available

917902-01 5/9

## SOLVAXX PRO-200LF

Serious eye damage/eye

irritation

: No data available

Respiratory or skin

sensitization

: No data available

Carcinogenicity : No data available

Reproductive effects : No data available Germ cell mutagenicity : No data available

Teratogenicity : No data available STOT-single exposure : No data available

STOT-repeated exposure : No data available

Aspiration toxicity : No data available

### **SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity** 

**Environmental Effects** : Toxic to aquatic life.

**Product** 

Toxicity to fish : No data available Toxicity to daphnia and other

aquatic invertebrates

: No data available

Toxicity to algae : No data available

Components

Toxicity to fish : 2-(2-ethoxyethoxy)ethanol

96 h LC50 Ictalurus punctatus (channel catfish): 6,010 mg/l

2-(2-butoxyethoxy)ethanol 96 h LC50 Fish: 1,300 mg/l

benzenesulfonic acid, methyl-, potassium salt

96 h LC50 Fish: > 100 mg/l

amines, coco alkyldimethyl, n-oxides

96 h LC50 Fish: 1 mg/l

disodium metasilicate 96 h LC50 Fish: 210 mg/l

silicic acid (h2sio3), dipotassium salt

96 h LC50: 210 mg/l

Components

Toxicity to daphnia and other

aquatic invertebrates

Sodium hydroxide 48 h EC50: 40 mg/l

2-(2-ethoxyethoxy)ethanol

48 h LC50 Daphnia magna (Water flea): 1,982 mg/l

Components

Toxicity to algae : Sodium Xylenesulfonate

96 h EC50: 230 mg/l

917902-01 6/9

## SOLVAXX PRO-200LF

2-(2-ethoxyethoxy)ethanol

96 h EC50 Desmodesmus subspicatus (green algae): > 100 mg/l Test substance: Information given is based on data obtained from similar substances.

96 h NOEC Desmodesmus subspicatus (green algae): > 100 mg/l Test substance: Information given is based on data obtained from similar substances.

## Persistence and degradability

Poorly biodegradable

## **Bioaccumulative potential**

No data available

#### Mobility in soil

No data available

#### Other adverse effects

No data available

### **SECTION 13. DISPOSAL CONSIDERATIONS**

Disposal methods : Do not contaminate ponds, waterways or ditches with chemical or

used container. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste

disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to

an approved waste handling site for recycling or disposal. Do not reuse empty containers. Dispose of in accordance with local, state, and

federal regulations.

RCRA - Resource

Conservation and Recovery Authorization Act Hazardous waste : D002 (Corrosive)

## **SECTION 14. TRANSPORT INFORMATION**

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

### **SECTION 15. REGULATORY INFORMATION**

# **EPCRA - Emergency Planning and Community Right-to-Know**

## **CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ
			(lbs)
Sodium hydroxide	1310-73-2	1000	22836

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

917902-01 7 / 9

## **SOLVAXX PRO-200LF**

SARA 311/312 Hazards : Skin corrosion or irritation

Serious eye damage or eye irritation

SARA 302 : This material does not contain any components with a section 302

EHS TPQ.

SARA 313 : The following components are subject to reporting levels established

by SARA Title III, Section 313:

2-(2-ethoxyethoxy)ethanol 111-90-0 1 - 5 % 2-(2-butoxyethoxy)ethanol 112-34-5 1 - 5 %

#### California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

## California Cleaning Product Right to Know Act of 2017 (SB 258)

This regulation does not apply to this product.

#### The ingredients of this product are reported in the following inventories:

### **United States TSCA Inventory:**

All substances listed as active on the TSCA inventory

### Canadian Domestic Substances List (DSL):

All components of this product are on the Canadian DSL

### Australia Inventory of Chemical Substances (AICS):

On the inventory, or in compliance with the inventory

## New Zealand. Inventory of Chemical Substances:

not determined

### Japan. ENCS - Existing and New Chemical Substances Inventory :

On the inventory, or in compliance with the inventory

## Korea. Korean Existing Chemicals Inventory (KECI):

not determined

### Philippines Inventory of Chemicals and Chemical Substances (PICCS):

not determined

## China. Inventory of Existing Chemical Substances in China (IECSC):

not determined

### Taiwan Chemical Substance Inventory (TCSI):


not determined

# **SECTION 16. OTHER INFORMATION**

917902-01 8 / 9

# **SOLVAXX PRO-200LF**

### NFPA:



#### HMIS III:

HEALTH	3
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,

2 = Moderate, 3 = High

4 = Extreme, \* = Chronic

Issuing date : 01/09/2020

Version : 2.0

Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

917902-01 9 / 9