

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : SOLIDSENSE DRYING AGENT

Other means of identification : Not applicable

Recommended use : Rinse additive

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : 0.0018 % - 0.0106 %

Company : Kay Chemical Company

8300 Capital Drive

Greensboro, North Carolina USA 27409

1-800-529-5458

Emergency health

information

: 1-877-231-2615 (USA/Canada), 952-853-1713 (outside USA)

Issuing date : 10/31/2019

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Product AS SOLD

Eye irritation : Category 2A

Product AT USE DILUTION

Not a hazardous substance or mixture.

GHS label elements

Product AS SOLD

Hazard pictograms



Signal Word : Warning

Hazard Statements : Causes serious eye irritation.

Precautionary Statements : **Prevention**:

Wash skin thoroughly after handling.

Response:

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye

irritation persists: Get medical advice/ attention.

Product AT USE DILUTION

Precautionary Statements : Prevention:

Wash hands thoroughly after handling.

Response:

Get medical advice/ attention if you feel unwell.

Storage:

Store in accordance with local regulations.

916869-04 1 / 10

SOLIDSENSE DRYING AGENT

Product AS SOLD

Other hazards : Do not mix with bleach or other chlorinated products – will cause

chlorine gas.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Product AS SOLD

Pure substance/mixture : Mixture

Chemical name	CAS-No.	Concentration (%)
Sodium Xylenesulfonate	1300-72-7	60 - 100
citric acid	77-92-9	5 - 10
alcohols, c13-15-branched and linear, butoxylated ethoxylated	111905-53-4	1 - 5
oxirane, methyl-, polymer with oxirane	9003-11-6	1 - 5
tetrasodium (1-hydroxyethylidene)bisphosphonate	3794-83-0	1 - 5
alcohols, c10-16, ethoxylated	68002-97-1	1 - 5

Product AT USE DILUTION

No hazardous ingredients

SECTION 4. FIRST AID MEASURES

Product AS SOLD

In case of eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. If eye

irritation persists: Get medical advice/ attention.

In case of skin contact : Rinse with plenty of water.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

If inhaled : Get medical attention if symptoms occur.

Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal

protective equipment.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and

delayed

: See Section 11 for more detailed information on health effects and

symptoms.

Product AT USE DILUTION

In case of eye contact : Rinse with plenty of water.

In case of skin contact : Rinse with plenty of water.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

If inhaled : Get medical attention if symptoms occur.

SECTION 5. FIRE-FIGHTING MEASURES

Product AS SOLD

916869-04 2 / 10

SOLIDSENSE DRYING AGENT

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable extinguishing

media

: None known.

Specific hazards during fire

fighting

: Not flammable or combustible.

Hazardous combustion

products

: Decomposition products may include the following materials:

Carbon oxides Sulfur oxides

Oxides of phosphorus

for fire-fighters

Special protective equipment : Use personal protective equipment.

Specific extinguishing

methods

: Fire residues and contaminated fire extinguishing water must be

disposed of in accordance with local regulations. In the event of fire

and/or explosion do not breathe fumes.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Product AS SOLD

Personal precautions, protective equipment and emergency procedures

: Ensure clean-up is conducted by trained personnel only. Refer to

protective measures listed in sections 7 and 8.

Environmental precautions : Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up : Sweep up and shovel into suitable containers for disposal.

Product AT USE DILUTION

Personal precautions, protective equipment and emergency procedures

: Refer to protective measures listed in sections 7 and 8.

Environmental precautions : No special environmental precautions required.

Methods and materials for containment and cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with noncombustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

SECTION 7. HANDLING AND STORAGE

Product AS SOLD Advice on safe handling

: Avoid contact with skin and eyes. Wash hands thoroughly after handling. Do not mix with bleach or other chlorinated products – will

cause chlorine gas. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective

Equipment (PPE).

Conditions for safe storage

: Keep out of reach of children. Store in suitable labeled containers.

Storage temperature

: 0 °C to 40 °C

916869-04 3/10

SOLIDSENSE DRYING AGENT

Product AT USE DILUTION

Advice on safe handling : Wash hands after handling. In case of mechanical malfunction, or if in

contact with unknown dilution of product, wear full Personal Protective

Equipment (PPE). For personal protection see section 8.

Conditions for safe storage : Keep out of reach of children. Store in suitable labeled containers.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Product AS SOLD

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures : Good general ventilation should be sufficient to control worker

exposure to airborne contaminants.

Personal protective equipment

Eye protection : Due to the form and packaging of the product, no protective

equipment is needed under normal use conditions.

Hand protection : No special protective equipment required.

Skin protection : No special protective equipment required.

Respiratory protection : No personal respiratory protective equipment normally required.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice. Wash face, hands and any exposed skin thoroughly after

handling.

Product AT USE DILUTION

Engineering measures : Good general ventilation should be sufficient to control worker

exposure to airborne contaminants.

Personal protective equipment

Eye protection : No special protective equipment required.

Hand protection : No special protective equipment required.

Skin protection : No special protective equipment required.

Respiratory protection : No personal respiratory protective equipment normally required.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Product AS SOLD Product AT USE DILUTION

Appearance : Extruded solid. liquid
Color : clear, dark green colorless
Odor : odorless odorless
pH : 2.5 - 4.0, (1 %) 6.5 - 8.5

Flash point : Not applicable
Odor Threshold : No data available

916869-04 4 / 10

SOLIDSENSE DRYING AGENT

Melting point/freezing point : No data available

Initial boiling point and

boiling range

Vapor pressure

: No data available

Evaporation rate : No data available Flammability (solid, gas) : Not applicable Upper explosion limit : No data available Lower explosion limit : No data available

Relative vapor density : No data available

Relative density : 1.0 - 1.2

Water solubility : soluble

Solubility in other solvents Partition coefficient: n-

octanol/water

: No data available

: No data available

: No data available

Autoignition temperature : No data available Thermal decomposition : No data available Viscosity, kinematic : No data available Explosive properties : No data available

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available VOC : No data available

SECTION 10. STABILITY AND REACTIVITY

Product AS SOLD

Reactivity : No dangerous reaction known under conditions of normal use.

: Stable under normal conditions. Chemical stability

Possibility of hazardous

reactions

: Do not mix with bleach or other chlorinated products – will cause

chlorine gas.

Conditions to avoid : None known.

Incompatible materials : None known.

Hazardous decomposition

products

Decomposition products may include the following materials:

Carbon oxides Sulfur oxides

Oxides of phosphorus

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of : Eye contact, Skin contact

exposure

Potential Health Effects

Product AS SOLD

: Causes serious eye irritation. Eyes

916869-04 5/10

SOLIDSENSE DRYING AGENT

Skin : Health injuries are not known or expected under normal use.

Ingestion : Health injuries are not known or expected under normal use.

Inhalation : Health injuries are not known or expected under normal use.

Chronic Exposure : Health injuries are not known or expected under normal use.

Product AT USE DILUTION

Eyes : Health injuries are not known or expected under normal use.

Skin : Health injuries are not known or expected under normal use.

Ingestion : Health injuries are not known or expected under normal use.

Inhalation : Health injuries are not known or expected under normal use.

Chronic Exposure : Health injuries are not known or expected under normal use.

Experience with human exposure

Product AS SOLD

Eye contact : Redness, Pain, Irritation

Skin contact : No symptoms known or expected.

Ingestion : No symptoms known or expected.

Inhalation : No symptoms known or expected.

Product AT USE DILUTION

Eye contact : No symptoms known or expected.

Skin contact : No symptoms known or expected.

Ingestion : No symptoms known or expected.

Inhalation : No symptoms known or expected.

Toxicity

Product AS SOLD

Product

Acute oral toxicity : Acute toxicity estimate : > 5,000 mg/kg

Acute inhalation toxicity : No data available

Acute dermal toxicity : Acute toxicity estimate : > 5,000 mg/kg

Skin corrosion/irritation : No data available
Serious eye damage/eye : No data available

irritation

Respiratory or skin : Contains an ingredient that can cause asthmatic-like reactions in

sensitization sulfite-sensitive individuals.

Carcinogenicity : No data available
Reproductive effects : No data available
Germ cell mutagenicity : No data available

916869-04 6 / 10

SOLIDSENSE DRYING AGENT

Teratogenicity : No data available STOT-single exposure : No data available STOT-repeated exposure : No data available Aspiration toxicity : No data available

Components

Acute inhalation toxicity : oxirane, methyl-, polymer with oxirane

> 4 h LD50 Rat: 1 mg/l Test atmosphere: dust/mist

SECTION 12. ECOLOGICAL INFORMATION

Product AS SOLD

Ecotoxicity

Environmental Effects : Harmful to aquatic life.

Product

Toxicity to fish : No data available Toxicity to daphnia and other

aquatic invertebrates

: No data available

Toxicity to algae : No data available

Components

Toxicity to fish : citric acid

96 h LC50 Fish: > 100 mg/l

alcohols, c13-15-branched and linear, butoxylated ethoxylated

96 h LC50 Fish: 5 mg/l

oxirane, methyl-, polymer with oxirane

96 h LC50 Fish: > 100 mg/l

Components

aquatic invertebrates

Toxicity to daphnia and other : tetrasodium (1-hydroxyethylidene)bisphosphonate

48 h EC50: 167 mg/l

Components

Toxicity to algae : Sodium Xylenesulfonate

96 h EC50: 230 mg/l

Persistence and degradability

Product AS SOLD Poorly biodegradable

Product AT USE DILUTION

Poorly biodegradable

Bioaccumulative potential

No data available

Mobility in soil

No data available

916869-04 7/10

SOLIDSENSE DRYING AGENT

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Product AS SOLD

Disposal methods : Do not contaminate ponds, waterways or ditches with chemical or

used container. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste

disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to

an approved waste handling site for recycling or disposal. Do not reuse empty containers. Dispose of in accordance with local, state, and

federal regulations.

Product AT USE DILUTION

Disposal methods : Diluted product can be flushed to sanitary sewer.

Disposal considerations : Dispose of in accordance with local, state, and federal regulations.

SECTION 14. TRANSPORT INFORMATION

Product AS SOLD

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (DOT)

Not dangerous goods

Sea transport (IMDG/IMO)

Not dangerous goods

SECTION 15. REGULATORY INFORMATION

Product AS SOLD

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Serious eye damage or eye irritation

SARA 302 : This material does not contain any components with a section 302

EHS TPQ.

SARA 313 : This material does not contain any chemical components with known

CAS numbers that exceed the threshold (De Minimis) reporting levels

established by SARA Title III, Section 313.

916869-04 8 / 10

SOLIDSENSE DRYING AGENT

California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

California Cleaning Product Right to Know Act of 2017 (SB 258)

This regulation applies to this product.

Ole and and Maria	OAO NI	I =e	1 !- (/-)
Chemical Name	CAS-No.	Function	List(s)
Sodium Xylenesulfonate	1300-72-7	Cleaning Agent	Not Applicable
citric acid	77-92-9	Cleaning Agent	Not Applicable
Alcohol ethoxylate	68439-51-0	Cleaning Agent	Not Applicable
Sodium Polyacrylate	9003-04-7	Cleaning Agent	Not Applicable
alcohols, c13-15-branched and	111905-53-4	Cleaning Agent	Not Applicable
linear, butoxylated ethoxylated			
oxirane, methyl-, polymer with	9003-11-6	Cleaning Agent	Not Applicable
oxirane			
tetrasodium (1-	3794-83-0	Cleaning Agent	Not Applicable
hydroxyethylidene)bisphosphonat			
е			
alcohols, c10-16, ethoxylated	68002-97-1	Cleaning Agent	Not Applicable
water	7732-18-5	Processing Aid	Not Applicable
Colorant	Withheld	Dye	Not Applicable
Colorant	Withheld	Dye	Not Applicable

^{*}refer to ecolab.com/sds for electronic links to designated lists

The ingredients of this product are reported in the following inventories:

United States TSCA Inventory:

All substances listed as active on the TSCA inventory

Canadian Domestic Substances List (DSL):

All components of this product are on the Canadian DSL

Australia Inventory of Chemical Substances (AICS) :

On the inventory, or in compliance with the inventory

New Zealand. Inventory of Chemical Substances:

not determined

Japan. ENCS - Existing and New Chemical Substances Inventory:

not determined

Korea. Korean Existing Chemicals Inventory (KECI):

On the inventory, or in compliance with the inventory

Philippines Inventory of Chemicals and Chemical Substances (PICCS):

On the inventory, or in compliance with the inventory

China. Inventory of Existing Chemical Substances in China (IECSC):

On the inventory, or in compliance with the inventory

Taiwan Chemical Substance Inventory (TCSI):


not determined

SECTION 16. OTHER INFORMATION

916869-04 9 / 10

SOLIDSENSE DRYING AGENT

Product AS SOLD NFPA:




HMIS III:

HEALTH	2
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,

2 = Moderate, 3 = High

4 = Extreme, * = Chronic



Issuing date : 10/31/2019

Version : 1.2

Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

916869-04 10 / 10