

FACILIPRO FABRIC SOFTENER PLUS

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : FACILIPRO FABRIC SOFTENER PLUS

Other means of identification : Not applicable

Recommended use : Laundry softener

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : Product is sold ready to use.

Company : Ecolab Inc.

1 Ecolab Place

St. Paul, Minnesota USA 55102

1-800-352-5326

Emergency health

information

: 1-800-328-0026 (US/Canada), 1-651-222-5352 (outside US)

Issuing date : 04/22/2019

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Flammable liquids : Category 4

GHS label elements

Signal Word : Warning

Hazard Statements : Combustible liquid.

Precautionary Statements : Prevention:

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Wear protective gloves/ eye protection/ face protection.

Response:

In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to

extinguish. Storage:

Store in a well-ventilated place. Keep cool.

Disposal:

Dispose of contents/ container to an approved waste disposal plant.

Other hazards : None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

Chemical name CAS-No. Concentration (%)

Isopropanol 67-63-0 1 - 5 Siloxanes and Silicones, 3-[(2- 75718-16-0 1 - 5

aminoethyl)amino]propyl Me, di-Me, hydroxy-

terminated

SECTION 4. FIRST AID MEASURES

917044-01 1 / 9

FACILIPRO FABRIC SOFTENER PLUS

In case of eye contact : Rinse with plenty of water.

In case of skin contact : Rinse with plenty of water.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

If inhaled : Get medical attention if symptoms occur.

Protection of first-aiders : No special precautions are necessary for first aid responders.

Notes to physician : No specific measures identified.

Most important symptoms and effects, both acute and

delayed

: See Section 11 for more detailed information on health effects and

symptoms.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable extinguishing

media

: High volume water jet

Specific hazards during fire

fighting

: Fire Hazard

Keep away from heat and sources of ignition. Flash back possible over considerable distance.

Hazardous combustion

products

: Decomposition products may include the following materials:

Carbon oxides

Nitrogen oxides (NOx)

Special protective equipment

for fire-fighters

: Use personal protective equipment.

Specific extinguishing

methods

: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire

and/or explosion do not breathe fumes.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Remove all sources of ignition. Refer to protective measures listed in

sections 7 and 8.

Environmental precautions : Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up

: Eliminate all ignition sources if safe to do so. Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain

material to ensure runoff does not reach a waterway.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Keep away from fire, sparks and heated surfaces. Take necessary

action to avoid static electricity discharge (which might cause ignition

917044-01 2 / 9

FACILIPRO FABRIC SOFTENER PLUS

of organic vapors). Wash hands thoroughly after handling.

Conditions for safe storage : Keep away from heat and sources of ignition. Keep away from

oxidizing agents. Keep out of reach of children. Store in suitable

labeled containers.

Storage temperature : 10 °C to 40 °C

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
Isopropyl Alcohol	67-63-0	TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
		TWA	400 ppm 980 mg/m3	NIOSH REL
		STEL	500 ppm 1,225 mg/m3	NIOSH REL
		TWA	400 ppm 980 mg/m3	OSHA Z1

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations

below occupational exposure standards.

Personal protective equipment

Eye protection : Wear eye protection/ face protection.

Hand protection : Wear the following personal protective equipment:

Standard glove type.

Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Skin protection : No special protective equipment required.

Respiratory protection : No personal respiratory protective equipment normally required.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : opaque, off-white

Odor : Floral

pH : 3.0 - 5.0, (100 %)

Flash point : 66 °C closed cup, Does not sustain combustion.

Odor Threshold : No data available

Melting point/freezing point : No data available

Initial boiling point and

boiling range

: > 35 °C

917044-01 3/9

FACILIPRO FABRIC SOFTENER PLUS

Evaporation rate : No data available Flammability (solid, gas) : No data available Upper explosion limit : No data available Lower explosion limit : No data available : No data available Vapor pressure Relative vapor density : No data available

: 0.98 - 1.04 Relative density

Water solubility : No data available Solubility in other solvents : No data available Partition coefficient: n-: No data available

octanol/water

Autoignition temperature : No data available Thermal decomposition : No data available : No data available Viscosity, kinematic : No data available Explosive properties Oxidizing properties : No data available Molecular weight No data available VOC : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

: No dangerous reaction known under conditions of normal use.

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : None known.

Hazardous decomposition

products

: In case of fire hazardous decomposition products may be produced

such as:

Carbon oxides

Nitrogen oxides (NOx)

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of : Inhalation, Eye contact, Skin contact

exposure

Potential Health Effects

: Health injuries are not known or expected under normal use. Eyes

Skin : Health injuries are not known or expected under normal use.

Ingestion : Health injuries are not known or expected under normal use.

Inhalation : Health injuries are not known or expected under normal use.

917044-01 4/9

FACILIPRO FABRIC SOFTENER PLUS

Chronic Exposure : Health injuries are not known or expected under normal use.

Experience with human exposure

Eye contact : No symptoms known or expected.

Skin contact : No symptoms known or expected.

Ingestion : No symptoms known or expected.

Inhalation : No symptoms known or expected.

Toxicity

Product

Acute oral toxicity : Acute toxicity estimate : > 5,000 mg/kg

Acute inhalation toxicity : 4 h Acute toxicity estimate : > 200 mg/l

Test atmosphere: vapor

Acute dermal toxicity : No data available
Skin corrosion/irritation : No data available
Serious eye damage/eye : No data available

irritation

Respiratory or skin

sensitization

: No data available

Carcinogenicity : No data available
Reproductive effects : No data available
Germ cell mutagenicity : No data available
Teratogenicity : No data available
STOT-single exposure : No data available
STOT-repeated exposure : No data available
Aspiration toxicity : No data available

Components

Acute dermal toxicity : Isopropanol

LD50 Rabbit: 12,870 mg/kg

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Environmental Effects : Harmful to aquatic life.

Product

Toxicity to fish : No data available

Toxicity to daphnia and other : No data available

aquatic invertebrates

Toxicity to algae : No data available

Components

Toxicity to fish : Isopropanol

917044-01 5 / 9

FACILIPRO FABRIC SOFTENER PLUS

96 h LC50 Pimephales promelas: 9,640 mg/l

Siloxanes and Silicones, 3-[(2-aminoethyl)amino]propyl Me, di-Me,

hydroxy-terminated 96 h LC50: 43.169 mg/l

Components

Toxicity to daphnia and other

aquatic invertebrates

: Isopropanol

LC50 Daphnia magna (Water flea): > 10,000 mg/l

Persistence and degradability

Biodegradable

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods : Do not contaminate ponds, waterways or ditches with chemical or

used container. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste

disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to

an approved waste handling site for recycling or disposal. Do not reuse empty containers. Dispose of in accordance with local, state, and

federal regulations.

SECTION 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (DOT)

Not dangerous goods

Sea transport (IMDG/IMO)

Not dangerous goods

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

917044-01 6 / 9

FACILIPRO FABRIC SOFTENER PLUS

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Flammable (gases, aerosols, liquids, or solids)

SARA 302 : This material does not contain any components with a section 302

EHS TPQ.

SARA 313 : This material does not contain any chemical components with known

CAS numbers that exceed the threshold (De Minimis) reporting levels

established by SARA Title III, Section 313.

California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

California Cleaning Product Right to Know Act of 2017 (SB 258)

This regulation applies to this product.

Chemical Name	CAS-No.	Function	List(s)
water	7732-18-5	Diluent	Not Applicable
Substituted fatty acid	Withheld	Antistatic	Not Applicable
Isopropanol	67-63-0	Antistatic	20
Siloxanes and Silicones, 3-[(2-	75718-16-0	Processing Aid	Not Applicable
aminoethyl)amino]propyl Me, di-			
Me, hydroxy-terminated			
Alcohol ethoxylate	Withheld	Processing Aid	Not Applicable
Inorganic Salt	Withheld	Processing Aid	Not Applicable
4-tert-butylcyclohexyl acetate	32210-23-4	Fragrance	Not Applicable
Ionone, methyl-	1335-46-2	Fragrance	Not Applicable
Ethanone, 1-(1,2,3,4,5,6,7,8-	54464-57-2	Fragrance	Not Applicable
octahydro-2,3,8,8-tetramethyl-2-			
naphthalenyl)-			
3-octanol, 3,7-dimethyl-	78-69-3	Fragrance	Not Applicable
3-Buten-2-one, 4-(2,6,6-trimethyl-	79-77-6	Fragrance	Not Applicable
1-cyclohexen-1-yl)-, (3E)-			
2-(4-tert-Butylbenzyl) propionald-	80-54-6	Fragrance	FRA
hyd			
Alpha-Isomethyl Ionone	127-51-5	Fragrance	FRA
1,6-Octadien-3-ol, 3,7-dimethyl-,	115-95-7	Fragrance	Not Applicable
3-acetate			
Linalool	78-70-6	Fragrance	FRA
7-octen-2-ol, 2,6-dimethyl-	18479-58-8	Fragrance	Not Applicable
tetrahydro-2-isobutyl-4-	63500-71-0	Fragrance	Not Applicable
methylpyran-4-ol, mixed isomers			
(cis and trans)			
phenethyl alcohol	60-12-8	Fragrance	Not Applicable
benzyl acetate	140-11-4	Fragrance	Not Applicable
(Z)-3,4,5,6,6-Pentamethylhept-3-	81786-73-4	Fragrance	Not Applicable
en-2-one			
2-Buten-1-one, 1-(2,6,6-trimethyl-	57378-68-4	Fragrance	Not Applicable
3-cyclohexen-1-yl)-			
Nitrates	Withheld	Biocide	Not Applicable
Halogenated thiazole	Withheld	Biocide	Not Applicable
Inorganic salt	Withheld	Biocide	Not Applicable
Isothiazolinones	Withheld	Biocide	Not Applicable
Copper-containing salt	Withheld	Biocide	Not Applicable

*refer to ecolab.com/sds for electronic links to designated lists

917044-01 7 / 9

FACILIPRO FABRIC SOFTENER PLUS

The ingredients of this product are reported in the following inventories:

United States TSCA Inventory:

On the inventory, or in compliance with the inventory

Canadian Domestic Substances List (DSL):

This product contains one or several components listed in the Canadian NDSL.

Australia Inventory of Chemical Substances (AICS):

On the inventory, or in compliance with the inventory

New Zealand. Inventory of Chemical Substances:

not determined

Japan. ENCS - Existing and New Chemical Substances Inventory :

not determined

Korea. Korean Existing Chemicals Inventory (KECI):

not determined

Philippines Inventory of Chemicals and Chemical Substances (PICCS):

On the inventory, or in compliance with the inventory

China. Inventory of Existing Chemical Substances in China (IECSC):


On the inventory, or in compliance with the inventory

Taiwan Chemical Substance Inventory (TCSI):

On the inventory, or in compliance with the inventory

SECTION 16. OTHER INFORMATION

NFPA:



HMIS III:

HEALTH	0
FLAMMABILITY	2
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,

2 = Moderate, 3 = High

4 = Extreme, * = Chronic

Issuing date : 04/22/2019

Version : 2.4

Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific

917044-01 8 / 9

FACILIPRO FABRIC SOFTENER PLUS

material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

917044-01 9 / 9