

# Klerwipe 70/30 IPA

### **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name Klerwipe 70/30 IPA

Other means of identification Not applicable

Recommended use All Purpose Cleaner

Restrictions on use Reserved for industrial and professional use.

Product dilution information No dilution information provided.

Company Ecolab Inc.

1 Ecolab Place

St. Paul, Minnesota USA 55102

1-800-352-5326

Emergency health

information

1-800-328-0026 (US/Canada), 1-651-222-5352 (outside US)

Issuing date 06/09/2017

### **SECTION 2. HAZARDS IDENTIFICATION**

#### **GHS Classification**

Flammable liquids : Category 2 Eye irritation : Category 2B

Specific target organ systemic toxicity - single

exposure

: Category 3 (Central nervous system)

#### **GHS** label elements

Hazard pictograms





Signal Word : Danger

**Hazard Statements** Highly flammable liquid and vapor.

Causes eye irritation.

May cause drowsiness or dizziness.

**Precautionary Statements** : Prevention:

> Keep away from heat/sparks/open flames/hot surfaces. No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ ventilating/ lighting/ equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray. Wash skin thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/ eye protection/ face protection.

Response:

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh

air and keep comfortable for breathing. Call a POISON

CENTER/doctor if you feel unwell. IF IN EYES: Rinse cautiously with

908271-16 1/9

# Klerwipe 70/30 IPA

water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Storage:

Store in a well-ventilated place. Keep container tightly closed. Store in

a well-ventilated place. Keep cool. Store locked up.

Disposal:

Dispose of contents/ container to an approved waste disposal plant.

Other hazards : None known.

### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Pure substance/mixture : Mixture

Chemical name CAS-No. Concentration (%)

Isopropanol 67-63-0 60 - 100

### **SECTION 4. FIRST AID MEASURES**

In case of eye contact : Rinse with plenty of water.

In case of skin contact : Rinse with plenty of water.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if

symptoms occur.

Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal

protective equipment.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and

delayed

: See Section 11 for more detailed information on health effects and

symptoms.

# **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable extinguishing

media

: High volume water jet

Specific hazards during fire

fighting

: Fire Hazard

Keep away from heat and sources of ignition. Flash back possible over considerable distance.

Beware of vapors accumulating to form explosive concentrations.

Vapors can accumulate in low areas.

Hazardous combustion

products

: Decomposition products may include the following materials:

Carbon oxides

Nitrogen oxides (NOx)

Sulfur oxides

Oxides of phosphorus

908271-16 2 / 9

# Klerwipe 70/30 IPA

for fire-fighters

Special protective equipment : Use personal protective equipment.

Specific extinguishing

methods

: Use water spray to cool unopened containers. Fire residues and contaminated fire extinguishing water must be disposed of in

accordance with local regulations. In the event of fire and/or explosion

do not breathe fumes.

### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures

: Remove all sources of ignition. Refer to protective measures listed in

sections 7 and 8.

**Environmental precautions** 

: Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up : Eliminate all ignition sources if safe to do so. Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach

a waterway.

### **SECTION 7. HANDLING AND STORAGE**

: Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Use only with Advice on safe handling

adequate ventilation. Keep away from fire, sparks and heated surfaces. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Wash hands thoroughly after handling. Open drum carefully as content may be

under pressure.

Conditions for safe storage : Keep away from heat and sources of ignition. Keep in a cool, well-

> ventilated place. Keep away from oxidizing agents. Keep out of reach of children. Keep container tightly closed. Store in suitable labeled

containers.

: 0 °C to 25 °C Storage temperature

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### Ingredients with workplace control parameters

Ingredients	CAS-No.	Form of exposure	Permissible concentration	Basis
propan-2-ol	67-63-0	TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
		TWA	400 ppm 980 mg/m3	NIOSH REL
		STEL	500 ppm 1,225 mg/m3	NIOSH REL
		TWA	400 ppm 980 mg/m3	OSHA Z1

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations

908271-16 3/9

# Klerwipe 70/30 IPA

below occupational exposure standards.

### Personal protective equipment

Eye protection : Wear eye protection/ face protection.

Hand protection : Wear the following personal protective equipment:

Standard glove type.

Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Skin protection : No special protective equipment required.

Respiratory protection : When workers are facing concentrations above the exposure limit they

must use appropriate certified respirators.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice.

### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid

Color : clear, colorless
Odor : alcohol-like

pH : 6.0 - 8.0, (100 %)
Flash point : 21 °C closed cup
Odor Threshold : No data available
Melting point/freezing point : No data available

Initial boiling point and

boiling range

: > 35 °C

Evaporation rate : No data available
Flammability (solid, gas) : No data available
Upper explosion limit : No data available
Lower explosion limit : No data available
Vapor pressure : No data available
Relative vapor density : No data available
Relative density : 0.872 - 0.883

Water solubility : soluble

Solubility in other solvents : No data available Partition coefficient: n- : No data available

octanol/water

Autoignition temperature : No data available
Thermal decomposition : No data available
Viscosity, kinematic : No data available
Explosive properties : No data available

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

908271-16 4 / 9

# Klerwipe 70/30 IPA

VOC : No data available

Heat of combustion : 17.12 kJ/g

# **SECTION 10. STABILITY AND REACTIVITY**

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

: No dangerous reaction known under conditions of normal use.

Conditions to avoid : Heat, flames and sparks.

: None known. Incompatible materials

Hazardous decomposition

products

: Decomposition products may include the following materials:

Carbon oxides

Nitrogen oxides (NOx)

Sulfur oxides

Oxides of phosphorus

# **SECTION 11. TOXICOLOGICAL INFORMATION**

exposure

Information on likely routes of : Inhalation, Eye contact, Skin contact

# **Potential Health Effects**

Eyes : Causes eye irritation.

Skin : Health injuries are not known or expected under normal use.

Ingestion : Health injuries are not known or expected under normal use.

Inhalation : Inhalation may cause central nervous system effects.

Chronic Exposure : Health injuries are not known or expected under normal use.

### **Experience with human exposure**

Eye contact : Redness, Irritation

Skin contact : No symptoms known or expected.

Ingestion : No symptoms known or expected.

Inhalation : Dizziness, Drowsiness

**Toxicity** 

**Product** 

Acute oral toxicity : No data available : No data available Acute inhalation toxicity Acute dermal toxicity : No data available Skin corrosion/irritation : No data available

908271-16 5/9

# Klerwipe 70/30 IPA

Serious eye damage/eye

irritation

: Mild eye irritation

Respiratory or skin

sensitization

: No data available

Carcinogenicity : No data available Reproductive effects : No data available

Germ cell mutagenicity : No data available Teratogenicity : No data available

STOT-single exposure : No data available STOT-repeated exposure : No data available Aspiration toxicity : No data available

Ingredients

Acute oral toxicity : Isopropanol

LD50 Rat: 5,840 mg/kg

Ingredients

Acute inhalation toxicity : Isopropanol

4 h LC50 Rat: 30 mg/l

Ingredients

Acute dermal toxicity : Isopropanol

LD50 Rabbit: 12,870 mg/kg

# **SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity** 

**Environmental Effects** : This product has no known ecotoxicological effects.

**Product** 

Toxicity to fish : No data available : No data available Toxicity to daphnia and other

aquatic invertebrates

: No data available

Ingredients

Toxicity to algae

Toxicity to fish : Isopropanol

96 h LC50 Pimephales promelas: 9,640 mg/l

Ingredients

Toxicity to daphnia and other : Isopropanol

aquatic invertebrates LC50 Daphnia magna (Water flea): > 10,000 mg/l

Persistence and degradability

Readily biodegradable.

**Bioaccumulative potential** 

No data available

Mobility in soil

908271-16 6/9

# Klerwipe 70/30 IPA

No data available

#### Other adverse effects

No data available

### **SECTION 13. DISPOSAL CONSIDERATIONS**

Disposal methods : Where possible recycling is preferred to disposal or incineration. If

recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to

an approved waste handling site for recycling or disposal. Do not reuse empty containers. Dispose of in accordance with local, state, and

federal regulations.

### **SECTION 14. TRANSPORT INFORMATION**

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (DOT)

UN number : 3175

Description of the goods : Solids containing flammable liquid, n.o.s.

(Isopropanol)

Class : 4.1
Packing group : II
Environmentally hazardous : no

Sea transport (IMDG/IMO)

UN number : 3175

Description of the goods : SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.

(Isopropanol)

Class : 4.1
Packing group : II
Marine pollutant : no

# **SECTION 15. REGULATORY INFORMATION**

# **EPCRA - Emergency Planning and Community Right-to-Know**

### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Fire Hazard

Acute Health Hazard

SARA 302 : No chemicals in this material are subject to the reporting requirements

of SARA Title III, Section 302.

908271-16 7 / 9

# Klerwipe 70/30 IPA

**SARA 313** 

: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### California Prop 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

#### The ingredients of this product are reported in the following inventories:

### **United States TSCA Inventory:**

On TSCA Inventory

### Canadian Domestic Substances List (DSL):

All components of this product are on the Canadian DSL

### Australia Inventory of Chemical Substances (AICS):

On the inventory, or in compliance with the inventory

#### New Zealand. Inventory of Chemical Substances:

not determined

#### Japan. ENCS - Existing and New Chemical Substances Inventory:

not determined

### Korea. Korean Existing Chemicals Inventory (KECI):

not determined

### Philippines Inventory of Chemicals and Chemical Substances (PICCS):

not determined

#### China. Inventory of Existing Chemical Substances in China (IECSC):


On the inventory, or in compliance with the inventory

#### **Taiwan Chemical Substance Inventory:**

not determined

#### **SECTION 16. OTHER INFORMATION**

### NFPA:



### HMIS III:

HEALTH	1
FLAMMABILITY	4
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,

2 = Moderate, 3 = High 4 = Extreme, \* = Chronic

: 06/09/2017 Issuing date

Version : 1.1

Prepared by : Regulatory Affairs

908271-16 8/9

# Klerwipe 70/30 IPA

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

908271-16 9 / 9