

# MONOGRAM CLEAN FORCE STAINLESS STEEL CLEANER AND POLISH

## SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : MONOGRAM CLEAN FORCE STAINLESS STEEL CLEANER AND

**POLISH** 

Other means of identification : Not applicable

Recommended use : Metal Cleaner

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : Product is sold ready to use.

Company : Ecolab Inc.

1 Ecolab Place

St. Paul, Minnesota USA 55102

1-866-444-7450

Emergency health

information

1-800-328-0026 (US/Canada), 1-651-222-5352 (outside US)

Issuing date : 01/15/2020

## **SECTION 2. HAZARDS IDENTIFICATION**

**GHS Classification** 

Flammable aerosols : Category 2

**GHS** label elements

Hazard pictograms



Signal Word : Warning

Hazard Statements : Flammable aerosol.

Precautionary Statements : **Prevention:** 

Keep away from heat/sparks/open flames/hot surfaces. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Intentional misuse by

deliberate inhalation may be harmful or fatal.

Storage:

Protect from sunlight. Do not expose to temperatures exceeding

50 °C/ 122 °F.

Other hazards : None known.

## **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Pure substance/mixture : Mixture

Chemical name CAS-No. Concentration (%)

white mineral oil, petroleum 8042-47-5 10 - 30 Butane 106-97-8 5 - 10

900096-06 1 / 8

# MONOGRAM CLEAN FORCE STAINLESS STEEL CLEANER AND POLISH

propane 74-98-6 1 - 5 solvent naphtha (petroleum), medium aliph. 64742-88-7 1 - 5

# **SECTION 4. FIRST AID MEASURES**

In case of eye contact : Rinse with plenty of water.

In case of skin contact : Rinse with plenty of water.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

If inhaled : Get medical attention if symptoms occur.

Protection of first-aiders : No special precautions are necessary for first aid responders.

Notes to physician : No specific measures identified.

Most important symptoms and effects, both acute and

delayed

: See Section 11 for more detailed information on health effects and

symptoms.

## **SECTION 5. FIRE-FIGHTING MEASURES**

: Use extinguishing measures that are appropriate to local Suitable extinguishing media

circumstances and the surrounding environment.

Unsuitable extinguishing

media

: High volume water jet

Specific hazards during fire

fighting

: Pressurised container: May burst if heated.

Flammable aerosols

Hazardous combustion

products

: Decomposition products may include the following materials:

Carbon oxides

for fire-fighters

Special protective equipment : Use personal protective equipment.

Specific extinguishing

methods

: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire

and/or explosion do not breathe fumes.

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures

: Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up : Stop leak if safe to do so.

# **SECTION 7. HANDLING AND STORAGE**

Advice on safe handling : Contents under pressure. Do not puncture. Wash hands thoroughly

after handling.

900096-06 2/8

# MONOGRAM CLEAN FORCE STAINLESS STEEL CLEANER AND POLISH

Conditions for safe storage : Keep in a cool, well-ventilated place. Keep out of reach of children.

Keep container tightly closed. Store in suitable labeled containers.

Storage temperature : 5 °C to 45 °C

# **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### Ingredients with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
white mineral oil, petroleum	8042-47-5	TWA (Mist)	5 mg/m3	NIOSH REL
		STEL (Mist)	10 mg/m3	NIOSH REL
		TWA (Mist)	5 mg/m3	OSHA Z1
		TWA (Inhalable fraction)	5 mg/m3	ACGIH
Butane	106-97-8	TWA	800 ppm 1,900 mg/m3	NIOSH REL
		STEL	1,000 ppm	ACGIH
propane	74-98-6	TWA	1,000 ppm 1,800 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,800 mg/m3	OSHA Z1
solvent naphtha (petroleum), medium aliph.	64742-88-7	TWA	500 ppm 2,000 mg/m3	OSHA Z1
		TWA	200 mg/m3 (as total hydrocarbon vapor)	ACGIH

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations

below occupational exposure standards.

## Personal protective equipment

Eye protection : No special protective equipment required.

Hand protection : No special protective equipment required.

Skin protection : No special protective equipment required.

Respiratory protection : No personal respiratory protective equipment normally required.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice.

# **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : aerosol

Color : opaque, white

Odor : citrus

pH : Not applicable

Flash point : Not applicable, Sustains combustion

Odor Threshold : No data available

900096-06 3 / 8

# MONOGRAM CLEAN FORCE STAINLESS STEEL CLEANER AND POLISH

Melting point/freezing point : No data available

Initial boiling point and

Relative vapor density

boiling range

: > 100 °C

Evaporation rate : No data available Flammability (solid, gas) : Not applicable Upper explosion limit : No data available Lower explosion limit : No data available : No data available Vapor pressure

Relative density : 0.894 - 0.951

Water solubility : soluble

Solubility in other solvents : No data available Partition coefficient: n-: No data available

octanol/water

: No data available

Autoignition temperature : No data available Thermal decomposition : No data available

Viscosity, kinematic : 6300.000 mm2/s (40 °C)

: No data available Explosive properties Oxidizing properties : No data available Molecular weight : No data available VOC : No data available

Heat of combustion : 6.26 kJ/g

# **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

: No dangerous reaction known under conditions of normal use.

Conditions to avoid : None known.

Incompatible materials : None known.

Hazardous decomposition

products

: Decomposition products may include the following materials:

Carbon oxides

## **SECTION 11. TOXICOLOGICAL INFORMATION**

Information on likely routes of : Eye contact, Skin contact

exposure

**Potential Health Effects** 

: Health injuries are not known or expected under normal use. Eyes

900096-06 4/8

# MONOGRAM CLEAN FORCE STAINLESS STEEL CLEANER AND POLISH

Skin : Health injuries are not known or expected under normal use.

Ingestion : Health injuries are not known or expected under normal use.

Inhalation : Intentional misuse by deliberate inhalation may be harmful or fatal.

Chronic Exposure : Health injuries are not known or expected under normal use.

## **Experience with human exposure**

Eye contact : No symptoms known or expected.

Skin contact : No symptoms known or expected.

Ingestion : No symptoms known or expected.

Inhalation : No symptoms known or expected.

## **Toxicity**

**Product** 

Acute oral toxicity : Acute toxicity estimate : > 5,000 mg/kg

Acute inhalation toxicity : No data available
Acute dermal toxicity : No data available
Skin corrosion/irritation : No data available

Serious eye damage/eye

irritation

: No data available

Respiratory or skin

sensitization

: No data available

Carcinogenicity : No data available
Reproductive effects : No data available
Germ cell mutagenicity : No data available
Teratogenicity : No data available
STOT-single exposure : No data available
STOT-repeated exposure : No data available
Aspiration toxicity : No data available

Components

Acute inhalation toxicity : Butane

4 h LC50 Rat: 280000 ppm Test atmosphere: gas

Components

Acute dermal toxicity : solvent naphtha (petroleum), medium aliph.

LD50 Rabbit: > 2,000 mg/kg

## **SECTION 12. ECOLOGICAL INFORMATION**

# **Ecotoxicity**

Environmental Effects : This product has no known ecotoxicological effects.

900096-06 5 / 8

# MONOGRAM CLEAN FORCE STAINLESS STEEL CLEANER AND POLISH

**Product** 

Toxicity to fish : No data available

Toxicity to daphnia and other : No data available

aquatic invertebrates

Toxicity to algae : No data available

Components

Toxicity to fish : white mineral oil, petroleum

96 h LC50 Oncorhynchus mykiss (rainbow trout): > 100 mg/l

Butane

96 h LC50 Fish: 22.03 mg/l

solvent naphtha (petroleum), medium aliph.

96 h LC50 Fish: 800 mg/l

## Persistence and degradability

Biodegradable

## **Bioaccumulative potential**

No data available

#### Mobility in soil

No data available

#### Other adverse effects

No data available

## **SECTION 13. DISPOSAL CONSIDERATIONS**

Disposal methods : Where possible recycling is preferred to disposal or incineration. If

recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to

an approved waste handling site for recycling or disposal. Do not reuse empty containers. Dispose of in accordance with local, state, and

federal regulations.

# **SECTION 14. TRANSPORT INFORMATION**

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (DOT)

UN number : 1950

Description of the goods : Aerosols

Class : 2.1

Environmentally hazardous : no

Sea transport (IMDG/IMO)

UN number : 1950

900096-06 6 / 8

# MONOGRAM CLEAN FORCE STAINLESS STEEL CLEANER AND POLISH

Description of the goods : AEROSOLS

Class : 2.1 Marine pollutant : no

# **SECTION 15. REGULATORY INFORMATION**

# **EPCRA - Emergency Planning and Community Right-to-Know**

#### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

## SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Fire Hazard

SARA 302 : No chemicals in this material are subject to the reporting requirements

of SARA Title III, Section 302.

SARA 313 : This material does not contain any chemical components with known

CAS numbers that exceed the threshold (De Minimis) reporting levels

established by SARA Title III, Section 313.

#### California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

## California Cleaning Product Right to Know Act of 2017 (SB 258)

This regulation applies to this product.

Chemical Name	CAS-No.	Function	List(s)
water	7732-18-5	Solvent	Not Applicable
white mineral oil, petroleum	8042-47-5	Solvent	9, 15
Butane	106-97-8	Propellant	Not Applicable
propane	74-98-6	Propellant	Not Applicable
solvent naphtha (petroleum), medium aliph.	64742-88-7	Solvent	Not Applicable

<sup>\*</sup>refer to ecolab.com/sds for electronic links to designated lists

# The ingredients of this product are reported in the following inventories:

## **United States TSCA Inventory:**

All substances listed as active on the TSCA inventory

## Canadian Domestic Substances List (DSL):

All components of this product are on the Canadian DSL

## Australia Inventory of Chemical Substances (AICS):

On the inventory, or in compliance with the inventory

## New Zealand. Inventory of Chemical Substances:

not determined

## Japan. ENCS - Existing and New Chemical Substances Inventory:

not determined

## Korea. Korean Existing Chemicals Inventory (KECI):

On the inventory, or in compliance with the inventory

900096-06 7 / 8

# MONOGRAM CLEAN FORCE STAINLESS STEEL CLEANER AND POLISH

# Philippines Inventory of Chemicals and Chemical Substances (PICCS):

On the inventory, or in compliance with the inventory

## China. Inventory of Existing Chemical Substances in China (IECSC):


On the inventory, or in compliance with the inventory

## Taiwan Chemical Substance Inventory (TCSI):

On the inventory, or in compliance with the inventory

# **SECTION 16. OTHER INFORMATION**

#### NFPA:



#### HMIS III:

HEALTH	0
FLAMMABILITY	3
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,

2 = Moderate, 3 = High

4 = Extreme, \* = Chronic

Issuing date : 01/15/2020

Version : 1.0

Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

900096-06 8 / 8