

# BRIGHT BLAST LOW ODOR FLOOR STRIPPER

## **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : BRIGHT BLAST LOW ODOR FLOOR STRIPPER

Other means of identification: Not applicable

Recommended use Floor Stripper

Restrictions on use Reserved for industrial and professional use.

Product dilution information 6.25 % - 17.19 %

Ecolab Inc. Company

1 Ecolab Place

St. Paul, Minnesota USA 55102

1-800-352-5326

Emergency health

information

1-800-328-0026 (US/Canada), 1-651-222-5352 (outside US)

Issuing date 09/19/2024

#### **SECTION 2. HAZARDS IDENTIFICATION**

#### **GHS Classification**

**Product AS SOLD** 

Skin corrosion : Category 1A Serious eye damage : Category 1

single exposure

Specific target organ toxicity - : Category 3 (Respiratory system)

**Product AT USE DILUTION** 

Skin corrosion : Category 1A Serious eye damage Category 1

#### **GHS** label elements

**Product AS SOLD** 

Hazard pictograms





Signal Word Danger

**Hazard Statements** : Causes severe skin burns and eye damage.

May cause respiratory irritation.

**Precautionary Statements** : Prevention:

> Avoid breathing mist or vapors. Wash skin thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/

protective clothing/ eye protection/ face protection.

Response:

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/

917098-03 1/12

# BRIGHT BLAST LOW ODOR FLOOR STRIPPER

doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor. Wash contaminated clothing before reuse.

## Storage:

Store in a well-ventilated place. Keep container tightly closed. Store locked up.

# Disposal:

Dispose of contents/ container to an approved waste disposal plant.

#### **Product AT USE DILUTION**

Hazard pictograms

Signal Word : Danger

Hazard Statements : Causes severe skin burns and eye damage.

Precautionary Statements : Prevention:

Wash skin thoroughly after handling. Wear protective gloves/

protective clothing/ eye protection/ face protection.

Response:

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor. Wash contaminated

clothing before reuse. **Storage:** 

Store locked up. **Disposal:** 

Dispose of contents/ container to an approved waste disposal plant.

**Product AS SOLD** 

Other hazards : None known.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

**Product AS SOLD** 

Pure substance/mixture : Mixture

Chemical name	CAS-No.	Concentration (%)	
Sodium hydroxide	1310-73-2	5 - 10	
Monoethanolamine	141-43-5	5 - 10	
Benzyl alcohol	100-51-6	5 - 10	
Sodium Xylenesulfonate	1300-72-7	1 - 5	

**Product AT USE DILUTION** 

Chemical name	CAS-No.	Concentration (%)
Sodium hydroxide	1310-73-2	1 - 5
Monoethanolamine	141-43-5	1 - 5
Benzyl alcohol	100-51-6	1 - 5

# **SECTION 4. FIRST AID MEASURES**

917098-03 2 / 12

# BRIGHT BLAST LOW ODOR FLOOR STRIPPER

**Product AS SOLD** 

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Get medical attention immediately.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes.

Wash clothing before reuse. Thoroughly clean shoes before reuse.

Get medical attention immediately.

If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give

anything by mouth to an unconscious person. Get medical attention

immediately.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if

symptoms occur.

Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal

protective equipment.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and

delayed

: See Section 11 for more detailed information on health effects and

symptoms.

**Product AT USE DILUTION** 

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Get medical attention immediately.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes.

Wash clothing before reuse. Thoroughly clean shoes before reuse.

Get medical attention immediately.

If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give

anything by mouth to an unconscious person. Get medical attention

immediately.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if

symptoms occur.

# **SECTION 5. FIRE-FIGHTING MEASURES**

**Product AS SOLD** 

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable extinguishing

media

: None known.

Specific hazards during fire

fighting

: Not flammable or combustible.

Hazardous combustion

products

: Decomposition products may include the following materials:

Carbon oxides

Nitrogen oxides (NOx)

Sulfur oxides

917098-03 3 / 12

# BRIGHT BLAST LOW ODOR FLOOR STRIPPER

Special protective equipment

for fire-fighters

: Use personal protective equipment.

Specific extinguishing

methods

: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire

and/or explosion do not breathe fumes.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

#### **Product AS SOLD**

Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

: Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up

**Environmental precautions** 

: Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

#### **Product AT USE DILUTION**

Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

Environmental precautions

: Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up

: Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

#### **SECTION 7. HANDLING AND STORAGE**

#### **Product AS SOLD**

Advice on safe handling

: Do not ingest. Do not get in eyes, on skin, or on clothing. Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Use only with adequate ventilation. Wash hands thoroughly after handling. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE).

Conditions for safe storage

: Do not store near acids. Keep out of reach of children. Store in suitable labeled containers.

Storage temperature : 0 °C to 30 °C

Packaging material : Suitable material: Plastic material

Unsuitable material: Aluminum, Mild steel

917098-03 4 / 12

# BRIGHT BLAST LOW ODOR FLOOR STRIPPER

**Product AT USE DILUTION** 

Advice on safe handling : Do not ingest. Do not get in eyes, on skin, or on clothing. Do not

breathe dust/ fume/ gas/ mist/ vapors/ spray. Use only with adequate ventilation. Wash hands thoroughly after handling. In case of mechanical malfunction, or if in contact with unknown dilution of

product, wear full Personal Protective Equipment (PPE).

Conditions for safe storage : Do not store near acids. Keep out of reach of children. Store in

suitable labeled containers.

# **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

# Product AS SOLD Ingredients with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
sodium hydroxide	1310-73-2	Ceiling	2 mg/m3	ACGIH
		Ceiling	2 mg/m3	NIOSH REL
		TWA	2 mg/m3	OSHA Z1
monoethanolamine	141-43-5	TWA	3 ppm	ACGIH
		STEL	6 ppm	ACGIH
		TWA	3 ppm 8 mg/m3	NIOSH REL
		STEL	6 ppm 15 mg/m3	NIOSH REL
		TWA	3 ppm 6 mg/m3	OSHA Z1
Benzyl alcohol	100-51-6	TWA	10 ppm	AIHA WEEL

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations

below occupational exposure standards.

Personal protective equipment

Eye protection : Wear eye protection and/or face protection.

Hand protection : Wear the following personal protective equipment:

Standard glove type.

Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Skin protection : Personal protective equipment comprising: suitable protective gloves,

safety goggles and protective clothing

Respiratory protection : When workers are facing concentrations above the exposure limit they

must use appropriate certified respirators.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes

and body in case of contact or splash hazard.

**Product AT USE DILUTION** 

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations

below occupational exposure standards.

917098-03 5 / 12

# BRIGHT BLAST LOW ODOR FLOOR STRIPPER

#### Personal protective equipment

Eye protection : Wear eye protection and/or face protection.

Hand protection : Wear the following personal protective equipment:

Standard glove type.

Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

: Personal protective equipment comprising: suitable protective gloves, Skin protection

safety goggles and protective clothing

Respiratory protection : When workers are facing concentrations above the exposure limit they

must use appropriate certified respirators.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

**Product AS SOLD Product AT USE DILUTION** 

**Appearance** : liquid liquid Color : clear, colorless colorless Odor : solvent alcohol-like рΗ : 12.0 - 13.0, (100 %) 13.0 - 13.8

Flash point : Not applicable, Does not sustain combustion.

Odor Threshold : No data available Melting point/freezing point : No data available Initial boiling point and : No data available

boiling range

Evaporation rate : No data available Flammability (solid, gas) : Not applicable Upper explosion limit : No data available

: No data available Lower explosion limit Vapor pressure : No data available Relative vapor density : No data available

Relative density : 1.13 - 1.15 Water solubility : soluble

Solubility in other solvents : No data available Partition coefficient: n-: No data available

octanol/water

Autoignition temperature : No data available Thermal decomposition : No data available Viscosity, kinematic : No data available Explosive properties : No data available

Oxidizing properties : The substance or mixture is not classified as oxidizing.

: No data available Molecular weight VOC : No data available

917098-03 6/12

# BRIGHT BLAST LOW ODOR FLOOR STRIPPER

#### SECTION 10. STABILITY AND REACTIVITY

**Product AS SOLD** 

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

: No dangerous reaction known under conditions of normal use.

Conditions to avoid : None known.

: None known. Incompatible materials

Hazardous decomposition

products

: In case of fire hazardous decomposition products may be produced

such as: Carbon oxides

Nitrogen oxides (NOx)

Sulfur oxides

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

exposure

Information on likely routes of : Inhalation, Eye contact, Skin contact

#### **Potential Health Effects**

**Product AS SOLD** 

Eyes : Causes serious eye damage.

Skin : Causes severe skin burns.

Ingestion : Causes digestive tract burns.

Inhalation : May cause respiratory tract irritation. May cause nose, throat, and

lung irritation.

Chronic Exposure : Health injuries are not known or expected under normal use.

**Product AT USE DILUTION** 

Eyes : Causes serious eye damage.

: Causes severe skin burns. Skin

Ingestion : Causes digestive tract burns.

Inhalation May cause nose, throat, and lung irritation.

Chronic Exposure : Health injuries are not known or expected under normal use.

# **Experience with human exposure**

**Product AS SOLD** 

Eye contact : Redness, Pain, Corrosion

Skin contact : Redness, Pain, Corrosion

Ingestion : Corrosion, Abdominal pain

917098-03 7/12

# BRIGHT BLAST LOW ODOR FLOOR STRIPPER

Inhalation : Respiratory irritation, Cough

**Product AT USE DILUTION** 

Eye contact : Redness, Pain, Corrosion

Skin contact : Redness, Pain, Corrosion

Ingestion : Corrosion, Abdominal pain

Inhalation : Respiratory irritation, Cough

#### **Toxicity**

**Product AS SOLD** 

**Product** 

Acute oral toxicity : Acute toxicity estimate : > 5,000 mg/kg

Acute inhalation toxicity : 4 h Acute toxicity estimate : 8.68 mg/l

Test atmosphere: dust/mist

Acute dermal toxicity : Acute toxicity estimate : > 5,000 mg/kg

Skin corrosion/irritation : No data available
Serious eye damage/eye : No data available

irritation

Respiratory or skin

sensitization

: No data available

Carcinogenicity : No data available
Reproductive effects : No data available
Germ cell mutagenicity : No data available
Teratogenicity : No data available
STOT-single exposure : No data available
STOT-repeated exposure : No data available
Aspiration toxicity : No data available

## SECTION 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

**Product AS SOLD** 

Environmental Effects : This product has no known ecotoxicological effects.

**Product AT USE DILUTION** 

Environmental Effects : This product has no known ecotoxicological effects.

Product AS SOLD Product

riodaot

Toxicity to fish : No data available

Toxicity to daphnia and other : No data available

aquatic invertebrates

Toxicity to algae : No data available

Components

Toxicity to fish : Benzyl alcohol

917098-03 8 / 12

# BRIGHT BLAST LOW ODOR FLOOR STRIPPER

96 h LC50 Pimephales promelas: 460 mg/l

Components

Toxicity to daphnia and other

aquatic invertebrates

Sodium hydroxide

48 h EC50 Daphnia magna (Water flea): 40 mg/l

Monoethanolamine

48 h EC50 Aquatic Invertebrate: 65 mg/l

Benzyl alcohol

48 h EC50 Daphnia magna (Water flea): 230 mg/l

Components

Toxicity to algae : Benzyl alcohol

72 h EC50 Aquatic Plant: 770 mg/l

Sodium Xylenesulfonate 96 h EC50: 230 mg/l

#### Persistence and degradability

#### **Product AT USE DILUTION**

Biodegradable

#### Bioaccumulative potential

No data available

#### Mobility in soil

No data available

#### Other adverse effects

No data available

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

**Product AS SOLD** 

Disposal methods : Where possible recycling is preferred to disposal or incineration. If

recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to

an approved waste handling site for recycling or disposal. Do not reuse empty containers. Dispose of in accordance with local, state, and

federal regulations.

RCRA - Resource

Conservation and Recovery Authorization Act Hazardous

waste

: D002 (Corrosive)

#### **Product AT USE DILUTION**

Disposal methods : Where possible recycling is preferred to disposal or incineration. If

recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to

an approved waste handling site for recycling or disposal. Do not reuse empty containers. Dispose of in accordance with local, state, and

917098-03 9 / 12

# BRIGHT BLAST LOW ODOR FLOOR STRIPPER

federal regulations.

#### **SECTION 14. TRANSPORT INFORMATION**

# **Product AS SOLD**

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (DOT)

UN number : 3266

Description of the goods : Corrosive liquid, basic, inorganic, n.o.s.

(sodium hydroxide, monoethanolamine)

Class : 8
Packing group : II
Environmentally hazardous : no

Sea transport (IMDG/IMO)

UN number : 3266

Proper shipping name : CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.

(sodium hydroxide, monoethanolamine)

Class : 8
Packing group : II
Marine pollutant : no

# **SECTION 15. REGULATORY INFORMATION**

#### **Product AS SOLD**

#### **EPCRA - Emergency Planning and Community Right-to-Know**

# **CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ
			(lbs)
Sodium hydroxide	1310-73-2	1000	10057

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Serious eye damage or eye irritation

Specific target organ toxicity (single or repeated exposure)

Skin corrosion or irritation

SARA 302 : This material does not contain any components with a section 302

EHS TPQ.

SARA 313 : This material does not contain any chemical components with known

CAS numbers that exceed the threshold (De Minimis) reporting levels

established by SARA Title III, Section 313.

#### California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

#### California Cleaning Product Right to Know Act of 2017 (SB 258)

917098-03 10 / 12

# BRIGHT BLAST LOW ODOR FLOOR STRIPPER

This regulation applies to this product.

Hazardous ingredients	CAS-No.	Function	List(s)
water	7732-18-5	Diluent	Not Applicable
Sodium hydroxide	1310-73-2	Cleaning Agent	20
Monoethanolamine	141-43-5	Cleaning Agent	Not Applicable
Benzyl alcohol	100-51-6	Solvent	FRA
Sodium Xylenesulfonate	1300-72-7	Stabilizer	Not Applicable
Fatty acid salt	Withheld	Cleaning Agent	Not Applicable
nonionic surfactant	Withheld	Cleaning Agent	Not Applicable

<sup>\*</sup>refer to ecolab.com/sds for electronic links to designated lists

## The ingredients of this product are reported in the following inventories:

#### **United States TSCA Inventory:**

On the inventory, or in compliance with the inventory

# Canadian Domestic Substances List (DSL):

This product contains one or several components that are not on the Canadian DSL nor NDSL.

# Australia. Australian Industrial Chemicals Introduction Scheme (AICIS):

On the inventory, or in compliance with the inventory

### New Zealand. Inventory of Chemical Substances:

On the inventory, or in compliance with the inventory

### Japan. ENCS - Existing and New Chemical Substances Inventory :

On the inventory, or in compliance with the inventory

# Korea. Korean Existing Chemicals Inventory (KECI):

On the inventory, or in compliance with the inventory

#### Philippines Inventory of Chemicals and Chemical Substances (PICCS):

not determined

#### China. Inventory of Existing Chemical Substances in China (IECSC):


On the inventory, or in compliance with the inventory

# Taiwan Chemical Substance Inventory (TCSI):

On the inventory, or in compliance with the inventory

#### **SECTION 16. OTHER INFORMATION**

# Product AS SOLD NFPA:



#### HMIS III:

HEALTH	3
FLAMMABILITY	0
PHYSICAL HAZARD	0


0 = not significant, 1 = Slight,

2 = Moderate, 3 = High

4 = Extreme, \* = Chronic

917098-03 11 / 12

# BRIGHT BLAST LOW ODOR FLOOR STRIPPER



Issuing date : 09/19/2024

Version : 1.3

Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

917098-03 12 / 12