

DESTAIN A

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : DESTAIN A

Other means of identification : Not applicable

Recommended use : Cleaning product

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : 7.5 %

Company : Ecolab Inc.

1 Ecolab Place

St. Paul, Minnesota USA 55102

1-800-352-5326

Emergency health

information

1-800-328-0026 (US/Canada), 1-651-222-5352 (outside US)

Issuing date : 09/10/2024

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Product AS SOLD

Skin corrosion : Category 1A Serious eye damage : Category 1

Product AT USE DILUTION

Skin corrosion : Category 1A Serious eye damage : Category 1

GHS label elements

Product AS SOLD

Hazard pictograms



Signal Word : Danger

Hazard Statements : Causes severe skin burns and eye damage.

Precautionary Statements : **Prevention:**

Do not breathe dust. Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor. Wash contaminated

clothing before reuse.

914432-01 1 / 11

DESTAIN A

Storage:

Store locked up. Disposal:

Dispose of contents/ container to an approved waste disposal plant.

Product AT USE DILUTION

Hazard pictograms

Signal Word : Danger

Hazard Statements : Causes severe skin burns and eye damage.

Precautionary Statements : Prevention:

Wash skin thoroughly after handling. Wear protective gloves/

protective clothing/ eye protection/ face protection.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor. Wash contaminated

clothing before reuse.

Storage:

Store locked up. Disposal:

Dispose of contents/ container to an approved waste disposal plant.

Product AS SOLD

Other hazards : Do not mix with bleach or other chlorinated products - will cause

chlorine gas.

Product AT USE DILUTION

Other hazards : Do not mix with bleach or other chlorinated products – will cause

chlorine gas.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Product AS SOLD

Pure substance/mixture : Mixture

Chemical name CAS-No. Concentration (%)

Sodium hydrogensulfate 7681-38-1 60 - 100 potassium permanganate 5 - 10 7722-64-7

Product AT USE DILUTION

Concentration (%) Chemical name CAS-No.

Sodium hydrogensulfate 7681-38-1 5 - 10 potassium permanganate 7722-64-7 0.1 - 1

SECTION 4. FIRST AID MEASURES

Product AS SOLD

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes. Remove contact lenses, if present and easy to do.

914432-01 2/11

DESTAIN A

Continue rinsing. Get medical attention immediately.

In case of skin contact Wash off immediately with plenty of water for at least 15 minutes.

Wash clothing before reuse. Thoroughly clean shoes before reuse.

Get medical attention immediately.

If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give

anything by mouth to an unconscious person. Get medical attention

immediately.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if

symptoms occur.

Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal

protective equipment.

: Treat symptomatically. Notes to physician

Most important symptoms and effects, both acute and

delayed

: See Section 11 for more detailed information on health effects and

symptoms.

Product AT USE DILUTION

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Get medical attention immediately.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes.

Wash clothing before reuse. Thoroughly clean shoes before reuse.

Get medical attention immediately.

If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give

anything by mouth to an unconscious person. Get medical attention

immediately.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if

symptoms occur.

SECTION 5. FIRE-FIGHTING MEASURES

Product AS SOLD

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable extinguishing

media

: None known.

Specific hazards during fire

fighting

: Not flammable or combustible.

Hazardous combustion

products

: Decomposition products may include the following materials:

Carbon oxides Sulfur oxides

for fire-fighters

Special protective equipment : Use personal protective equipment.

Specific extinguishing : Fire residues and contaminated fire extinguishing water must be

914432-01 3/11

DESTAIN A

methods

disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Product AS SOLD

Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

Environmental precautions

: Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up

: Sweep up and shovel into suitable containers for disposal.

Product AT USE DILUTION

Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

Environmental precautions

: Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up

: Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

SECTION 7. HANDLING AND STORAGE

Product AS SOLD

Advice on safe handling

: Do not ingest. Do not get in eyes, on skin, or on clothing. Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Use only with adequate ventilation. Wash hands thoroughly after handling. Do not mix with bleach or other chlorinated products – will cause chlorine gas. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE).

Conditions for safe storage

: Keep away from strong bases. Keep out of reach of children. Store in suitable labeled containers.

Storage temperature : -30 °C to 40 °C

Product AT USE DILUTION

Advice on safe handling

: Do not ingest. Do not get in eyes, on skin, or on clothing. Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Use only with adequate ventilation. Wash hands thoroughly after handling. Do not mix with bleach or other chlorinated products – will cause chlorine gas. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE).

Conditions for safe storage

: Keep away from strong bases. Keep out of reach of children. Store in

914432-01 4 / 11

DESTAIN A

suitable labeled containers.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Product AS SOLD

Ingredients with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
potassium permanganate	7722-64-7	С	5 mg/m3 (Manganese)	OSHA Z1
		TWA (Inhalable fraction)	0.1 mg/m3 (Manganese)	ACGIH
		TWA (Respirable fraction)	0.02 mg/m3 (Manganese)	ACGIH
		TWA	1 mg/m3 (Manganese)	NIOSH REL
		STEL	3 mg/m3 (Manganese)	NIOSH REL

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations

below occupational exposure standards.

Personal protective equipment

Eye protection : Wear eye protection and/or face protection.

Hand protection : Wear the following personal protective equipment:

Standard glove type.

Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Skin protection : Personal protective equipment comprising: suitable protective gloves,

safety goggles and protective clothing

Respiratory protection : When workers are facing concentrations above the exposure limit they

must use appropriate certified respirators.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes

and body in case of contact or splash hazard.

Product AT USE DILUTION

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations

below occupational exposure standards.

Personal protective equipment

Eye protection : Wear eye protection and/or face protection.

Hand protection : Wear the following personal protective equipment:

Standard glove type.

Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

914432-01 5 / 11

DESTAIN A

Skin protection : Personal protective equipment comprising: suitable protective gloves,

safety goggles and protective clothing

Respiratory protection : When workers are facing concentrations above the exposure limit they

must use appropriate certified respirators.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Product AS SOLD

Appearance : powder

Color : purple

Odor : slight

pH : 1.4, (1 %)

Flash point : Not applicable
Odor Threshold : No data available
Melting point/freezing point : No data available
Initial boiling point and : No data available

boiling range

Evaporation rate : No data available Flammability (solid, gas) : No data available Upper explosion limit : No data available Lower explosion limit : No data available

Vapor pressure : No data available
Relative vapor density : No data available
Relative density : No data available
Water solubility : No data available
Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

: No data available

Autoignition temperature : No data available
Thermal decomposition : No data available
Viscosity, kinematic : No data available
Explosive properties : No data available
Oxidizing properties : No data available
Molecular weight : No data available
VOC : No data available

Product AT USE DILUTION

liquid purple slight 1.4

SECTION 10. STABILITY AND REACTIVITY

Product AS SOLD

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable under normal conditions.

Possibility of hazardous : Do not mix with bleach or other chlorinated products – will cause

914432-01 6 / 11

DESTAIN A

reactions chlorine gas.

Conditions to avoid : None known.

Incompatible materials : Bases

Hazardous decomposition

products

: Decomposition products may include the following materials:

Carbon oxides

Sulfur oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of : Inhalation, Eye contact, Skin contact

exposure

Potential Health Effects

Product AS SOLD

Eyes : Causes serious eye damage.

Skin : Causes severe skin burns.

Ingestion : Causes digestive tract burns.

Inhalation : May cause nose, throat, and lung irritation.

Chronic Exposure : Health injuries are not known or expected under normal use.

Product AT USE DILUTION

Eyes : Causes serious eye damage.

Skin : Causes severe skin burns.

Ingestion : Causes digestive tract burns.

Inhalation : May cause nose, throat, and lung irritation.

Chronic Exposure : Health injuries are not known or expected under normal use.

Experience with human exposure

Product AS SOLD

Eye contact : Redness, Pain, Corrosion

Skin contact : Redness, Pain, Corrosion

Ingestion : Corrosion, Abdominal pain

Inhalation : Respiratory irritation, Cough

Product AT USE DILUTION

Eye contact : Redness, Pain, Corrosion

Skin contact : Redness, Pain, Corrosion

Ingestion : Corrosion, Abdominal pain

Inhalation : Respiratory irritation, Cough

914432-01 7 / 11

DESTAIN A

Toxicity

Product AS SOLD

Product

Acute oral toxicity : Acute toxicity estimate : 2,125 mg/kg

: No data available Acute inhalation toxicity : No data available Acute dermal toxicity Skin corrosion/irritation : No data available

Serious eye damage/eye

irritation

: No data available

Respiratory or skin

sensitization

: No data available

: No data available Carcinogenicity Germ cell mutagenicity : No data available Teratogenicity : No data available : No data available STOT-single exposure STOT-repeated exposure : No data available

Aspiration toxicity : No data available

Components

Acute inhalation toxicity : Sodium hydrogensulfate

4 h LC50 Rat: > 2.4 mg/l Test atmosphere: dust/mist

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product AS SOLD

: Very toxic to aquatic life with long lasting effects. **Environmental Effects**

Product AT USE DILUTION

Environmental Effects : Toxic to aquatic life with long lasting effects.

Product AS SOLD

Product

Toxicity to fish : 96 h LC50: > 120 mg/l

Toxicity to daphnia and other

aquatic invertebrates

: No data available

Toxicity to algae : No data available

Components

Toxicity to daphnia and other : potassium permanganate

aquatic invertebrates

48 h EC50 Daphnia magna (Water flea): 0.06 mg/l

Components

Toxicity to algae : potassium permanganate

72 h EC50 algae: 0.43 mg/l

Persistence and degradability

Product AT USE DILUTION

914432-01 8/11

DESTAIN A

Not applicable - inorganic

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Product AS SOLD

Disposal methods : Do not contaminate ponds, waterways or ditches with chemical or

used container. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste

disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to

an approved waste handling site for recycling or disposal. Do not reuse empty containers. Dispose of in accordance with local, state, and

federal regulations.

RCRA - Resource

Conservation and Recovery
Authorization Act Hazardous

waste

: D002 (Corrosive)

Product AT USE DILUTION

Disposal methods : Do not contaminate ponds, waterways or ditches with chemical or

used container. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste

disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to

an approved waste handling site for recycling or disposal. Do not reuse empty containers. Dispose of in accordance with local, state, and

federal regulations.

SECTION 14. TRANSPORT INFORMATION

Product AS SOLD

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (DOT)

UN number : 1490

Description of the goods : Potassium permanganate

Class : 5.1
Packing group : II
Environmentally hazardous : yes

Sea transport (IMDG/IMO)

914432-01 9 / 11

DESTAIN A

UN number : 1490

Proper shipping name : POTASSIUM PERMANGANATE

Class : 5.1
Packing group : II
Marine pollutant : yes

SECTION 15. REGULATORY INFORMATION

Product AS SOLD

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
potassium permanganate	7722-64-7	100	1262

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Skin corrosion or irritation

Serious eye damage or eye irritation

SARA 302 : This material does not contain any components with a section 302

EHS TPQ.

SARA 313 : The following components are subject to reporting levels established

by SARA Title III, Section 313:

potassium permanganate 7722-64-7 5 - 10 %

California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

California Cleaning Product Right to Know Act of 2017 (SB 258)

This regulation does not apply to this product.

The ingredients of this product are reported in the following inventories:

United States TSCA Inventory:

All substances listed as active on the TSCA inventory

Canadian Domestic Substances List (DSL):

All components of this product are on the Canadian DSL

Australia. Australian Industrial Chemicals Introduction Scheme (AICIS):

On the inventory, or in compliance with the inventory

New Zealand. Inventory of Chemical Substances:

not determined

Japan. ENCS - Existing and New Chemical Substances Inventory :

On the inventory, or in compliance with the inventory

914432-01 10 / 11

DESTAIN A

Korea. Korean Existing Chemicals Inventory (KECI):

On the inventory, or in compliance with the inventory

Philippines Inventory of Chemicals and Chemical Substances (PICCS):

On the inventory, or in compliance with the inventory

China. Inventory of Existing Chemical Substances in China (IECSC):


On the inventory, or in compliance with the inventory

Taiwan Chemical Substance Inventory (TCSI):

On the inventory, or in compliance with the inventory

SECTION 16. OTHER INFORMATION

Product AS SOLD NFPA:



HMIS III:

HEALTH	3
FLAMMABILITY	0
PHYSICAL HAZARD	2

- 0 = not significant, 1 = Slight,
- 2 = Moderate, 3 = High
- 4 = Extreme, * = Chronic

Product AT USE DILUTION NFPA: Flammability O O O O Special hazard

HMIS III:

HEALTH	3
FLAMMABILITY	0
PHYSICAL HAZARD	0

- 0 = not significant, 1 = Slight,
- 2 = Moderate, 3 = High
- 4 = Extreme, * = Chronic

Issuing date : 09/10/2024

Version : 2.0

Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

914432-01 11 / 11