

SOLVAXX PRO-301BLF

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : SOLVAXX PRO-301BLF

Other means of identification : Not applicable

Recommended use : Cleaning product

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : No dilution information provided.

Company : Ecolab Inc.

1 Ecolab Place

St. Paul, Minnesota USA 55102

1-800-352-5326

Emergency health

information

: 1-800-328-0026 (US/Canada), 1-651-222-5352 (outside US)

Issuing date : 11/01/2016

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Skin corrosion : Category 1A Serious eye damage : Category 1

GHS label elements

Hazard pictograms :



Signal Word : Danger

Hazard Statements : Causes severe skin burns and eye damage.

Precautionary Statements : Prevention:

Wash skin thoroughly after handling. Wear protective gloves/

protective clothing/ eye protection/ face protection.

Response:

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep

comfortable for breathing. Immediately call a POISON

CENTER/doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing. Immediately call a POISON CENTER/doctor. Wash

contaminated clothing before reuse.

Storage:

Store locked up. **Disposal:**

Dispose of contents/ container to an approved waste disposal plant.

Other hazards : None known.

917585-01 1 / 9

SOLVAXX PRO-301BLF

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

Chemical name	CAS-No.	Concentration (%)
Sodium hydroxide	1310-73-2	5 - 10
Sodium Xylenesulfonate	1300-72-7	1 - 5
ethanol, 2-(2-ethoxyethoxy)-	111-90-0	1 - 5
2-(2-butoxyethoxy)ethanol	112-34-5	1 - 5
sodium metasilicate	6834-92-0	1 - 5
amines, coco alkyldimethyl, n-oxides	61788-90-7	1 - 5
silicic acid (h2sio3), dipotassium salt	10006-28-7	1 - 5

SECTION 4. FIRST AID MEASURES

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Get medical attention immediately.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use

a mild soap if available. Wash clothing before reuse. Thoroughly clean

shoes before reuse. Get medical attention immediately.

If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give

anything by mouth to an unconscious person. Get medical attention

immediately.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if

symptoms occur.

Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal

protective equipment.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and

delayed

: See Section 11 for more detailed information on health effects and

symptoms.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable extinguishing

media

: None known.

Specific hazards during fire

fighting

: Not flammable or combustible.

Hazardous combustion

products

: Decomposition products may include the following materials:

Carbon oxides

Nitrogen oxides (NOx)

Sulfur oxides

Oxides of phosphorus

Special protective equipment

for fire-fighters

: Use personal protective equipment.

917585-01 2 / 9

SOLVAXX PRO-301BLF

Specific extinguishing methods

: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

Environmental precautions

: Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up

: Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Do not ingest. Do not get in eyes, on skin, or on clothing. Do not

breathe dust/ fume/ gas/ mist/ vapors/ spray. Use only with adequate

ventilation. Wash hands thoroughly after handling.

Conditions for safe storage : Do not store near acids. Keep out of reach of children. Store in

suitable labeled containers.

Storage temperature : 0 °C to 50 °C

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Ingredients	CAS-No.	Form of exposure	Permissible concentration	Basis
sodium hydroxide	1310-73-2	Ceiling	2 mg/m3	ACGIH
		Ceiling	2 mg/m3	NIOSH REL
		TWA	2 mg/m3	OSHA Z1
ethanol, 2-(2-ethoxyethoxy)-	111-90-0	TWA	25 ppm	AIHA WEEL
2-(2-butoxyethoxy)ethanol	112-34-5	TWA (Inhalable fraction and vapor)	10 ppm	ACGIH

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations

below occupational exposure standards.

Personal protective equipment

Eye protection : Wear eye protection/ face protection.

Hand protection : Wear the following personal protective equipment:

917585-01 3 / 9

SOLVAXX PRO-301BLF

Standard glove type.

Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Skin protection : Personal protective equipment comprising: suitable protective gloves,

safety goggles and protective clothing

: When workers are facing concentrations above the exposure limit they Respiratory protection

must use appropriate certified respirators.

: Handle in accordance with good industrial hygiene and safety Hygiene measures

> practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes

and body in case of contact or splash hazard.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid Color : colorless Odor : slight

pΗ : 14.0, 100 % Flash point : Not applicable Odor Threshold : No data available : No data available Melting point/freezing point Initial boiling point and : No data available

boiling range

Evaporation rate : No data available Flammability (solid, gas) : No data available : No data available Upper explosion limit Lower explosion limit : No data available : No data available Vapor pressure : No data available Relative vapor density

Relative density : 1.16 Water solubility : soluble

Solubility in other solvents : No data available Partition coefficient: n-: No data available

octanol/water

: No data available Autoignition temperature Thermal decomposition : No data available Viscosity, kinematic : No data available Explosive properties No data available

Oxidizing properties The substance or mixture is not classified as oxidizing.

Molecular weight No data available VOC : No data available

SECTION 10. STABILITY AND REACTIVITY

917585-01 4/9

SOLVAXX PRO-301BLF

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

: No dangerous reaction known under conditions of normal use.

Conditions to avoid : None known.

Incompatible materials : Acids

Hazardous decomposition

products

: Decomposition products may include the following materials:

Carbon oxides

Nitrogen oxides (NOx)

Sulfur oxides

Oxides of phosphorus

SECTION 11. TOXICOLOGICAL INFORMATION

exposure

Information on likely routes of : Inhalation, Eye contact, Skin contact

Potential Health Effects

Eyes : Causes serious eye damage.

Skin : Causes severe skin burns.

Ingestion : Causes digestive tract burns.

Inhalation : May cause nose, throat, and lung irritation.

Chronic Exposure : Health injuries are not known or expected under normal use.

Experience with human exposure

Eye contact : Redness, Pain, Corrosion

Skin contact : Redness, Pain, Corrosion

: Corrosion, Abdominal pain Ingestion

Inhalation : Respiratory irritation, Cough

Toxicity

Product

: Acute toxicity estimate : > 5,000 mg/kg Acute oral toxicity

: No data available Acute inhalation toxicity

Acute dermal toxicity : Acute toxicity estimate : > 5,000 mg/kg

Skin corrosion/irritation : No data available Serious eye damage/eye : No data available

irritation

Respiratory or skin

sensitization

: No data available

: No data available Carcinogenicity

917585-01 5/9

SOLVAXX PRO-301BLF

Reproductive effects : No data available
Germ cell mutagenicity : No data available
Teratogenicity : No data available
STOT-single exposure : No data available
STOT-repeated exposure : No data available
Aspiration toxicity : No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Environmental Effects : Toxic to aquatic life.

Product

Toxicity to fish : No data available

Toxicity to daphnia and other : No data available

Toxicity to daphnia and other aquatic invertebrates

Toxicity to algae : No data available

Ingredients

Toxicity to fish : ethanol, 2-(2-ethoxyethoxy)-

96 h LC50 Ictalurus punctatus (channel catfish): 6,010 mg/l

2-(2-butoxyethoxy)ethanol 96 h LC50 Fish: 1,300 mg/l

sodium metasilicate 96 h LC50 Fish: 210 mg/l

amines, coco alkyldimethyl, n-oxides

96 h LC50 Fish: 1 mg/l

silicic acid (h2sio3), dipotassium salt

96 h LC50: 210 mg/l

Ingredients

Toxicity to daphnia and other

aquatic invertebrates

: Sodium hydroxide 48 h EC50: 40 mg/l

ethanol, 2-(2-ethoxyethoxy)-

48 h LC50 Daphnia magna (Water flea): 1,982 mg/l

Ingredients

Toxicity to algae : Sodium Xylenesulfonate

96 h EC50: 230 mg/l

ethanol, 2-(2-ethoxyethoxy)-

96 h EC50 Desmodesmus subspicatus (Scenedesmus subspicatus):

> 100 mg/l

Test substance: Information given is based on data obtained from

similar substances.

96 h NOEC Desmodesmus subspicatus (green algae): > 100 mg/l Test substance: Information given is based on data obtained from

similar substances.

917585-01 6 / 9

SOLVAXX PRO-301BLF

Persistence and degradability

Biodegradable

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods : Do not contaminate ponds, waterways or ditches with chemical or

used container. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste

disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to

an approved waste handling site for recycling or disposal. Do not reuse empty containers. Dispose of in accordance with local, state, and

federal regulations.

RCRA - Resource : D

Conservation and Recovery
Authorization Act Hazardous

waste

: D002 (Corrosive)

SECTION 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

Ingredients	CAS-No.	Component RQ (lbs)	Calculated product RQ
			(lbs)
Sodium hydroxide	1310-73-2	1000	15381

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Acute Health Hazard

SARA 302 : No chemicals in this material are subject to the reporting requirements

of SARA Title III, Section 302.

SARA 313 : The following components are subject to reporting levels established

by SARA Title III, Section 313:

917585-01 7 / 9

SOLVAXX PRO-301BLF

ethanol, 2-(2-	111-90-0	3.33 %
ethoxyethoxy)-		

3.33 % 2-(2-butoxyethoxy)ethanol 112-34-5

California Prop 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

The ingredients of this product are reported in the following inventories:

United States TSCA Inventory:

On TSCA Inventory

Canadian Domestic Substances List (DSL) :

All components of this product are on the Canadian DSL

Australia Inventory of Chemical Substances (AICS):

On the inventory, or in compliance with the inventory

New Zealand. Inventory of Chemical Substances:

On the inventory, or in compliance with the inventory

Japan. ENCS - Existing and New Chemical Substances Inventory :

On the inventory, or in compliance with the inventory

Japan. ISHL - Inventory of Chemical Substances (METI) :

On the inventory, or in compliance with the inventory

Korea. Korean Existing Chemicals Inventory (KECI):

not determined

Philippines Inventory of Chemicals and Chemical Substances (PICCS):


not determined

China. Inventory of Existing Chemical Substances in China (IECSC):

not determined

SECTION 16. OTHER INFORMATION

NFPA:



HMIS III:

HEALTH	3
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,

2 = Moderate, 3 = High 4 = Extreme, * = Chronic

: 11/01/2016 Issuing date

Version : 1.0

917585-01 8/9

SOLVAXX PRO-301BLF

Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

917585-01 9 / 9