

## SAFETY DATA SHEET

### BEN E. KEITH FOAMING OVEN & GRILL CLEANER

#### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : BEN E. KEITH FOAMING OVEN & GRILL CLEANER

Other means of identification : Not applicable

Recommended use : Grill Cleaner

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : Product is sold ready to use.

Company : Ben E. Keith Foods  
7600 Will Rogers Boulevard  
Fort Worth, Texas USA 76140  
1-800-749-9171

Emergency health information : 833-571-1403

Issuing date : 05/26/2020

#### SECTION 2. HAZARDS IDENTIFICATION

##### GHS Classification

Flammable aerosols : Category 1  
Skin corrosion : Category 1A  
Serious eye damage : Category 1

##### GHS label elements

Hazard pictograms :



Signal Word : Danger

Hazard Statements : Extremely flammable aerosol.  
Causes severe skin burns and eye damage.  
Causes serious eye damage.

Precautionary Statements : **Prevention:**  
Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.  
Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Do not breathe dusts or mists. Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection. Intentional misuse by deliberate inhalation may be harmful or fatal.  
**Response:**  
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor. Wash contaminated clothing before reuse.

## SAFETY DATA SHEET

### BEN E. KEITH FOAMING OVEN & GRILL CLEANER

**Storage:**

Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

**Disposal:**

Dispose of contents/ container to an approved waste disposal plant.

**Other hazards** : None known.

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

Chemical name	CAS-No.	Concentration (%)
Sodium hydroxide	1310-73-2	5 - 10
2-(2-butoxyethoxy)ethanol	112-34-5	1 - 5
Butane	106-97-8	1 - 5
propane	74-98-6	1 - 5

#### SECTION 4. FIRST AID MEASURES

- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
- In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use a mild soap if available. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.
- If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately.
- If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if symptoms occur.
- Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal protective equipment.
- Notes to physician : Treat symptomatically.
- Most important symptoms and effects, both acute and delayed : See Section 11 for more detailed information on health effects and symptoms.

#### SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire fighting : Extremely flammable aerosol.  
Pressurised container: May burst if heated.
- Hazardous combustion products : Decomposition products may include the following materials:  
Carbon oxides

## SAFETY DATA SHEET

### BEN E. KEITH FOAMING OVEN & GRILL CLEANER

Special protective equipment for fire-fighters : Use personal protective equipment.

Specific extinguishing methods : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up : Stop leak if safe to do so.

#### SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Do not ingest. Do not get in eyes, on skin, or on clothing. Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Use only with adequate ventilation. Contents under pressure. Do not puncture. Wash hands thoroughly after handling. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE).

Conditions for safe storage : Keep in a cool, well-ventilated place. Do not store near acids. Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.

Storage temperature : 0 °C to 50 °C

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

##### Ingredients with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
sodium hydroxide	1310-73-2	Ceiling	2 mg/m <sup>3</sup>	ACGIH
		Ceiling	2 mg/m <sup>3</sup>	NIOSH REL
		TWA	2 mg/m <sup>3</sup>	OSHA Z1
2-(2-butoxyethoxy)ethanol	112-34-5	TWA (Inhalable fraction and vapor)	10 ppm	ACGIH
Butane	106-97-8	TWA	800 ppm 1,900 mg/m <sup>3</sup>	NIOSH REL
		STEL	1,000 ppm	ACGIH
propane	74-98-6	TWA	1,000 ppm 1,800 mg/m <sup>3</sup>	NIOSH REL
		TWA	1,000 ppm 1,800 mg/m <sup>3</sup>	OSHA Z1

## SAFETY DATA SHEET

### BEN E. KEITH FOAMING OVEN & GRILL CLEANER

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

#### Personal protective equipment

Eye protection : Wear eye protection/ face protection.

Hand protection : Wear the following personal protective equipment:  
Standard glove type.  
Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Skin protection : Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing

Respiratory protection : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use.  
Wash face, hands and any exposed skin thoroughly after handling.  
Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

#### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : aerosol

Color : clear, colorless

Odor : No data available

pH : 13.0 - 14.0

Flash point : Not applicable

Odor Threshold : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling range : > 100 °C

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Upper explosion limit : No data available

Lower explosion limit : No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : No data available

Water solubility : soluble

Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Autoignition temperature : No data available

Thermal decomposition : No data available

Viscosity, kinematic : No data available

## SAFETY DATA SHEET

### BEN E. KEITH FOAMING OVEN & GRILL CLEANER

Explosive properties	: No data available
Oxidizing properties	: The substance or mixture is not classified as oxidizing.
Molecular weight	: No data available
VOC	: No data available

#### SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reaction known under conditions of normal use.
Conditions to avoid	: None known.
Incompatible materials	: None known.
Hazardous decomposition products	: In case of fire hazardous decomposition products may be produced such as: Carbon oxides

#### SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure	: Eye contact Skin contact
--	-------------------------------

##### Potential Health Effects

Eyes	: Causes serious eye damage.
Skin	: Causes severe skin burns.
Ingestion	: Causes digestive tract burns.
Inhalation	: May cause nose, throat, and lung irritation. Intentional misuse by deliberate inhalation may be harmful or fatal.
Chronic Exposure	: Health injuries are not known or expected under normal use.

##### Experience with human exposure

Eye contact	: Redness, Pain, Corrosion
Skin contact	: Redness, Pain, Corrosion
Ingestion	: Corrosion, Abdominal pain
Inhalation	: Respiratory irritation, Cough

##### Toxicity

###### Product

Acute oral toxicity	: Acute toxicity estimate : > 5,000 mg/kg
Acute inhalation toxicity	: No data available

## SAFETY DATA SHEET

### BEN E. KEITH FOAMING OVEN & GRILL CLEANER

Acute dermal toxicity	: Acute toxicity estimate : > 5,000 mg/kg
Skin corrosion/irritation	: No data available
Serious eye damage/eye irritation	: No data available
Respiratory or skin sensitization	: No data available
Carcinogenicity	: No data available
Reproductive effects	: No data available
Germ cell mutagenicity	: No data available
Teratogenicity	: No data available
STOT-single exposure	: No data available
STOT-repeated exposure	: No data available
Aspiration toxicity	: No data available

#### Components

Acute inhalation toxicity	: Butane 4 h LC50 Rat: 280000 ppm Test atmosphere: gas
---------------------------	--

### SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

Environmental Effects	: This product has no known ecotoxicological effects.
-----------------------	---

#### Product

Toxicity to fish	: No data available
Toxicity to daphnia and other aquatic invertebrates	: No data available
Toxicity to algae	: No data available

#### Components

Toxicity to fish	: 2-(2-butoxyethoxy)ethanol 96 h LC50 Fish: 1,300 mg/l  Butane 96 h LC50 Fish: 22.03 mg/l
------------------	---

#### Components

Toxicity to daphnia and other aquatic invertebrates	: Sodium hydroxide 48 h EC50: 40 mg/l
---	--

#### Persistence and degradability

Readily biodegradable.

#### Bioaccumulative potential

No data available

#### Mobility in soil

No data available

## SAFETY DATA SHEET

### BEN E. KEITH FOAMING OVEN & GRILL CLEANER

#### Other adverse effects

No data available

#### SECTION 13. DISPOSAL CONSIDERATIONS

- Disposal methods : Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.
- Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.
- RCRA - Resource Conservation and Recovery Authorization Act Hazardous waste : D002 (Corrosive)

#### SECTION 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

##### Land transport (DOT)

- UN number : 1950
- Description of the goods : Aerosols
- Class : 2.1
- Environmentally hazardous : no

##### Sea transport (IMDG/IMO)

- UN number : 1950
- Description of the goods : AEROSOLS
- Class : 2.1
- Marine pollutant : no

#### SECTION 15. REGULATORY INFORMATION

##### EPCRA - Emergency Planning and Community Right-to-Know

##### CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Sodium hydroxide	1310-73-2	1000	13333

##### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

- SARA 311/312 Hazards** : Flammable (gases, aerosols, liquids, or solids)  
Skin corrosion or irritation  
Serious eye damage or eye irritation

- SARA 302** : This material does not contain any components with a section 302 EHS TPQ.

## SAFETY DATA SHEET

### BEN E. KEITH FOAMING OVEN & GRILL CLEANER

**SARA 313** : The following components are subject to reporting levels established by SARA Title III, Section 313:  
2-(2-butoxyethoxy)ethanol 112-34-5 1 - 5 %

#### California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

#### California Cleaning Product Right to Know Act of 2017 (SB 258)

This regulation applies to this product.

Chemical Name	CAS-No.	Function	List(s)
water	7732-18-5	Diluent	Not Applicable
Sodium hydroxide	1310-73-2	Cleaning Agent	20
2-(2-butoxyethoxy)ethanol	112-34-5	Cleaning Agent	Not Applicable
Butane	106-97-8	Solvent	Not Applicable
propane	74-98-6	Solvent	Not Applicable

\*refer to [ecolab.com/sds](http://ecolab.com/sds) for electronic links to designated lists

#### The ingredients of this product are reported in the following inventories:

##### United States TSCA Inventory :

All substances listed as active on the TSCA inventory

##### Canadian Domestic Substances List (DSL) :

All components of this product are on the Canadian DSL

##### Australia Inventory of Chemical Substances (AICS) :

On the inventory, or in compliance with the inventory

##### New Zealand. Inventory of Chemical Substances :

not determined

##### Japan. ENCS - Existing and New Chemical Substances Inventory :

On the inventory, or in compliance with the inventory

##### Korea. Korean Existing Chemicals Inventory (KECI) :

On the inventory, or in compliance with the inventory

##### Philippines Inventory of Chemicals and Chemical Substances (PICCS) :

On the inventory, or in compliance with the inventory

##### China. Inventory of Existing Chemical Substances in China (IECSC) :

On the inventory, or in compliance with the inventory

##### Taiwan Chemical Substance Inventory (TCSI) :

On the inventory, or in compliance with the inventory


### SECTION 16. OTHER INFORMATION



# SAFETY DATA SHEET

## BEN E. KEITH FOAMING OVEN & GRILL CLEANER

### NFPA:



### HMIS III:

HEALTH	3
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,  
2 = Moderate, 3 = High  
4 = Extreme, \* = Chronic

Issuing date : 05/26/2020  
Version : 1.3  
Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.