

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Ground Rework Silver Power

Other means of identification : Not applicable

Recommended use : Presoak

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : Product is sold ready to use.

Company : Ecolab Inc.
1 Ecolab Place
St. Paul, Minnesota USA 55102
1-800-352-5326

Emergency health information : 1-800-328-0026 (US/Canada), 1-651-222-5352 (outside US)

Issuing date : 05/20/2020

SECTION 2. HAZARDS IDENTIFICATION
GHS Classification

Eye irritation : Category 2A

GHS label elements

Hazard pictograms :



Signal Word : Warning

Hazard Statements : Causes serious eye irritation.

Precautionary Statements : **Prevention:**
Wash skin thoroughly after handling. Wear eye protection/ face protection.
Response:
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention.

Other hazards : None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

Chemical name	CAS-No.	Concentration (%)
Sodium Carbonate	497-19-8	30 - 60
alcohols, c12-16, ethoxylated >5EO	68551-12-2	1 - 5
sodium isononanoate	84501-72-4	1 - 5
Trisodium N-(2-Hydroxyethyl)Ethylenediaminetriacetate	139-89-9	1 - 5

SAFETY DATA SHEET

Ground Rework Silver Power

SECTION 4. FIRST AID MEASURES

In case of eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention.
In case of skin contact	: Rinse with plenty of water.
If swallowed	: Rinse mouth. Get medical attention if symptoms occur.
If inhaled	: Get medical attention if symptoms occur.
Protection of first-aiders	: If potential for exposure exists refer to Section 8 for specific personal protective equipment.
Notes to physician	: Treat symptomatically.
Most important symptoms and effects, both acute and delayed	: See Section 11 for more detailed information on health effects and symptoms.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	: None known.
Specific hazards during fire fighting	: Not flammable or combustible.
Hazardous combustion products	: Decomposition products may include the following materials: Carbon oxides Nitrogen oxides (NOx)
Special protective equipment for fire-fighters	: Use personal protective equipment.
Specific extinguishing methods	: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.
Environmental precautions	: Do not allow contact with soil, surface or ground water.
Methods and materials for containment and cleaning up	: Sweep up and shovel into suitable containers for disposal.

SECTION 7. HANDLING AND STORAGE

SAFETY DATA SHEET

Ground Rework Silver Power

- Advice on safe handling : Avoid contact with skin and eyes. Wash hands thoroughly after handling. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE).
- Conditions for safe storage : Keep out of reach of children. Store in suitable labeled containers.
- Storage temperature : 0 °C to 40 °C

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

- Engineering measures : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Personal protective equipment

- Eye protection : Safety glasses with side-shields
- Hand protection : No special protective equipment required.
- Skin protection : No special protective equipment required.
- Respiratory protection : No personal respiratory protective equipment normally required.
- Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Wash face, hands and any exposed skin thoroughly after handling.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : solid
- Color : opaque, dark blue
- Odor : citrus
- pH : 10.0 - 11.4, (1 %)
- Flash point : Not applicable, Does not sustain combustion.
- Odor Threshold : No data available
- Melting point/freezing point : No data available
- Initial boiling point and boiling range : No data available
- Evaporation rate : No data available
- Flammability (solid, gas) : Not applicable
- Upper explosion limit : No data available
- Lower explosion limit : No data available
- Vapor pressure : No data available
- Relative vapor density : No data available
- Relative density : 1.3

SAFETY DATA SHEET

Ground Rework Silver Power

Water solubility	: soluble
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Autoignition temperature	: No data available
Thermal decomposition	: No data available
Viscosity, kinematic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Molecular weight	: No data available
VOC	: No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reaction known under conditions of normal use.
Conditions to avoid	: None known.
Incompatible materials	: Acids
Hazardous decomposition products	: In case of fire hazardous decomposition products may be produced such as: Carbon oxides Nitrogen oxides (NOx)

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure	: Eye contact, Skin contact
--	-----------------------------

Potential Health Effects

Eyes	: Causes serious eye irritation.
Skin	: Health injuries are not known or expected under normal use.
Ingestion	: Health injuries are not known or expected under normal use.
Inhalation	: Health injuries are not known or expected under normal use.
Chronic Exposure	: Health injuries are not known or expected under normal use.

Experience with human exposure

Eye contact	: Redness, Pain, Irritation
Skin contact	: No symptoms known or expected.
Ingestion	: No symptoms known or expected.

SAFETY DATA SHEET

Ground Rework Silver Power

Inhalation : No symptoms known or expected.

Toxicity

Product

Acute oral toxicity : Acute toxicity estimate : 4,244 mg/kg
Acute inhalation toxicity : No data available
Acute dermal toxicity : Acute toxicity estimate : > 5,000 mg/kg
Skin corrosion/irritation : No data available
Serious eye damage/eye irritation : No data available
Respiratory or skin sensitization : No data available
Carcinogenicity : No data available
Reproductive effects : No data available
Germ cell mutagenicity : No data available
Teratogenicity : No data available
STOT-single exposure : No data available
STOT-repeated exposure : No data available
Aspiration toxicity : No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Environmental Effects : Harmful to aquatic life.

Product

Toxicity to fish : No data available
Toxicity to daphnia and other aquatic invertebrates : No data available
Toxicity to algae : No data available

Components

Toxicity to fish : Sodium Carbonate
96 h LC50 *Lepomis macrochirus* (Bluegill sunfish): 300 mg/l

alcohols, c12-16, ethoxylated >5EO
LC50: 1.5 mg/l

sodium isononanoate
96 h LC50 Fish: 160 mg/l

Components

Toxicity to daphnia and other aquatic invertebrates : Sodium Carbonate
48 h EC50 *Ceriodaphnia* (water flea): 213.5 mg/l

Trisodium N-(2-Hydroxyethyl)Ethylenediaminetriacetate
48 h EC50 *Daphnia*: > 500 mg/l

SAFETY DATA SHEET

Ground Rework Silver Power

Persistence and degradability

Poorly biodegradable

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

- Disposal methods : Do not contaminate ponds, waterways or ditches with chemical or used container. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.
- Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.

SECTION 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (DOT)

Not dangerous goods

Sea transport (IMDG/IMO)

Not dangerous goods

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Dodecylbenzenesulfonic acid, sodium salt	25155-30-0	1000	110485

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Serious eye damage or eye irritation

SARA 302 : This material does not contain any components with a section 302 EHS TPQ.

SAFETY DATA SHEET

Ground Rework Silver Power

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

California Cleaning Product Right to Know Act of 2017 (SB 258)

This regulation applies to this product.

Chemical Name	CAS-No.	Function	List(s)
Sodium Carbonate	497-19-8	Buffer	Not Applicable
water	7732-18-5	Diluent	Not Applicable
2-propenoic acid, 2-methyl-, homopolymer, sodium salt	54193-36-1	Cleaning Agent	Not Applicable
alcohols, c12-16, ethoxylated >5EO	68551-12-2	Cleaning Agent	Not Applicable
citric acid, trisodium salt, dihydrate	6132-04-3	Cleaning Agent	Not Applicable
sodium isononanoate	84501-72-4	Processing Aid	Not Applicable
Trisodium N-(2-Hydroxyethyl)Ethylenediaminetriacetate	139-89-9	Cleaning Agent	Not Applicable
Linear Alkylbenzene Sulfonate and its salt	Withheld	Cleaning Agent	Not Applicable
Acrylate polymer	Withheld	Cleaning Agent	Not Applicable
Chelating agent	Withheld	Cleaning Agent	Not Applicable
Organic salt	Withheld	Cleaning Agent	Not Applicable
Acrylic polymer	Withheld		Not Applicable
sodium sulfate	7757-82-6	Dye	20
Limonene	5989-27-5	Fragrance	FRA
Pigment	Withheld	Dye	Not Applicable
subtilisin	9014-01-1	Cleaning Agent	8
Diethyl Phthalate	84-66-2	Fragrance	19, 21, NFC
Emulsion	Withheld	Processing Aid	Not Applicable
Silicone compound	Withheld	Processing Aid	Not Applicable

*refer to ecolab.com/sds for electronic links to designated lists

The ingredients of this product are reported in the following inventories:

United States TSCA Inventory :

All substances listed as active on the TSCA inventory

Canadian Domestic Substances List (DSL) :

This product contains one or several components listed in the Canadian NDSL.

Australia Inventory of Chemical Substances (AICS) :

not determined

New Zealand. Inventory of Chemical Substances :

not determined

Japan. ENCS - Existing and New Chemical Substances Inventory :

not determined

Korea. Korean Existing Chemicals Inventory (KECI) :

SAFETY DATA SHEET

Ground Rework Silver Power

On the inventory, or in compliance with the inventory


Philippines Inventory of Chemicals and Chemical Substances (PICCS) :
not determined

China. Inventory of Existing Chemical Substances in China (IECSC) :
not determined

Taiwan Chemical Substance Inventory (TCSI) :
not determined

SECTION 16. OTHER INFORMATION

NFPA:



HMIS III:

HEALTH	2
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

Issuing date : 05/20/2020
Version : 1.0
Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.