CHEMSTAR

SAFETY DATA SHEET

RENEW

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : RENEW

Other means of identification : Not applicable

Recommended use : Machine Warewashing Detergent

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : Product is sold ready to use.

Company : Chemstar Corp.

8300 Capital Drive

Greensboro, North Carolina USA 27409-9790

Emergency health

information

1-833-972-1097

Issuing date : 05/09/2025

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Corrosive to Metals : Category 1
Skin corrosion : Sub-category 1A
Serious eye damage : Category 1

GHS label elements

Hazard pictograms :



Signal Word : Danger

Hazard Statements : May be corrosive to metals.

Causes severe skin burns and eye damage.

Precautionary Statements : Prevention

Keep only in original packaging. Wash skin thoroughly after handling. Wear protective gloves, protective clothing, eye protection and face

protection. Response:

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor. Wash contaminated clothing before reuse. Absorb spillage to prevent material damage.

Storage:

Store locked up. Store in a corrosion resistant container with a

resistant inner liner.

Disposal:

Dispose of contents/ container to an approved waste disposal plant.

912278-05 1 / 8

RENEW

Other hazards : None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture Mixture

Chemical name CAS-No. Concentration (%)

Sodium hydroxide 1310-73-2 10 - 30

SECTION 4. FIRST AID MEASURES

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Get medical attention immediately.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes.

Wash clothing before reuse. Thoroughly clean shoes before reuse.

Get medical attention immediately.

If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give

anything by mouth to an unconscious person. Get medical attention

immediately.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if

symptoms occur.

Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal

protective equipment.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and

delayed

: See Section 11 for more detailed information on health effects and

symptoms.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable extinguishing

media

: None known.

Specific hazards during fire

fighting

: Not flammable or combustible.

Hazardous combustion

products

: Decomposition products may include the following materials:

Carbon oxides

Nitrogen oxides (NOx)

Sulfur oxides

for fire-fighters

Special protective equipment : Use personal protective equipment.

Specific extinguishing

methods

: Fire residues and contaminated fire extinguishing water must be

disposed of in accordance with local regulations. In the event of fire

and/or explosion do not breathe fumes.

912278-05 2/8

RENEW

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

Environmental precautions

: Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up

: Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Do not ingest. Do not get in eyes, on skin, or on clothing. Do not

breathe dust/ fume/ gas/ mist/ vapors/ spray. Use only with adequate ventilation. Wash hands thoroughly after handling. In case of mechanical malfunction, or if in contact with unknown dilution of

product, wear full Personal Protective Equipment (PPE).

Conditions for safe storage : Do not store near acids. Keep out of reach of children. Store in

suitable labeled containers.

Storage temperature : 0 °C to 50 °C

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
sodium hydroxide	1310-73-2	Ceiling	2 mg/m3	ACGIH
		Ceiling	2 mg/m3	NIOSH REL
		TWA	2 mg/m3	OSHA Z1

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations

below occupational exposure standards.

Personal protective equipment

Eye protection : Wear eye protection and/or face protection.

Hand protection : Wear the following personal protective equipment:

Standard glove type.

Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Skin protection : Personal protective equipment comprising: suitable protective gloves,

safety goggles and protective clothing

912278-05 3 / 8

RENEW

Respiratory protection : When workers are facing concentrations above the exposure limit they

must use appropriate certified respirators.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes

and body in case of contact or splash hazard.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State : liquid

Color : clear, dark red

Odor : odorless

pH : 12.0 - 14.0, (100 %)

Flash point : Not applicable

Odor Threshold : No data available

Melting point/freezing point : No data available

Boiling point, initial boiling

point and boiling range

: > 100 °C

Evaporation rate : No data available
Flammability : Not applicable
Upper explosion limit : No data available
Lower explosion limit : No data available
Vapor pressure : No data available
Relative vapor density : No data available

Relative density : 1.17 - 1.23

Density : No data available

Water solubility : soluble

Solubility in other solvents : No data available Partition coefficient: n- : No data available

octanol/water (logarithmic value)

Autoignition temperature : No data available
Decomposition temperature : No data available
Viscosity, kinematic : No data available
Explosive properties : No data available

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

VOC : No data available

Particle characteristics : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

912278-05 4 / 8

RENEW

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

: No dangerous reaction known under conditions of normal use.

Conditions to avoid : None known.

Incompatible materials : Acids

Metals

Hazardous decomposition

products

: In the event of fire, see Section 5

SECTION 11. TOXICOLOGICAL INFORMATION

exposure

Information on likely routes of : Inhalation, Eye contact, Skin contact

Potential Health Effects

Eyes : Causes serious eye damage.

Skin : Causes severe skin burns.

Ingestion : Causes digestive tract burns.

Inhalation May cause nose, throat, and lung irritation.

Chronic Exposure : Health injuries are not known or expected under normal use.

Experience with human exposure

Eye contact : Redness, Pain, Corrosion

Skin contact : Redness, Pain, Corrosion

Ingestion : Corrosion, Abdominal pain

Inhalation : Respiratory irritation, Cough

Toxicity

Product

: No data available Acute oral toxicity : No data available Acute inhalation toxicity

Acute dermal toxicity : Acute toxicity estimate : > 5,000 mg/kg

Skin corrosion/irritation : No data available Serious eye damage/eye : No data available

irritation

: No data available

Respiratory or skin sensitization

Carcinogenicity : No data available : No data available Reproductive effects Germ cell mutagenicity : No data available

912278-05 5/8

RENEW

Teratogenicity : No data available STOT-single exposure : No data available STOT-repeated exposure : No data available Aspiration toxicity : No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Environmental Effects : This product has no known ecotoxicological effects.

Product

: No data available Toxicity to fish : No data available Toxicity to daphnia and other

aquatic invertebrates

Toxicity to algae : No data available

Components

Toxicity to daphnia and other

: Sodium hydroxide aquatic invertebrates

48 h EC50 Daphnia magna (Water flea): 40 mg/l

Persistence and degradability

Biodegradable

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods : Where possible recycling is preferred to disposal or incineration. If

> recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to

an approved waste handling site for recycling or disposal. Do not reuse empty containers. Dispose of in accordance with local, state, and

federal regulations.

RCRA - Resource Conservation and Recovery Authorization Act Hazardous

waste

: D002 (Corrosive)

SECTION 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

912278-05 6/8

RENEW

Land transport (DOT)

UN number : 1824

Description of the goods : Sodium hydroxide solution

Class : 8
Packing group : II
Environmentally hazardous : no

Sea transport (IMDG/IMO)

UN number : 1824

Proper shipping name : SODIUM HYDROXIDE SOLUTION

Class : 8
Packing group : II
Marine pollutant : no

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ
			(lbs)
Sodium hydroxide	1310-73-2	1000	5882

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Corrosive to Metals

Skin corrosion or irritation

Serious eye damage or eye irritation

SARA 302 : This material does not contain any components with a section 302

EHS TPQ.

SARA 313 : This material does not contain any chemical components with known

CAS numbers that exceed the threshold (De Minimis) reporting levels

established by SARA Title III, Section 313.

California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

California Cleaning Product Right to Know Act of 2017 (SB 258)

This regulation applies to this product.

Hazardous ingredients	CAS-No.	Function	List(s)
water	7732-18-5	Diluent	Not Applicable
Sodium hydroxide	1310-73-2	Cleaning Agent	20
Sodium Polyacrylate	9003-04-7	Cleaning Agent	Not Applicable
Colorant	Withheld	Dye	Not Applicable

^{*}refer to ecolab.com/sds for electronic links to designated lists

The ingredients of this product are reported in the following inventories:

912278-05 7 / 8

RENEW

United States TSCA Inventory:

All substances listed as active on the TSCA inventory

Canadian Domestic Substances List (DSL):

All components of this product are on the Canadian DSL

Australia. Australian Industrial Chemicals Introduction Scheme (AICIS):

On the inventory, or in compliance with the inventory

New Zealand Inventory of Chemicals (NZIoC):

not determined

Japan. ENCS - Existing and New Chemical Substances Inventory :

not determined

Korea. Korean Existing Chemicals Inventory (KECI):

On the Korea Existing Chemicals Inventory.

Philippines Inventory of Chemicals and Chemical Substances (PICCS):

On the inventory, or in compliance with the inventory

China. Inventory of Existing Chemical Substances in China (IECSC):


On the inventory, or in compliance with the inventory

Taiwan Chemical Substance Inventory (TCSI):

On the inventory, or in compliance with the inventory

SECTION 16. OTHER INFORMATION

NFPA:



HMIS® IV:

HEALTH	/ 3
FLAMMABILITY	0
PHYSICAL HAZARD	0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Issuing date : 05/09/2025

Version : 1.1

Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

912278-05 8 / 8