SAFETY DATA SHEET



SOLVAXX PLUS QF-200BNP

Section 1. Chemical product and company identification

Product name : SOLVAXX PLUS QF-200BNP

Recommended use and

restrictions

: Cleaning product

Use only for the purpose on the product label.

Product dilution information : Up to 6 oz/gal in water

Supplier's information : Ecolab Inc. Food & Beverage Division

> 370 N. Wabasha Street St. Paul. MN 55102 1-800-392-3392

Code : 6391137 Date of issue : 24 Jan 2014

EMERGENCY HEALTH INFORMATION: 1-800-328-0026

Outside United States and Canada CALL 1-651-222-5352 (in USA)

Section 2. Hazards identification

Product AS SOLD

GHS Classification : SKIN CORROSION/IRRITATION - Category 1

SERIOUS EYE DAMAGE/ EYE IRRITATION -

Category 1

GHS label elements

Signal word : Danger

Symbol

Hazard statements : Causes severe skin burns and eye damage.

Precautionary statements

Prevention : Wear protective gloves. Wear eye or face protection. Wear protective clothing. Wash

hands thoroughly after handling.

Response : IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. Immediately call a POISON CENTER or physician. IF SWALLOWED: Immediately call a POISON CENTER or physician. Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Wash contaminated clothing before reuse. Immediately call a POISON CENTER or physician. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. Immediately call a

POISON CENTER or physician.

Product AT USE DILUTION

SKIN CORROSION/IRRITATION - Category

SERIOUS EYE DAMAGE/ EYE IRRITATION

Category 1

Danger



Causes severe skin burns and eye damage.

Wear protective gloves. Wear eye or face protection. Wear protective clothing. Wash hands thoroughly after handling.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or physician. IF SWALLOWED: Immediately call a POISON CENTER or physician. Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse

skin with water or shower. Wash contaminated clothing before reuse. Immediately call a POISON CENTER or physician. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER

Page: 1/8

SOLVAXX PLUS QF-200BNP 24 Jan 2014

Section 2. Hazards identification

: No other specific measures identified. **Storage**

Disposal : See section 13 for waste disposal information.

Other hazards : None known. or physician.

No other specific measures identified.

See section 13 for waste disposal

information. None known.

Section 3. Composition/information on ingredients

Substance/mixture : Mixture

Product AS SOLD

Hazardous ingredients	Concentration Range (%)	CAS number
SODIUM HYDROXIDE	10	1310-73-2
ETHOXYDIGLYCOL	4	111-90-0
BUTOXYDIGLYCOL	4	112-34-5
POTASSIUM HYDROXIDE	<1	1310-58-3
SODIUM XYLENE SULFONATE	1 - 5	1300-72-7
benzenesulfonic acid, methyl-, potassium salt	1 - 5	30526-22-8
COCAMINE OXIDE	1 - 5	61788-90-7

Product AT USE DILUTION

Within the present knowledge of the supplier, this product does not contain any hazardous ingredients in quantities requiring reporting, in accordance with local regulations.

Section 4. First aid measures

	Product AS SOLD	Product AT USE DILUTION
Eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
Skin contact	: Take off immediately all contaminated clothing. Rinse skin with water or shower. Get medical attention immediately. Wash clothing before reuse. Clean shoes thoroughly before reuse.	Take off immediately all contaminated clothing. Rinse skin with water or shower. Get medical attention immediately. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Inhalation	 Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention immediately. 	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention immediately.
Ingestion	: Get medical attention immediately. Rinse mouth. Do not induce vomiting.	Get medical attention immediately. Rinse mouth. Do not induce vomiting.

Protection of first-

aiders

: No action shall be taken involving any personal risk or without suitable training. It may be

dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated

clothing thoroughly with water before removing it, or wear gloves.

: Treat symptomatically. Contact poison treatment specialist immediately if large quantities have Notes to physician

been ingested or inhaled.

See toxicological information (section 11)

SOLVAXX PLUS QF-200BNP 24 Jan 2014

Section 5. Fire-fighting measures

Product AS SOLD

Suitable fire extinguishing

media

: Use water spray, fog or foam.

Specific hazards arising from the chemical

: In a fire or if heated, a pressure increase will occur and the container may burst.

Hazardous thermal decomposition products

: Decomposition products may include the following materials:

carbon dioxide carbon monoxide sulfur oxides metal oxide/oxides

Specific fire-fighting

methods

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without

Special protective equipment for fire-fighters : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure

Section 6. Accidental release measures

Product AS SOLD

Personal precautions : Initiate company's spill response procedures immediately. Keep people out of area. Put on appropriate personal protective equipment (see section 8). Do not touch or walk through spilled

material.

Environmental precautions **Methods for** cleaning up

: Avoid contact of spilled material and runoff with soil and surface waterways.

: Follow company's spill procedures. Keep people away from spill. Put on appropriate personal protective equipment (see section 8). Absorb/ neutralize liquid material. Use a tool to scoop up solid or absorbed material and put into appropriate labeled container. Use a tool to scoop up solid or absorbed material and place into appropriate labeled waste container. Use a water rinse for final clean-up.

Product AT USE DILUTION

Initiate company's spill response procedures immediately. Keep people out of area. Put on appropriate personal protective equipment (see section 8). Do not touch or walk through spilled material.

Avoid contact of spilled material and runoff with soil and surface waterways.

Follow company's spill procedures. Keep people away from spill. Put on appropriate personal protective equipment (see section 8). Absorb/neutralize liquid material. Use a tool to scoop up solid or absorbed material and put into appropriate labeled container. Use a tool to scoop up solid or absorbed material and place into appropriate labeled waste container. Use a water rinse for final clean-up.

Section 7. Handling and storage

Product AS SOLD

Handling

: Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Use only with adequate ventilation. Wash thoroughly after handling.

Storage

: Keep out of reach of children. Keep container

tightly closed.

Store between the following temperatures: 0 and 50°C

Product AT USE DILUTION

Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Use only with adequate ventilation. Wash thoroughly after handling.

Keep out of reach of children. Keep container tightly closed.

Page: 3/8

SOLVAXX PLUS QF-200BNP 24 Jan 2014

Section 8. Exposure controls/personal protection

Control parameters

Ingredient name	Exposure limits
SODIUM HYDROXIDE	ACGIH TLV (United States, 3/2012).
	C: 2 mg/m³
	OSHA PEL (United States, 6/2010).
	TWA: 2 mg/m ³ 8 hours.
	NIOSH REL (United States, 6/2009).
	CEIL: 2 mg/m³
ETHOXYDIGLYCOL	AIHA WEEL (United States, 10/2011).
	TWA: 25 ppm 8 hours.
BUTOXYDIGLYCOL	ACGIH TLV (United States, 3/2012).
	TWA: 10 ppm 8 hours. Form: Inhalable
	fraction and vapor
POTASSIUM HYDROXIDE	ACGIH TLV (United States, 3/2012).
	C: 2 mg/m³
	NIOSH REL (United States, 6/2009).
	TWA: 2 mg/m³ 10 hours.

Product AS SOLD

Appropriate engineering controls

: Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

Personal protection

Eye protection

: Use chemical splash goggles. For continued or severe exposure wear a face shield over the

goggles.

Hand protection

Skin protection

: Use chemical-resistant, impervious gloves.

: Use synthetic apron, other protective equipment

as necessary to prevent skin contact.

Respiratory protection

: A respirator is not needed under normal and

Hygiene measures

intended conditions of product use.

Product AT USE DILUTION

Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

Use chemical splash goggles. For continued or severe exposure wear a face shield over the goggles.

Use chemical-resistant, impervious gloves.

Use synthetic apron, other protective equipment as necessary to prevent skin contact.

A respirator is not needed under normal and intended conditions of product use.

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing.

Section 9. Physical and chemical properties

Product AS SOLD

: Not available.

Physical state : Liquid. Color : Light tan. Odor : Not available. : 13.7 (100%) Ha Flash point $: > 100^{\circ}C$ **Explosion limits** : Not available. Flammability (solid,

gas)

Product AT USE DILUTION

Liquid.

Not available. Not available. 12.5 to 12.7 > 100°C

SOLVAXX PLUS QF-200BNP 24 Jan 2014

Section 9. Physical and chemical properties

Melting point: Not available.Boiling point: Not available.Evaporation rate: Not available.

(butyl acetate = 1)

Vapor pressure : Not available.
Vapor density : Not available.
Relative density : 1.153 (Water = 1)
Solubility : Not available.
Partition coefficient: : Not available.

n-octanol/water

Auto-ignition : Not available.

temperature

Decomposition: Not available.

temperature

Odor threshold : Not available.

Viscosity : Not available.

Section 10. Stability and reactivity

Product AS SOLD

Stability: The product is stable.

Possibility of hazardous

reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid : No specific data.

Materials to avoid : Not available.

Hazardous decomposition

products

: Under normal conditions of storage and use, hazardous decomposition products

should not be produced.

Section 11. Toxicological information

Route of exposure : Skin contact, Eye contact, Inhalation, Ingestion

Product AS SOLD

Symptoms

Eye contact: Adverse symptoms may include the following:

pain watering redness

Skin contact: Adverse symptoms may include the following:

pain or irritation

redness

blistering may occur

Inhalation : Adverse symptoms may include the following:

coughing

Respiratory tract irritation

Ingestion: Adverse symptoms may include the following:

stomach pains

Acute toxicity

Eye contact : Causes serious eye damage.

Skin contact: Causes severe burns.

Inhalation: May cause respiratory irritation.

Ingestion : May cause burns to mouth, throat and stomach.

Product AT USE DILUTION

Adverse symptoms may include the following:

pain watering redness

Adverse symptoms may include the following:

pain or irritation

redness

blistering may occur

Adverse symptoms may include the following:

coughing

Respiratory tract irritation

Adverse symptoms may include the following:

stomach pains

Causes serious eye damage.

Causes severe burns.

May cause respiratory irritation.

May cause burns to mouth, throat and

stomach.

SOLVAXX PLUS QF-200BNP 24 Jan 2014

Section 11. Toxicological information

Toxicity data

Product/ingredient name

Benzenesulfonic acid, dimethyl-, sodium salt (1:1)	LC50 Inhalation Dusts and mists	Rat	>6.2 mg/l
,	LD50 Dermal	Rabbit	>2000 mg/kg
	LD50 Oral	Rat	>7000 mg/kg
ethanol, 2-(2-ethoxyethoxy)-	LC50 Inhalation Vapor	Rat	>5.24 mg/l
	LD50 Dermal	Rabbit	9143 mg/kg
	LD50 Oral	Rat	6300 mg/kg
2-(2-butoxyethoxy)ethanol	LD50 Dermal	Rabbit	2764 mg/kg
	LD50 Oral	Rat	3306 mg/kg
benzenesulfonic acid, methyl-, potassium salt	LD50 Dermal	Rabbit	>2000 mg/kg
amines, coco alkyldimethyl, n-oxides	LD50 Oral	Rat	4400 mg/kg
	LD50 Dermal	Rat	>2174 mg/kg
	LD50 Oral	Rat	846 mg/kg

Chronic toxicity

Carcinogenicity : No known significant effects or critical hazards.

Mutagenicity : No known significant effects or critical hazards.

Teratogenicity : No known significant effects or critical hazards.

Developmental effects : No known significant effects or critical hazards.

Fertility effects : No known significant effects or critical hazards.

Section 12. Ecological information

Product AS SOLD

Ecotoxicity: This material is toxic to aquatic life.

Aquatic and terrestrial toxicity

Product/ingredient name	Result	Species	Exposure
sodium hydroxide	Acute EC50 40 mg/l	Daphnia	48 hours
Benzenesulfonic acid, dimethyl-, sodium salt (1:	Acute EC50 230 mg/l	Aquatic plants	96 hours
1)			
ethanol, 2-(2-ethoxyethoxy)-	Acute LC50 6010 mg/l	Fish	96 hours
2-(2-butoxyethoxy)ethanol	Acute LC50 1300 mg/l	Fish	96 hours
benzenesulfonic acid, methyl-, potassium salt	Acute LC50 >100 mg/l	Fish	96 hours
amines, coco alkyldimethyl, n-oxides	Acute LC50 <1 mg/l	Fish	96 hours
potassium hydroxide	Acute LC50 80 mg/l	Fish	96 hours

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Product AS SOLD

Disposal methods : Avoid disposal. Attempt to use product completely in accordance with intended use.

Disposal should be in accordance with applicable

regional, national and local laws and regulations.

RCRA classification : Unused product is D002 (Corrosive)

Product AT USE DILUTION

Avoid disposal. Attempt to use product completely in accordance with intended use. Disposal should be in accordance with applicable regional, national and local laws and regulations.

Page: 6/8

SOLVAXX PLUS QF-200BNP 24 Jan 2014

Section 14. Transport information

Certain shipping modes or package sizes may have exceptions from the transport regulations. The classification provided may not reflect those exceptions and may not apply to all shipping modes or package sizes.

DOT

DOT Proper shipping nameNot intended for transport.

Class -

Packing group -

IMO/IMDG

IMO/IMDG Classification Not intended for transport.

IMO/IMDG Proper shipping name Class Packing group -

For transport in bulk, see shipping documents for specific transportation information.

Product AT USE DILUTION

Not intended for transport.

Section 15. Regulatory information

Product AS SOLD

U.S. Federal regulations

TSCA 8(b) inventory : All components are listed or exempted.

SARA 302/304/311/312 extremely hazardous substances: No listed substance SARA 302/304 emergency planning and notification: No listed substance

SARA 313 Product name CAS number Concentration


Form R - Reporting: ethanol, 2-(2-ethoxyethoxy)-111-90-03.6requirements2-(2-butoxyethoxy)ethanol112-34-53.564

<u>California Prop. 65</u> : No listed substance

Section 16. Other information


Product AS SOLD

Hazardous Material Information System (U.S.A.)



National Fire Protection
Association (U.S.A.)





Section 16. Other information

Date of issue : 24 Jan 2014

Prepared by : Regulatory Affairs

1-800-352-5326

Notice to reader

The above information is believed to be correct with respect to the formula used to manufacture the product in the country of origin. As data, standards, and regulations change, and conditions of use and handling are beyond our control, NO WARRANTY, EXPRESS OR IMPLIED, IS MADE AS TO THE COMPLETENESS OR CONTINUING ACCURACY OF THIS INFORMATION.

Page: 8/8