

REWORK SILVER POWER

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : REWORK SILVER POWER

Other means of identification : Not applicable

Recommended use : Presoak

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : No dilution information provided.

Company : Ecolab Inc.

1 Ecolab Place

St. Paul, Minnesota USA 55102

1-800-352-5326

Emergency health

information

: 1-800-328-0026 (US/Canada), 1-651-222-5352 (outside US)

Issuing date : 05/16/2024

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Eye irritation : Category 2A

GHS label elements

Hazard pictograms :



Signal Word : Warning

Hazard Statements : Causes serious eye irritation.

Precautionary Statements : **Prevention:**

Wash skin thoroughly after handling. Wear eye protection/ face

protection. Response:

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye

irritation persists: Get medical advice/ attention.

Other hazards : None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

Chemical name CAS-No. Concentration (%)

 Sodium Carbonate
 497-19-8
 30 - 60

 alcohols, c12-16, ethoxylated >5EO
 68551-12-2
 1 - 5

 sodium isononanoate
 84501-72-4
 1 - 5

 Trisodium N-(2 139-89-9
 1 - 5

Hydroxyethyl)Ethylenediaminetriacetate

961870-03 1 / 8

REWORK SILVER POWER

SECTION 4. FIRST AID MEASURES

In case of eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. If eye

irritation persists: Get medical advice/ attention.

In case of skin contact : Rinse with plenty of water.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

If inhaled : Get medical attention if symptoms occur.

Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal

protective equipment.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and

delayed

: See Section 11 for more detailed information on health effects and

symptoms.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable extinguishing

media

: None known.

Specific hazards during fire

fighting

: Not flammable or combustible.

Hazardous combustion

products

: Decomposition products may include the following materials:

Carbon oxides

Nitrogen oxides (NOx)

Special protective equipment

for fire-fighters

: Use personal protective equipment.

Specific extinguishing

methods

: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire

and/or explosion do not breathe fumes.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Ensure clean-up is conducted by trained personnel only. Refer to

protective measures listed in sections 7 and 8.

Environmental precautions : Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up

: Sweep up and shovel into suitable containers for disposal.

SECTION 7. HANDLING AND STORAGE

961870-03 2 / 8

REWORK SILVER POWER

Advice on safe handling : Avoid contact with skin and eyes. Wash hands thoroughly after

handling. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment

(PPE).

Conditions for safe storage : Keep out of reach of children. Store in suitable labeled containers.

Storage temperature : 0 °C to 40 °C

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures : Good general ventilation should be sufficient to control worker

exposure to airborne contaminants.

Personal protective equipment

Eye protection : Due to the form and packaging of the product, no protective

equipment is needed under normal use conditions.

Hand protection : No special protective equipment required.

Skin protection : No special protective equipment required.

Respiratory protection : No personal respiratory protective equipment normally required.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice. Wash face, hands and any exposed skin thoroughly after

handling.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Cast Solid

Color : opaque, dark blue

Odor : citrus

pH : 10.0 - 11.4, (1 %)

Flash point : Not applicable, Does not sustain combustion.

: No data available

Odor Threshold : No data available

Melting point/freezing point : No data available

Initial boiling point and : No data available

boiling range

Relative vapor density

Evaporation rate : No data available
Flammability (solid, gas) : Not applicable
Upper explosion limit : No data available
Lower explosion limit : No data available
Vapor pressure : No data available

961870-03 3 / 8

REWORK SILVER POWER

Relative density : 1.3 Water solubility : soluble

Solubility in other solvents : No data available Partition coefficient: n-: No data available

octanol/water

Autoignition temperature : No data available Thermal decomposition : No data available : No data available Viscosity, kinematic Explosive properties : No data available Oxidizing properties : No data available Molecular weight : No data available VOC : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

: Stable under normal conditions. Chemical stability

Possibility of hazardous

reactions

: No dangerous reaction known under conditions of normal use.

Conditions to avoid : None known.

Incompatible materials : Acids

Hazardous decomposition

products

: In case of fire hazardous decomposition products may be produced

such as:

Carbon oxides

Nitrogen oxides (NOx)

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of : Eye contact, Skin contact

exposure

Potential Health Effects

Eyes : Causes serious eye irritation.

Skin : Health injuries are not known or expected under normal use.

Ingestion : Health injuries are not known or expected under normal use.

Inhalation : Health injuries are not known or expected under normal use.

Chronic Exposure : Health injuries are not known or expected under normal use.

Experience with human exposure

: Redness, Pain, Irritation Eye contact

Skin contact : No symptoms known or expected.

961870-03 4/8

REWORK SILVER POWER

Ingestion : No symptoms known or expected.

Inhalation : No symptoms known or expected.

Toxicity

Product

Acute oral toxicity : Acute toxicity estimate : 4,244 mg/kg

Acute inhalation toxicity : No data available

Acute dermal toxicity : Acute toxicity estimate : > 5,000 mg/kg

Skin corrosion/irritation : No data available
Serious eye damage/eye : No data available

irritation

Respiratory or skin

sensitization

: No data available

Carcinogenicity : No data available
Reproductive effects : No data available
Germ cell mutagenicity : No data available
Teratogenicity : No data available
STOT-single exposure : No data available
STOT-repeated exposure : No data available
Aspiration toxicity : No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Environmental Effects : Harmful to aquatic life.

Product

Toxicity to fish : 96 h LC50: 41 mg/l Toxicity to daphnia and other : No data available

aquatic invertebrates

: No data available

Toxicity to algae **Components**

Toxicity to daphnia and other

aquatic invertebrates

: Sodium Carbonate

48 h EC50 Ceriodaphnia (water flea): 213.5 mg/l

Trisodium N-(2-Hydroxyethyl)Ethylenediaminetriacetate

48 h EC50 Daphnia: > 500 mg/l

Persistence and degradability

Poorly biodegradable

Bioaccumulative potential

No data available

Mobility in soil

No data available

961870-03 5 / 8

REWORK SILVER POWER

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods : Do not contaminate ponds, waterways or ditches with chemical or

used container. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste

disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to

an approved waste handling site for recycling or disposal. Do not reuse empty containers. Dispose of in accordance with local, state, and

federal regulations.

SECTION 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (DOT)

Not dangerous goods

Sea transport (IMDG/IMO)

Not dangerous goods

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ
			(lbs)
sodium dodecylbenzene sulfonate	25155-30-0	1000	110485

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Serious eye damage or eye irritation

SARA 302 : This material does not contain any components with a section 302

EHS TPQ.

SARA 313 : This material does not contain any chemical components with known

CAS numbers that exceed the threshold (De Minimis) reporting levels

established by SARA Title III, Section 313.

California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

California Cleaning Product Right to Know Act of 2017 (SB 258)

961870-03 6 / 8

REWORK SILVER POWER

This regulation applies to this product.

Hazardous ingredients	CAS-No.	Function	List(s)
Sodium Carbonate	497-19-8	Buffer	Not Applicable
water	7732-18-5	Diluent	Not Applicable
2-propenoic acid, 2-methyl-,	54193-36-1	Cleaning Agent	Not Applicable
homopolymer, sodium salt			
alcohols, c12-16, ethoxylated	68551-12-2	Cleaning Agent	Not Applicable
>5EO			
citric acid, trisodium salt,	6132-04-3	Cleaning Agent	Not Applicable
dihydrate			
sodium isononanoate	84501-72-4	Processing Aid	Not Applicable
Trisodium N-(2-	139-89-9	Cleaning Agent	Not Applicable
Hydroxyethyl)Ethylenediaminetria			
cetate			
Linear Alkylbenzene Sulfonate	Withheld	Cleaning Agent	Not Applicable
and its salt	1400 L		<u> </u>
Chelating agent	Withheld	Cleaning Agent	Not Applicable
Polyacrylate	Withheld	Cleaning Agent	Not Applicable
sodium sulfate	7757-82-6	Cleaning Agent	20
Limonene	5989-27-5	Fragrance	FRA
Sugar	Withheld	Diluent	Not Applicable
Pigment	Withheld	Dye	Not Applicable
Sodium hydroxide	1310-73-2	Cleaning Agent	20
Chelating agents	Withheld	Cleaning Agent	Not Applicable
Carbohydrate	Withheld	Cleaning Agent	Not Applicable
Inorganic salt	Withheld	Cleaning Agent	Not Applicable
subtilisin	9014-01-1	Cleaning Agent	8
Aromatic hydrocarbon	Withheld	Cleaning Agent	Not Applicable
Organic acid	Withheld	Cleaning Agent	Not Applicable
Diethyl Phthalate	84-66-2	Fragrance	19, 21, NFC
Silicone	Withheld	Cleaning Agent	Not Applicable
Ethoxylated fatty alcohol	Withheld	Cleaning Agent	Not Applicable
Emulsion	Withheld	Cleaning Agent	Not Applicable
Polyol Ester	Withheld	Cleaning Agent	Not Applicable
acrylic acid	79-10-7	Cleaning Agent	4, 18, 20, NFC
Fatty ester	Withheld	Cleaning Agent	Not Applicable
Silicone compound	Withheld	Cleaning Agent	Not Applicable
Fatty acid	Withheld	Cleaning Agent	Not Applicable
Fatty acid	Withheld	Cleaning Agent	Not Applicable

^{*}refer to ecolab.com/sds for electronic links to designated lists

The ingredients of this product are reported in the following inventories:

United States TSCA Inventory:

All substances listed as active on the TSCA inventory

Canadian Domestic Substances List (DSL):

This product contains one or several components listed in the Canadian NDSL.

Australia. Australian Industrial Chemicals Introduction Scheme (AICIS) : not determined

New Zealand. Inventory of Chemical Substances:

On the inventory, or in compliance with the inventory

Japan. ENCS - Existing and New Chemical Substances Inventory :

On the inventory, or in compliance with the inventory

961870-03 7 / 8

REWORK SILVER POWER

Korea. Korean Existing Chemicals Inventory (KECI):

On the inventory, or in compliance with the inventory

Philippines Inventory of Chemicals and Chemical Substances (PICCS) :

not determined

China. Inventory of Existing Chemical Substances in China (IECSC):


not determined

Taiwan Chemical Substance Inventory (TCSI):

not determined

SECTION 16. OTHER INFORMATION

NFPA:



HMIS III:

HEALTH	2
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,

2 = Moderate, 3 = High 4 = Extreme, * = Chronic

Issuing date : 05/16/2024

Version : 1.1

Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

961870-03 8 / 8