

SWISHER OIL-BASED STAINLESS STEEL POLISH

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : SWISHER OIL-BASED STAINLESS STEEL POLISH

Other means of identification : Not applicable

Recommended use : Cleaning product

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : Product is sold ready to use.

Company : Ecolab Inc.

1 Ecolab Place

St. Paul, Minnesota USA 55102

1-866-444-7450

Emergency health

information

: 1-800-328-0026 (US/Canada), 1-651-222-5352 (outside US)

Issuing date : 08/05/2019

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Eye irritation : Category 2A

GHS label elements

Hazard pictograms :



Signal Word : Warning

Hazard Statements : Causes serious eye irritation.

Precautionary Statements : Prevention:

Wash skin thoroughly after handling. Wear eye protection/ face

protection. Response:

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye

irritation persists: Get medical advice/ attention.

Other hazards : None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

Chemical name CAS-No. Concentration (%)

white mineral oil, petroleum 8042-47-5 30 - 60 distillates (petroleum), hydrotreated middle 64742-46-7 30 - 60 2-(2-butoxyethoxy)ethanol 112-34-5 10 - 30

998690-03 1 / 8

SWISHER OIL-BASED STAINLESS STEEL POLISH

SECTION 4. FIRST AID MEASURES

In case of eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. If eye

irritation persists: Get medical advice/ attention.

In case of skin contact : Rinse with plenty of water.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

If inhaled : Treat symptomatically.

Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal

protective equipment.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and

delayed

: See Section 11 for more detailed information on health effects and

symptoms.

SECTION 5. FIRE-FIGHTING MEASURES

: Use extinguishing measures that are appropriate to local Suitable extinguishing media

circumstances and the surrounding environment.

Unsuitable extinguishing

media

: None known.

Specific hazards during fire

fighting

: Not flammable or combustible.

Hazardous combustion

products

: Decomposition products may include the following materials:

Carbon oxides

Special protective equipment : Use personal protective equipment.

for fire-fighters

Specific extinguishing

methods

: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire

and/or explosion do not breathe fumes.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

: Ensure clean-up is conducted by trained personnel only. Refer to

protective measures listed in sections 7 and 8.

Environmental precautions : Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with noncombustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. Do not flush into surface water or sanitary sewer

system.

998690-03 2/8

SWISHER OIL-BASED STAINLESS STEEL POLISH

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Avoid contact with skin and eyes. Do not breathe dust/ fume/ gas/

mist/ vapors/ spray. Use only with adequate ventilation. Wash hands

thoroughly after handling.

Conditions for safe storage : Keep out of reach of children. Store in suitable labeled containers.

Storage temperature : 0 °C to 50 °C

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
white mineral oil, petroleum	8042-47-5	TWA (Mist)	5 mg/m3	NIOSH REL
		STEL (Mist)	10 mg/m3	NIOSH REL
		TWA (Mist)	5 mg/m3	OSHA Z1
		TWA (Inhalable fraction)	5 mg/m3	ACGIH
distillates (petroleum), hydrotreated middle	64742-46-7	TWA	500 ppm 2,000 mg/m3	OSHA Z1
		TWA (Mist)	5 mg/m3	NIOSH REL
		STEL (Mist)	10 mg/m3	NIOSH REL
		TWA (Mist)	5 mg/m3	OSHA Z1
2-(2-butoxyethoxy)ethanol	112-34-5	TWA (Inhalable fraction and vapor)	10 ppm	ACGIH

Engineering measures : Good general ventilation should be sufficient to control worker

exposure to airborne contaminants.

Personal protective equipment

Eye protection : Safety glasses with side-shields

Hand protection : No special protective equipment required.

Skin protection : No special protective equipment required.

Respiratory protection : No personal respiratory protective equipment normally required.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice. Wash face, hands and any exposed skin thoroughly after

handling.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : clear, light yellow

Odor : slight

998690-03 3 / 8

SWISHER OIL-BASED STAINLESS STEEL POLISH

pΗ : (100 %)Not applicable

Flash point closed cupNot applicable, Does not sustain combustion.

Odor Threshold No data available : No data available Melting point/freezing point

Initial boiling point and

boiling range

: > 100 °C

Evaporation rate : No data available Flammability (solid, gas) : No data available Upper explosion limit : No data available Lower explosion limit : No data available Vapor pressure : No data available Relative vapor density : No data available : 0.849 - 0.873 Relative density

Water solubility : insoluble

Solubility in other solvents Partition coefficient: n-

octanol/water

: No data available : No data available

Autoignition temperature : No data available Thermal decomposition : No data available : 32.900 mm2/s (40 °C) Viscosity, kinematic

Explosive properties : No data available

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available VOC : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

: No dangerous reaction known under conditions of normal use.

Conditions to avoid : None known.

Incompatible materials : None known.

Hazardous decomposition

products

In case of fire hazardous decomposition products may be produced

such as:

Carbon oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of : Inhalation, Eye contact, Skin contact

exposure

998690-03 4/8

SWISHER OIL-BASED STAINLESS STEEL POLISH

Potential Health Effects

Eyes : Causes serious eye irritation.

Skin : Health injuries are not known or expected under normal use.

Ingestion : Health injuries are not known or expected under normal use.

Inhalation : Health injuries are not known or expected under normal use.

Chronic Exposure : Health injuries are not known or expected under normal use.

Experience with human exposure

Eye contact : Redness, Pain, Irritation

Skin contact : No symptoms known or expected.

Ingestion : No symptoms known or expected.

Inhalation : No symptoms known or expected.

Toxicity

Product

Acute oral toxicity : Acute toxicity estimate : > 5,000 mg/kg

Acute inhalation toxicity : 4 h Acute toxicity estimate : > 5 mg/l

Test atmosphere: dust/mist

Acute dermal toxicity : Acute toxicity estimate : > 5,000 mg/kg

Skin corrosion/irritation : No data available
Serious eye damage/eye : No data available

irritation

Respiratory or skin

sensitization

: No data available

Carcinogenicity : No data available
Reproductive effects : No data available
Germ cell mutagenicity : No data available
Teratogenicity : No data available
STOT-single exposure : No data available
STOT-repeated exposure : No data available
Aspiration toxicity : No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Environmental Effects : Toxic to aquatic life.

Product

aquatic invertebrates

Toxicity to fish : No data available

Toxicity to daphnia and other : No data available

998690-03 5 / 8

SWISHER OIL-BASED STAINLESS STEEL POLISH

Toxicity to algae : No data available

Components

Toxicity to fish : white mineral oil, petroleum

96 h LC50 Oncorhynchus mykiss (rainbow trout): > 100 mg/l

2-(2-butoxyethoxy)ethanol 96 h LC50 Fish: 1,300 mg/l

Persistence and degradability

Biodegradable

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods : Do not contaminate ponds, waterways or ditches with chemical or

used container. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste

disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to

an approved waste handling site for recycling or disposal. Do not reuse empty containers. Dispose of in accordance with local, state, and

federal regulations.

SECTION 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (DOT)

Not dangerous goods

Sea transport (IMDG/IMO)

Not dangerous goods

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

998690-03 6 / 8

SWISHER OIL-BASED STAINLESS STEEL POLISH

SARA 311/312 Hazards : Serious eye damage or eye irritation

SARA 302 : This material does not contain any components with a section 302

EHS TPQ.

SARA 313 : The following components are subject to reporting levels established

by SARA Title III, Section 313:

2-(2-butoxyethoxy)ethanol 112-34-5 19.8 %

California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

California Cleaning Product Right to Know Act of 2017 (SB 258)

This regulation applies to this product.

Chemical Name	CAS-No.	Function	List(s)
white mineral oil, petroleum	8042-47-5	Solvent	9, 15
distillates (petroleum),	64742-46-7	Solvent	2
hydrotreated middle			
2-(2-butoxyethoxy)ethanol	112-34-5	Solvent	Not Applicable

^{*}refer to ecolab.com/sds for electronic links to designated lists

The ingredients of this product are reported in the following inventories:

United States TSCA Inventory:

All substances listed as active on the TSCA inventory

Canadian Domestic Substances List (DSL):

All components of this product are on the Canadian DSL

Australia Inventory of Chemical Substances (AICS):

On the inventory, or in compliance with the inventory

New Zealand. Inventory of Chemical Substances :

not determined

Japan. ENCS - Existing and New Chemical Substances Inventory :

not determined

Korea. Korean Existing Chemicals Inventory (KECI):

On the inventory, or in compliance with the inventory

Philippines Inventory of Chemicals and Chemical Substances (PICCS):

On the inventory, or in compliance with the inventory

China. Inventory of Existing Chemical Substances in China (IECSC):

On the inventory, or in compliance with the inventory

Taiwan Chemical Substance Inventory (TCSI):


On the inventory, or in compliance with the inventory

SECTION 16. OTHER INFORMATION

998690-03 7 / 8

SWISHER OIL-BASED STAINLESS STEEL POLISH

NFPA:



HMIS III:

HEALTH	2
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,

2 = Moderate, 3 = High

4 = Extreme, * = Chronic

Issuing date 08/05/2019

Version 1.3

Prepared by Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

998690-03 8/8