

## PINNACLE INTENSIVE TILE CLEANER

#### **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

: PINNACLE INTENSIVE TILE CLEANER Product name

Other means of identification: Not applicable

Recommended use Floor Cleaner

Product dilution information 50.0 %

Company Ecolab Inc.

1 Ecolab Place

St. Paul, Minnesota USA 55102

1-800-352-5326

Emergency health

information

: 1-800-328-0026 (US/Canada), 1-651-222-5352 (outside US)

Issuing date : 10/14/2022

#### **SECTION 2. HAZARDS IDENTIFICATION**

#### **GHS Classification**

**Product AS SOLD** 

Skin corrosion : Category 1A Serious eye damage : Category 1

single exposure

Specific target organ toxicity - : Category 3 (Respiratory system)

#### **Product AT USE DILUTION**

Skin corrosion : Category 1A Serious eye damage : Category 1

#### **GHS** label elements

#### **Product AS SOLD**

Hazard pictograms





Signal Word Danger

**Hazard Statements** : Causes severe skin burns and eye damage.

May cause respiratory irritation.

**Precautionary Statements** : Prevention:

> Avoid breathing mist or vapors. Wash skin thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/

protective clothing/ eye protection/ face protection.

Response:

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

910969-02 1/12

Immediately call a POISON CENTER/ doctor. Wash contaminated clothing before reuse.

Storage:

Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Disposal:

Dispose of contents/ container to an approved waste disposal plant.

**Product AT USE DILUTION** 

Hazard pictograms

Signal Word : Danger

Hazard Statements : Causes severe skin burns and eye damage.

Precautionary Statements : Prevention:

Wash skin thoroughly after handling. Wear protective gloves/

protective clothing/ eye protection/ face protection.

Response:

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor. Wash contaminated

clothing before reuse.

Storage: Store locked up. Disposal:

Dispose of contents/ container to an approved waste disposal plant.

**Product AS SOLD** 

Other hazards : None known.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

**Product AS SOLD** 

Pure substance/mixture : Mixture

Chemical name	CAS-No.	Concentration (%)
1-methoxy-2-propanol	107-98-2	5 - 10
Monoethanolamine	141-43-5	1 - 5
potassium hydroxide	1310-58-3	1 - 5
Benzyl alcohol	100-51-6	1 - 5
1,1'-Oxybisbenzene, tetrapropylene derivs.,	119345-04-9	1 - 5
sulfonated, sodium salts		
2-propenoic acid, ethyl ester, polymer with ethenyl	113221-69-5	1 - 5
acetate and 2,5-furandione, hydrolyzed		
Sodium etasulfate	126-92-1	1 - 5

Product AT USE DILUTION		
Chemical name	CAS-No.	Concentration (%)
1-methoxy-2-propanol	107-98-2	1 - 5
Monoethanolamine	141-43-5	1 - 5
potassium hydroxide	1310-58-3	1 - 5

910969-02 2 / 12

Benzyl alcohol 100-51-6 1 - 5

#### **SECTION 4. FIRST AID MEASURES**

**Product AS SOLD** 

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Get medical attention immediately.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes.

Wash clothing before reuse. Thoroughly clean shoes before reuse.

Get medical attention immediately.

If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give

anything by mouth to an unconscious person. Get medical attention

immediately.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if

symptoms occur.

Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal

protective equipment.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and

delayed

: See Section 11 for more detailed information on health effects and

symptoms.

**Product AT USE DILUTION** 

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Get medical attention immediately.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes.

Wash clothing before reuse. Thoroughly clean shoes before reuse.

Get medical attention immediately.

If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give

anything by mouth to an unconscious person. Get medical attention

immediately.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if

symptoms occur.

## **SECTION 5. FIRE-FIGHTING MEASURES**

**Product AS SOLD** 

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable extinguishing

media

: None known.

Specific hazards during fire

fighting

: Not flammable or combustible.

Hazardous combustion : Decomposition products may include the following materials:

910969-02 3 / 12

## PINNACLE INTENSIVE TILE CLEANER

products Carbon oxides

Nitrogen oxides (NOx)

Sulfur oxides

for fire-fighters

Special protective equipment : Use personal protective equipment.

Specific extinguishing

methods

: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire

and/or explosion do not breathe fumes.

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

#### **Product AS SOLD**

Personal precautions, protective equipment and emergency procedures

: Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

**Environmental precautions** 

: Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with noncombustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

#### **Product AT USE DILUTION**

Personal precautions, protective equipment and emergency procedures

: Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

**Environmental precautions** 

: Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with noncombustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

#### **SECTION 7. HANDLING AND STORAGE**

#### **Product AS SOLD**

Advice on safe handling

: Do not ingest. Do not get in eyes, on skin, or on clothing. Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Use only with adequate ventilation. Wash hands thoroughly after handling. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE).

Conditions for safe storage

: Do not store near acids. Keep out of reach of children. Store in suitable labeled containers.

910969-02 4/12

## PINNACLE INTENSIVE TILE CLEANER

Storage temperature : -10 °C to 50 °C

**Product AT USE DILUTION** 

Advice on safe handling : Do not ingest. Do not get in eyes, on skin, or on clothing. Do not

breathe dust/ fume/ gas/ mist/ vapors/ spray. Use only with adequate ventilation. Wash hands thoroughly after handling. In case of mechanical malfunction, or if in contact with unknown dilution of

product, wear full Personal Protective Equipment (PPE).

Conditions for safe storage : Do not store near acids. Keep out of reach of children. Store in

suitable labeled containers.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# Product AS SOLD Ingredients with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
1-methoxy-2-propanol	107-98-2	TWA	50 ppm	ACGIH
		STEL	100 ppm	ACGIH
		ST	150 ppm 540 mg/m3	NIOSH REL
		TWA	100 ppm 360 mg/m3	NIOSH REL
		TWA	100 ppm 360 mg/m3	OSHA P0
		STEL	150 ppm 540 mg/m3	OSHA P0
		PEL	100 ppm 360 mg/m3	
		STEL	150 ppm 540 mg/m3	
monoethanolamine	141-43-5	TWA	3 ppm	ACGIH
		STEL	6 ppm	ACGIH
		TWA	3 ppm 8 mg/m3	NIOSH REL
		ST	6 ppm 15 mg/m3	NIOSH REL
		TWA	3 ppm 6 mg/m3	OSHA Z-1
		TWA	3 ppm 8 mg/m3	OSHA P0
		STEL	6 ppm 15 mg/m3	OSHA P0
		PEL	3 ppm 8 mg/m3	
		STEL	6 ppm 15 mg/m3	
potassium hydroxide	1310-58-3	С	2 mg/m3	ACGIH
		С	2 mg/m3	NIOSH REL
		С	2 mg/m3	OSHA P0
		С	2 mg/m3	
Benzyl alcohol	100-51-6	TWA	10 ppm	US WEEL

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations

below occupational exposure standards.

910969-02 5 / 12

#### Personal protective equipment

Eye protection : Wear eye protection and/or face protection.

: Wear the following personal protective equipment: Hand protection

Standard glove type.

Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

: Personal protective equipment comprising: suitable protective gloves, Skin protection

safety goggles and protective clothing

Respiratory protection : When workers are facing concentrations above the exposure limit they

must use appropriate certified respirators.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes

and body in case of contact or splash hazard.

**Product AT USE DILUTION** 

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations

below occupational exposure standards.

Personal protective equipment

: Wear eye protection and/or face protection. Eye protection

Hand protection : Wear the following personal protective equipment:

Standard glove type.

Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

: Personal protective equipment comprising: suitable protective gloves, Skin protection

safety goggles and protective clothing

: When workers are facing concentrations above the exposure limit they Respiratory protection

must use appropriate certified respirators.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

**Product AS SOLD Product AT USE DILUTION** 

12.5 - 13.5

Appearance : liquid liquid

Color : colorless light yellow Odor : alcohol-like alcohol-like

: 13.5, (100 %) Flash point : Not applicable

Odor Threshold : No data available : No data available Melting point/freezing point : No data available Initial boiling point and

boiling range

pΗ

Evaporation rate : No data available

910969-02 6/12

#### PINNACLE INTENSIVE TILE CLEANER

Flammability (solid, gas) : Not applicable Upper explosion limit : No data available Lower explosion limit : No data available Vapor pressure : No data available Relative vapor density : No data available

: 1.05 Relative density Water solubility : soluble

Solubility in other solvents : No data available Partition coefficient: n-: No data available

octanol/water

Autoignition temperature Thermal decomposition

: No data available Viscosity, kinematic : No data available Explosive properties : No data available Oxidizing properties : No data available Molecular weight : No data available VOC : No data available

## **SECTION 10. STABILITY AND REACTIVITY**

**Product AS SOLD** 

Reactivity : No dangerous reaction known under conditions of normal use.

: No data available

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

: No dangerous reaction known under conditions of normal use.

Conditions to avoid : None known.

Incompatible materials : Acids

Metals

Hazardous decomposition

products

: In case of fire hazardous decomposition products may be produced

such as:

Carbon oxides

Nitrogen oxides (NOx)

Sulfur oxides

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

Information on likely routes of : Inhalation, Eye contact, Skin contact

exposure

**Potential Health Effects** 

**Product AS SOLD** 

Eyes : Causes serious eye damage.

Skin : Causes severe skin burns.

910969-02 7/12

## PINNACLE INTENSIVE TILE CLEANER

Ingestion : Causes digestive tract burns.

Inhalation : May cause respiratory tract irritation. May cause nose, throat, and

lung irritation.

Chronic Exposure : Health injuries are not known or expected under normal use.

**Product AT USE DILUTION** 

Eyes : Causes serious eye damage.

Skin : Causes severe skin burns.

Ingestion : Causes digestive tract burns.

Inhalation : May cause nose, throat, and lung irritation.

Chronic Exposure : Health injuries are not known or expected under normal use.

#### **Experience with human exposure**

**Product AS SOLD** 

Eye contact : Redness, Pain, Corrosion

Skin contact : Redness, Pain, Corrosion

Ingestion : Corrosion, Abdominal pain

Inhalation : Respiratory irritation, Cough

**Product AT USE DILUTION** 

Eye contact : Redness, Pain, Corrosion

Skin contact : Redness, Pain, Corrosion

Ingestion : Corrosion, Abdominal pain

Inhalation : Respiratory irritation, Cough

#### **Toxicity**

**Product AS SOLD** 

**Product** 

Acute oral toxicity : Acute toxicity estimate : 4,869 mg/kg

Acute inhalation toxicity : 4 h Acute toxicity estimate : 19.63 mg/l

Test atmosphere: dust/mist

Acute dermal toxicity : Acute toxicity estimate : > 5,000 mg/kg

Skin corrosion/irritation : No data available
Serious eye damage/eye : No data available

irritation

Respiratory or skin

sensitization

: No data available

Carcinogenicity : No data available
Reproductive effects : No data available
Germ cell mutagenicity : No data available

Teratogenicity : No data available

910969-02 8 / 12

## PINNACLE INTENSIVE TILE CLEANER

STOT-single exposure : No data available STOT-repeated exposure : No data available Aspiration toxicity : No data available

#### **SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity** 

**Product AS SOLD** 

**Environmental Effects** : Harmful to aquatic life.

**Product AT USE DILUTION** 

**Environmental Effects** : This product has no known ecotoxicological effects.

**Product AS SOLD** 

**Product** 

Toxicity to fish : 96 h LC50: 76.5 mg/l

Toxicity to daphnia and other

aquatic invertebrates

: No data available

Toxicity to algae : No data available

Components

Toxicity to daphnia and other : 1-methoxy-2-propanol

aquatic invertebrates

48 h EC50 Daphnia magna (Water flea): 23,300 mg/l

Monoethanolamine

48 h LC50 Daphnia magna (Water flea): 65 mg/l

Benzyl alcohol

48 h EC50 Daphnia magna (Water flea): 230 mg/l

Components

Toxicity to algae : Benzyl alcohol

72 h EC50 Pseudokirchneriella subcapitata (green algae): 770 mg/l

#### Persistence and degradability

#### **Product AT USE DILUTION**

Poorly biodegradable

#### **Bioaccumulative potential**

No data available

#### Mobility in soil

No data available

#### Other adverse effects

No data available

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

**Product AS SOLD** 

Disposal methods : Do not contaminate ponds, waterways or ditches with chemical or

> used container. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste

910969-02 9/12

## PINNACLE INTENSIVE TILE CLEANER

disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to

an approved waste handling site for recycling or disposal. Do not reuse empty containers. Dispose of in accordance with local, state, and

federal regulations.

RCRA - Resource

Conservation and Recovery Authorization Act Hazardous

waste

: D002 (Corrosive)

**Product AT USE DILUTION** 

Disposal methods : Where possible recycling is preferred to disposal or incineration. If

recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to

an approved waste handling site for recycling or disposal. Do not reuse empty containers. Dispose of in accordance with local, state, and

federal regulations.

## **SECTION 14. TRANSPORT INFORMATION**

#### **Product AS SOLD**

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (DOT)

UN number : 1814

Description of the goods : Potassium hydroxide, solution

Class : 8
Packing group : II
Environmentally hazardous : no

Sea transport (IMDG/IMO)

UN number : 1814

Proper shipping name : POTASSIUM HYDROXIDE SOLUTION

Class : 8
Packing group : II
Marine pollutant : no

#### **SECTION 15. REGULATORY INFORMATION**

#### **Product AS SOLD**

#### **EPCRA - Emergency Planning and Community Right-to-Know**

#### **CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
potassium hydroxide	1310-58-3	1000	25205

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

910969-02 10 / 12

#### PINNACLE INTENSIVE TILE CLEANER

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Skin corrosion or irritation

Serious eye damage or eye irritation

Specific target organ toxicity (single or repeated exposure)

SARA 302 : This material does not contain any components with a section 302

EHS TPQ.

SARA 313 : This material does not contain any chemical components with known

CAS numbers that exceed the threshold (De Minimis) reporting levels

established by SARA Title III, Section 313.

#### California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

## California Cleaning Product Right to Know Act of 2017 (SB 258)

This regulation applies to this product.

Chemical Name	CAS-No.	Function	List(s)
water	7732-18-5	Diluent	Not Applicable
1-methoxy-2-propanol	107-98-2	Solvent	4, 20
Monoethanolamine	141-43-5	Cleaning Agent	Not Applicable
potassium hydroxide	1310-58-3	Cleaning Agent	Not Applicable
Benzyl alcohol	100-51-6	Solvent	FRA
1,1'-Oxybisbenzene,	119345-04-9	Cleaning Agent	Not Applicable
tetrapropylene derivs., sulfonated,			
sodium salts			
2-propenoic acid, ethyl ester,	113221-69-5	Cleaning Agent	Not Applicable
polymer with ethenyl acetate and			
2,5-furandione, hydrolyzed			
Sodium etasulfate	126-92-1	Cleaning Agent	Not Applicable
Alkoxyacetate	Withheld	Solvent	Not Applicable

<sup>\*</sup>refer to ecolab.com/sds for electronic links to designated lists

#### The ingredients of this product are reported in the following inventories:

## **United States TSCA Inventory:**

All components are listed or exempted.

#### Canadian Domestic Substances List (DSL):

All components of this product are on the Canadian DSL

## Australia. Australian Industrial Chemicals Introduction Scheme (AICIS):

not determined

#### New Zealand. Inventory of Chemical Substances:

not determined

#### Japan. ENCS - Existing and New Chemical Substances Inventory :

not determined

## Korea. Korean Existing Chemicals Inventory (KECI) :

On the inventory, or in compliance with the inventory

#### Philippines Inventory of Chemicals and Chemical Substances (PICCS):

not determined

910969-02 11 / 12

## China. Inventory of Existing Chemical Substances in China (IECSC) :


not determined

## Taiwan Chemical Substance Inventory (TCSI):

On the inventory, or in compliance with the inventory

#### **SECTION 16. OTHER INFORMATION**


## Product AS SOLD NFPA:



#### HMIS III:

HEALTH	3
FLAMMABILITY	0
PHYSICAL HAZARD	0

- 0 = not significant, 1 = Slight,
- 2 = Moderate, 3 = High
- 4 = Extreme, \* = Chronic



Issuing date : 10/14/2022

Version : 2.1

Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

910969-02 12 / 12