

SODIUM BISULFITE SOLUTION 40 PERCENT

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : SODIUM BISULFITE SOLUTION 40 PERCENT

Other means of identification : Not applicable

Recommended use : Maintenance Product

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : Product is sold ready to use.

Company : Ecolab Inc.

1 Ecolab Place

St. Paul, Minnesota USA 55102

1-800-352-5326

Emergency health

information

: 1-800-328-0026 (US/Canada), 1-651-222-5352 (outside US)

Issuing date : 05/01/2019

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Acute toxicity (Oral) : Category 4

GHS label elements

Hazard pictograms :



Signal Word : Warning

Hazard Statements : Harmful if swallowed.

Precautionary Statements : Prevention:

Wash skin thoroughly after handling. Do not eat, drink or smoke when

using this product.

Response:

IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

Rinse mouth. **Disposal:**

Dispose of contents/ container to an approved waste disposal plant.

Other hazards : The head space of containing this product may accumulate

Sulphur Dioxide (SO2). SO2 is a toxic and irritating gas that can be

hazardous if inhaled.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

Chemical name CAS-No. Concentration (%)

sodium bisulfite 7631-90-5 30 - 60

904033-02 1 / 8

SODIUM BISULFITE SOLUTION 40 PERCENT

SECTION 4. FIRST AID MEASURES

In case of eye contact : Rinse with plenty of water.

In case of skin contact : Rinse with plenty of water.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

If inhaled Get medical attention if symptoms occur.

Protection of first-aiders : No special precautions are necessary for first aid responders.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and

delayed

: See Section 11 for more detailed information on health effects and

symptoms.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable extinguishing

media

: None known.

Specific hazards during fire

fighting

: Heating or fire can release toxic gas.

May evolve oxides of sulfur (SOx) under fire conditions.

Hazardous combustion

products

: Decomposition products may include the following materials:

Carbon oxides Sulfur oxides

for fire-fighters

Special protective equipment : Use personal protective equipment.

Specific extinguishing

methods

: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire

and/or explosion do not breathe fumes.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

: Ensure clean-up is conducted by trained personnel only. Refer to

protective measures listed in sections 7 and 8.

Environmental precautions : Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with noncombustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike

spilled material or otherwise contain material to ensure runoff does not

reach a waterway.

SECTION 7. HANDLING AND STORAGE

904033-02 2/8

SODIUM BISULFITE SOLUTION 40 PERCENT

Advice on safe handling : Do not ingest. Wash hands thoroughly after handling. Containers

should be opened cautiously and only in well ventilated areas.

Conditions for safe storage : Keep out of reach of children. Store in a well-ventilated place. Store in

suitable labeled containers. Do not store at elevated temperature.

Storage temperature : 40 °C to 5 °C

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
sodium bisulfite	7631-90-5	TWA	5 mg/m3	ACGIH
		TWA	5 mg/m3	NIOSH REL
sulphur dioxide	7446-09-5	STEL	0.25 ppm	ACGIH
		TWA	2 ppm 5 mg/m3	NIOSH REL
		STEL	5 ppm 13 mg/m3	NIOSH REL
		TWA	5 ppm 13 mg/m3	OSHA Z1

Exposure limits are listed for sulfur dioxide (SO2) since this product evolves SO2 when open to the atmosphere.

Engineering measures : Good general ventilation should be sufficient to control worker

exposure to airborne contaminants.

Personal protective equipment

Eye protection : No special protective equipment required.

Hand protection : No special protective equipment required.

Skin protection : No special protective equipment required.

Respiratory protection : When workers are facing concentrations above the exposure limit they

must use appropriate certified respirators.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid
Color : yellow
Odor : pungent

pH : 3.5, (100 %)
Flash point : Not applicable
Odor Threshold : No data available
Melting point/freezing point : No data available

Initial boiling point and : > 100 °C

904033-02 3 / 8

SODIUM BISULFITE SOLUTION 40 PERCENT

boiling range

Evaporation rate : No data available Flammability (solid, gas) : No data available : No data available Upper explosion limit Lower explosion limit : No data available Vapor pressure : No data available Relative vapor density : No data available

Relative density : 1.34

Water solubility : No data available Solubility in other solvents : No data available Partition coefficient: n-: No data available

octanol/water

Autoignition temperature : No data available Thermal decomposition : No data available Viscosity, kinematic : No data available Explosive properties : No data available Oxidizing properties : No data available Molecular weight : No data available VOC : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Evolves SO2 when open to atmosphere. The rate of SO2 evolution

increases with temperature and/or transfer of product.

Possibility of hazardous

reactions

: No dangerous reaction known under conditions of normal use.

Conditions to avoid : Keep away from heat and sources of ignition.

Incompatible materials : Acids

Organic materials

SO2 may react with vapors from neutralizing amines and may produce

a visible cloud of amine salt particles.

Hazardous decomposition

products

exposure

Decomposition products may include the following materials:

Carbon oxides Sulfur oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of : Inhalation, Eye contact, Skin contact

Potential Health Effects

: Health injuries are not known or expected under normal use. Eyes

904033-02 4/8

SODIUM BISULFITE SOLUTION 40 PERCENT

Skin : Health injuries are not known or expected under normal use.

Ingestion : Harmful if swallowed.

Inhalation : May release toxic, irritating and/or corrosive gases.

Chronic Exposure : Health injuries are not known or expected under normal use.

Experience with human exposure

Eye contact : No symptoms known or expected.

Skin contact : No symptoms known or expected.

Ingestion : No information available.

Inhalation : No symptoms known or expected.

Toxicity

Product

Acute oral toxicity : Acute toxicity estimate : 1,250 mg/kg

Acute inhalation toxicity : No data available
Acute dermal toxicity : No data available
Skin corrosion/irritation : No data available

Serious eye damage/eye

irritation

sensitization

: No data available

Respiratory or skin : Contains an ingredient that can cause asthmatic-like reactions in

sulfite-sensitive individuals.

Carcinogenicity : No data available
Reproductive effects : No data available
Germ cell mutagenicity : No data available
Teratogenicity : No data available
STOT-single exposure : No data available
STOT-repeated exposure : No data available
Aspiration toxicity : No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Environmental Effects : This product has no known ecotoxicological effects.

Product

Toxicity to fish : No data available

Toxicity to daphnia and other : No data available

aquatic invertebrates

Toxicity to algae : No data available

Components

Toxicity to fish : sodium bisulfite

904033-02 5 / 8

SODIUM BISULFITE SOLUTION 40 PERCENT

96 h LC50 Fish: 177.8 mg/l

Persistence and degradability

Not applicable - inorganic

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods : Where possible recycling is preferred to disposal or incineration. If

recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to

an approved waste handling site for recycling or disposal. Do not reuse empty containers. Dispose of in accordance with local, state, and

federal regulations.

SECTION 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (DOT)

UN number : 2693

Description of the goods : Bisulfites, aqueous solutions, n.o.s.

(sodium bisulfite)

Class : 8
Packing group : III
Environmentally hazardous : no

Sea transport (IMDG/IMO)

UN number : 2693

Description of the goods : BISULPHITES, AQUEOUS SOLUTION, N.O.S.

(sodium bisulfite)

Class : 8
Packing group : III
Marine pollutant : no

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ
			(lbs)
sodium bisulfite	7631-90-5	5000	12500

904033-02 6 / 8

SODIUM BISULFITE SOLUTION 40 PERCENT

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Acute toxicity (any route of exposure)

SARA 302 : This material does not contain any components with a section 302

EHS TPQ.

SARA 313 : This material does not contain any chemical components with known

CAS numbers that exceed the threshold (De Minimis) reporting levels

established by SARA Title III, Section 313.

California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

The ingredients of this product are reported in the following inventories:

United States TSCA Inventory:

On the inventory, or in compliance with the inventory

Canadian Domestic Substances List (DSL):

All components of this product are on the Canadian DSL

Australia Inventory of Chemical Substances (AICS):

On the inventory, or in compliance with the inventory

New Zealand. Inventory of Chemical Substances:

On the inventory, or in compliance with the inventory

Japan. ENCS - Existing and New Chemical Substances Inventory :

On the inventory, or in compliance with the inventory

Korea. Korean Existing Chemicals Inventory (KECI):

On the inventory, or in compliance with the inventory

Philippines Inventory of Chemicals and Chemical Substances (PICCS) :

On the inventory, or in compliance with the inventory

China. Inventory of Existing Chemical Substances in China (IECSC):

On the inventory, or in compliance with the inventory

Taiwan Chemical Substance Inventory (TCSI):


On the inventory, or in compliance with the inventory

SECTION 16. OTHER INFORMATION

904033-02 7 / 8

SODIUM BISULFITE SOLUTION 40 PERCENT

NFPA:



HMIS III:

HEALTH	1
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,

2 = Moderate, 3 = High

4 = Extreme, * = Chronic

: 05/01/2019 Issuing date

Version 1.2

Regulatory Affairs Prepared by

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

904033-02 8/8