

### **REWORK APEX POWER**

#### **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : REWORK APEX POWER

Other means of identification : Not applicable

Recommended use : Intermediate

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : Product is sold ready to use.

Company : Ecolab Inc.

1 Ecolab Place

St. Paul, Minnesota USA 55102

1-800-352-5326

Emergency health

information

: 1-800-328-0026 (US/Canada), 1-651-222-5352 (outside US)

Issuing date : 10/28/2021

#### **SECTION 2. HAZARDS IDENTIFICATION**

#### **GHS Classification**

Skin corrosion : Category 1A Serious eye damage : Category 1

**GHS** label elements

Hazard pictograms :



Signal Word : Danger

Hazard Statements : Causes severe skin burns and eye damage.

Precautionary Statements : **Prevention:** 

Do not breathe dusts or mists. Wash skin thoroughly after handling.

Response:

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor. Wash contaminated

clothing before reuse.

Storage: Store locked up. **Disposal:** 

Dispose of contents/ container to an approved waste disposal plant.

Other hazards : None known.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

913173-05

#### REWORK APEX POWER

Pure substance/mixture : Mixture

Chemical name CAS-No. Concentration (%)

 Sodium Carbonate
 497-19-8
 60 - 100

 potassium hydroxide
 1310-58-3
 0.1 - 1

**SECTION 4. FIRST AID MEASURES** 

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Get medical attention immediately.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes.

Wash clothing before reuse. Thoroughly clean shoes before reuse.

Get medical attention immediately.

If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give

anything by mouth to an unconscious person. Get medical attention

immediately.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if

symptoms occur.

Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal

protective equipment.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and

delayed

: See Section 11 for more detailed information on health effects and

symptoms.

### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable extinguishing

media

: None known.

Specific hazards during fire

fighting

: Not flammable or combustible.

Hazardous combustion

products

: Decomposition products may include the following materials:

Carbon oxides

Special protective equipment

for fire-fighters

: Use personal protective equipment.

Specific extinguishing

methods

: Fire residues and contaminated fire extinguishing water must be

disposed of in accordance with local regulations. In the event of fire

and/or explosion do not breathe fumes.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and

: Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes.

913173-05 2 / 8

#### REWORK APEX POWER

emergency procedures When workers are facing concentrations above the exposure limit they

must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures

listed in sections 7 and 8.

Environmental precautions : Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up

: Sweep up and shovel into suitable containers for disposal.

## **SECTION 7. HANDLING AND STORAGE**

Advice on safe handling : Do not ingest. Do not get in eyes, on skin, or on clothing. Do not

breathe dust/ fume/ gas/ mist/ vapors/ spray. Use only with adequate ventilation. Wash hands thoroughly after handling. In case of mechanical malfunction, or if in contact with unknown dilution of

product, wear full Personal Protective Equipment (PPE).

Conditions for safe storage : Keep out of reach of children. Store in suitable labeled containers.

Storage temperature : 0 °C to 50 °C

#### **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

### Ingredients with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
chlorine	7782-50-5	TWA	0.1 ppm	ACGIH
		STEL	0.4 ppm	ACGIH
		Ceiling	0.5 ppm 1.45 mg/m3	NIOSH REL
		С	1 ppm 3 mg/m3	OSHA Z1
potassium hydroxide	1310-58-3	Ceiling	2 mg/m3	ACGIH
		Ceiling	2 mg/m3	NIOSH REL

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations

below occupational exposure standards.

## Personal protective equipment

Eye protection : Due to the form and packaging of the product, no protective

equipment is needed under normal use conditions.

Hand protection : Due to the form and packaging of the product, no protective

equipment is needed under normal use conditions.

Skin protection : Due to the form and packaging of the product, no protective

equipment is needed under normal use conditions.

Respiratory protection : No personal respiratory protective equipment normally required.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes

913173-05 3 / 8

## **REWORK APEX POWER**

and body in case of contact or splash hazard.

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

**Appearance** : solid

Color opaque, white

Odor Chlorine

pΗ 11.1 - 11.8, (1 %)

Flash point : Not applicable Odor Threshold No data available : No data available Melting point/freezing point : No data available Initial boiling point and

boiling range

Evaporation rate : No data available Flammability (solid, gas) : Not applicable Upper explosion limit : No data available Lower explosion limit : No data available Vapor pressure : No data available Relative vapor density : No data available Relative density : No data available

Water solubility : soluble

: No data available Solubility in other solvents Partition coefficient: n-: No data available

octanol/water

Autoignition temperature : No data available Thermal decomposition : No data available Viscosity, kinematic : No data available Explosive properties : No data available Oxidizing properties : No data available Molecular weight : No data available VOC : No data available

## **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No dangerous reaction known under conditions of normal use.

: Stable under normal conditions. Chemical stability

Possibility of hazardous

reactions

: No dangerous reaction known under conditions of normal use.

Conditions to avoid : None known.

Incompatible materials Acids

Bases

913173-05 4/8

## REWORK APEX POWER

Hazardous decomposition

products

: In case of fire hazardous decomposition products may be produced

such as: Carbon oxides

# **SECTION 11. TOXICOLOGICAL INFORMATION**

Information on likely routes of : Eye contact, Skin contact

exposure

#### **Potential Health Effects**

: Causes serious eye damage. Eyes

Skin : Causes severe skin burns.

Ingestion : Causes digestive tract burns.

Inhalation : May cause nose, throat, and lung irritation.

Chronic Exposure : Health injuries are not known or expected under normal use.

#### **Experience with human exposure**

: Redness, Pain, Corrosion Eye contact

Skin contact : Redness, Pain, Corrosion

: Corrosion, Abdominal pain Ingestion

Inhalation Respiratory irritation, Cough

#### **Toxicity**

**Product** 

: Acute toxicity estimate : 3,680 mg/kg Acute oral toxicity

: No data available Acute inhalation toxicity

Acute dermal toxicity : Acute toxicity estimate : > 5,000 mg/kg

Skin corrosion/irritation : No data available Serious eye damage/eye : No data available

irritation

Respiratory or skin

sensitization

: No data available

Carcinogenicity : No data available : No data available Reproductive effects Germ cell mutagenicity : No data available Teratogenicity : No data available STOT-single exposure : No data available STOT-repeated exposure : No data available

Aspiration toxicity : No data available

## **SECTION 12. ECOLOGICAL INFORMATION**

## **Ecotoxicity**

913173-05 5/8

#### REWORK APEX POWER

**Environmental Effects** : Harmful to aquatic life.

**Product** 

: No data available Toxicity to fish Toxicity to daphnia and other : No data available

aquatic invertebrates

Toxicity to algae : No data available

Components

: Sodium Carbonate Toxicity to fish

96 h LC50 Lepomis macrochirus (Bluegill sunfish): 300 mg/l

Components

Sodium Carbonate Toxicity to daphnia and other

aquatic invertebrates

48 h EC50 Ceriodaphnia (water flea): 213.5 mg/l

Persistence and degradability

Readily biodegradable.

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

Disposal methods : Do not contaminate ponds, waterways or ditches with chemical or

> used container. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste

disposal facility.

: Dispose of as unused product. Empty containers should be taken to Disposal considerations

> an approved waste handling site for recycling or disposal. Do not reuse empty containers. Dispose of in accordance with local, state, and

federal regulations.

RCRA - Resource : D002 (Corrosive)

Conservation and Recovery Authorization Act Hazardous

waste

# **SECTION 14. TRANSPORT INFORMATION**

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

## Land transport (DOT)

Not dangerous goods

## Sea transport (IMDG/IMO)

913173-05 6/8

## **REWORK APEX POWER**

Not dangerous goods

#### **SECTION 15. REGULATORY INFORMATION**

### **EPCRA - Emergency Planning and Community Right-to-Know**

#### **CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
potassium hydroxide	1310-58-3	1000	176991

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Skin corrosion or irritation

Serious eye damage or eye irritation

SARA 302 : This material does not contain any components with a section 302

EHS TPQ.

SARA 313 : This material does not contain any chemical components with known

CAS numbers that exceed the threshold (De Minimis) reporting levels

established by SARA Title III, Section 313.

#### California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

#### California Cleaning Product Right to Know Act of 2017 (SB 258)

This regulation applies to this product.

			-
Chemical Name	CAS-No.	Function	List(s)
Sodium Carbonate	497-19-8	Cleaning Agent	Not Applicable
water	7732-18-5	Processing Aid	Not Applicable
citric acid, trisodium salt, dihydrate	6132-04-3	Cleaning Agent	Not Applicable
-			
Alcohol ethoxylate	68439-51-0	Cleaning Agent	Not Applicable
Nonionic surfactant	Withheld	Cleaning Agent	Not Applicable
Anionic Polymer	Withheld	Cleaning Agent	Not Applicable
potassium hydroxide	1310-58-3	Processing Aid	Not Applicable
Carboxylate	Withheld	Cleaning Agent	Not Applicable

<sup>\*</sup>refer to ecolab.com/sds for electronic links to designated lists

### The ingredients of this product are reported in the following inventories:

## Switzerland. New notified substances and declared preparations :

not determined

#### **United States TSCA Inventory:**

All substances listed as active on the TSCA inventory

## Canadian Domestic Substances List (DSL):

This product contains one or several components listed in the Canadian NDSL.

913173-05 7 / 8

## REWORK APEX POWER

#### Australia. Australian Industrial Chemicals Introduction Scheme (AICIS):

On the inventory, or in compliance with the inventory

#### New Zealand. Inventory of Chemical Substances:

not determined

## Japan. ENCS - Existing and New Chemical Substances Inventory :

not determined

## Korea. Korean Existing Chemicals Inventory (KECI):

not determined

## Philippines Inventory of Chemicals and Chemical Substances (PICCS):

not determined

## China. Inventory of Existing Chemical Substances in China (IECSC):


not determined

#### Taiwan Chemical Substance Inventory (TCSI):

On the inventory, or in compliance with the inventory

## **SECTION 16. OTHER INFORMATION**

#### NFPA:



#### HMIS III:

HEALTH	3
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,

2 = Moderate, 3 = High 4 = Extreme, \* = Chronic

Issuing date : 10/28/2021

Version : 1.1

Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

913173-05 8/8