

## **AC 101 PREMIX**

## **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : AC 101 PREMIX

Other means of identification : Not applicable

Recommended use : Additive

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : Product is sold ready to use.

Company : Ecolab Inc.

370 N. Wabasha Street

St. Paul, Minnesota USA 55102

1-800-352-5326

Emergency telephone : 1-800-328-0026 (US/Canada), 1-651-222-5352 (outside US)

Issuing date : 10/13/2014

## **SECTION 2. HAZARDS IDENTIFICATION**

#### **GHS Classification**

Skin corrosion : Category 1A Serious eye damage : Category 1

**GHS Label element** 

Hazard pictograms :



Signal Word : Danger

Hazard Statements : Causes severe skin burns and eye damage.

Precautionary Statements : **Prevention:** 

Wash skin thoroughly after handling. Wear protective gloves/

protective clothing/ eye protection/ face protection.

Response:

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER or doctor/ physician. Wash contaminated clothing before reuse.

Storage:

Store locked up. **Disposal:** 

Dispose of contents/ container to an approved waste disposal plant.

Other hazards : None known.

## **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

913415 1 / 8

## **AC 101 PREMIX**

Pure substance/mixture : Mixture

Chemical Name CAS-No. Concentration (%)

sodium aluminate, solid 11138-49-1 1 - 5

**SECTION 4. FIRST AID MEASURES** 

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Get medical attention immediately.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use

a mild soap if available. Wash clothing before reuse. Thoroughly clean

shoes before reuse. Get medical attention immediately.

If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give

anything by mouth to an unconscious person. Get medical attention

immediately.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if

symptoms occur.

Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal

protective equipment.

Notes to physician : Treat symptomatically.

See toxicological information (Section 11)

**SECTION 5. FIRE-FIGHTING MEASURES** 

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable extinguishing

media

: None known.

Specific hazards during fire

fighting

: Not flammable or combustible.

Hazardous combustion

products

Decomposition products may include the following materials:

Carbon oxides

Nitrogen oxides (NOx)

Sulfur oxides

Oxides of phosphorus

Special protective equipment

for fire-fighters

: Use personal protective equipment.

Specific extinguishing

methods

: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire

and/or explosion do not breathe fumes.

**SECTION 6. ACCIDENTAL RELEASE MEASURES** 

Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they

913415 2 / 8

## **AC 101 PREMIX**

must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures

listed in sections 7 and 8.

Environmental precautions : Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up

: Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain

material to ensure runoff does not reach a waterway.

## **SECTION 7. HANDLING AND STORAGE**

Advice on safe handling : Do not ingest. Do not get in eyes, on skin, or on clothing. Do not

breathe dust/ fume/ gas/ mist/ vapors/ spray. Use only with adequate

ventilation. Wash hands thoroughly after handling.

Conditions for safe storage : Do not store near acids. Keep out of reach of children. Store in

suitable labeled containers.

Storage temperature : 0 °C to 50 °C

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations

below occupational exposure standards.

## Personal protective equipment

Eye protection : Safety goggles

Face-shield

Hand protection : Wear the following personal protective equipment:

Standard glove type.

Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Skin protection : Personal protective equipment comprising: suitable protective gloves,

safety goggles and protective clothing

Respiratory protection : When workers are facing concentrations above the exposure limit they

must use appropriate certified respirators.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes

and body in case of contact or splash hazard.

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid

913415 3 / 8

## **AC 101 PREMIX**

Color : clear, light yellow

Odor : slight

: 12.5 - 13.5, 100 % рΗ

Flash point : Not applicable, Does not sustain combustion.

Odor Threshold : No data available : No data available Melting point/freezing point

Initial boiling point and

boiling range

: > 100 °C

Evaporation rate : No data available Flammability (solid, gas) : No data available Upper explosion limit : No data available Lower explosion limit : No data available : No data available Vapor pressure Relative vapor density : No data available : 1.086 - 1.116 Relative density

Water solubility : soluble

Solubility in other solvents : No data available Partition coefficient: n-: No data available

octanol/water

Autoignition temperature : No data available Thermal decomposition : No data available : No data available Viscosity, kinematic Explosive properties : No data available Oxidizing properties : No data available

Molecular weight : No data available VOC : No data available

# **SECTION 10. STABILITY AND REACTIVITY**

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

: No dangerous reaction known under conditions of normal use.

Conditions to avoid : None known.

Incompatible materials : None known.

Hazardous decomposition

products

: Decomposition products may include the following materials:

Carbon oxides

Nitrogen oxides (NOx)

Sulfur oxides

Oxides of phosphorus

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

Information on likely routes of : Inhalation, Eye contact, Skin contact

913415 4/8

## **AC 101 PREMIX**

exposure

#### **Potential Health Effects**

Eyes : Causes serious eye damage.

Skin : Causes severe skin burns.

Ingestion : Causes digestive tract burns.

Inhalation : May cause nose, throat, and lung irritation.

Chronic Exposure : Health injuries are not known or expected under normal use.

## **Experience with human exposure**

Eye contact : Redness, Pain, Corrosion

Skin contact : Redness, Pain, Corrosion

Ingestion : Corrosion, Abdominal pain

Inhalation : Respiratory irritation, Cough

**Toxicity** 

Acute oral toxicity : No data available
Acute inhalation toxicity : No data available
Acute dermal toxicity : No data available
Skin corrosion/irritation : No data available
Serious eye damage/eye : No data available

irritation

Respiratory or skin

sensitization

: No data available

Carcinogenicity : No data available
Reproductive effects : No data available
Germ cell mutagenicity : No data available
Teratogenicity : No data available
STOT-single exposure : No data available
STOT-repeated exposure : No data available
Aspiration toxicity : No data available

Ingredients

Acute oral toxicity : sodium aluminate, solid

LD50 Rat: > 2,000 mg/kg

Ingredients

Acute inhalation toxicity : sodium aluminate, solid

4 h LC50 Rat: > 1 mg/l

# **SECTION 12. ECOLOGICAL INFORMATION**

913415 5 / 8

## **AC 101 PREMIX**

**Ecotoxicity** 

Environmental Effects : This product has no known ecotoxicological effects.

**Product** 

Toxicity to fish : No data available

Toxicity to daphnia and other : No data available

aquatic invertebrates

Toxicity to algae : No data available

Persistence and degradability

No data available

**Bioaccumulative potential** 

No data available

Mobility in soil

No data available

Other adverse effects

No data available

## **SECTION 13. DISPOSAL CONSIDERATIONS**

Disposal methods : Where possible recycling is preferred to disposal or incineration. If

recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to

an approved waste handling site for recycling or disposal. Do not re-

use empty containers.

RCRA - Resource

Conservation and Recovery Authorization Act Hazardous

waste

: D002 (Corrosive)

# **SECTION 14. TRANSPORT INFORMATION**

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (DOT)

UN number : 1819

Description of the goods : Sodium aluminate, solution

Class : 8
Packing group : II
Environmentally hazardous : no

Sea transport (IMDG/IMO)

UN number : 1819

Description of the goods : SODIUM ALUMINATE SOLUTION

Class : 8
Packing group : II
Marine pollutant : no

913415 6 / 8

## **AC 101 PREMIX**

## SECTION 15. REGULATORY INFORMATION

### **EPCRA - Emergency Planning and Community Right-to-Know**

#### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Acute Health Hazard

SARA 302 : No chemicals in this material are subject to the reporting requirements

of SARA Title III, Section 302.

SARA 313 : This material does not contain any chemical components with known

CAS numbers that exceed the threshold (De Minimis) reporting levels

established by SARA Title III, Section 313.

#### California Prop 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

#### The ingredients of this product are reported in the following inventories:

#### **United States TSCA Inventory:**

On TSCA Inventory

# Canadian Domestic Substances List (DSL) :

All components of this product are on the Canadian DSL.

## Australia Inventory of Chemical Substances (AICS):

On the inventory, or in compliance with the inventory

# New Zealand. Inventory of Chemical Substances :

On the inventory, or in compliance with the inventory

### Japan. ENCS - Existing and New Chemical Substances Inventory:

On the inventory, or in compliance with the inventory

# Japan. ISHL - Inventory of Chemical Substances (METI) :

On the inventory, or in compliance with the inventory

#### Korea. Korean Existing Chemicals Inventory (KECI):

On the inventory, or in compliance with the inventory

### Philippines Inventory of Chemicals and Chemical Substances (PICCS):

On the inventory, or in compliance with the inventory

## China. Inventory of Existing Chemical Substances in China (IECSC):


On the inventory, or in compliance with the inventory

## **SECTION 16. OTHER INFORMATION**

913415 7 / 8

# **AC 101 PREMIX**

## NFPA:



#### HMIS III:

HEALTH	3
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight, 2 = Moderate, 3 = High

4 = Extreme, \* = Chronic

Issuing date : 10/13/2014

Version : 1.0

Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

913415 8 / 8