

**SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : RailCare Lube Shield

Other means of identification : Not applicable

Recommended use : Lubricant

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : 1.5 % - 4.4 %

Company : Ecolab Inc.  
1 Ecolab Place  
St. Paul, Minnesota USA 55102  
1-800-352-5326

Emergency health information : 1-800-328-0026 (US/Canada), 1-651-222-5352 (outside US)

Issuing date : 11/01/2019

**SECTION 2. HAZARDS IDENTIFICATION**
**GHS Classification**
**Product AS SOLD**

Flammable liquids : Category 3

Eye irritation : Category 2A

**Product AT USE DILUTION**

Not a hazardous substance or mixture.

**GHS label elements**
**Product AS SOLD**

Hazard pictograms



Signal Word : Warning

Hazard Statements : Flammable liquid and vapor.  
Causes serious eye irritation.

Precautionary Statements : **Prevention:**  
Keep away from heat/sparks/open flames/hot surfaces. No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ ventilating/ lighting/ equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wash skin thoroughly after handling. Wear protective gloves/ eye protection/ face protection.

**Response:**  
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/

## SAFETY DATA SHEET

### RailCare Lube Shield

attention. In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

**Storage:**

Store in a well-ventilated place. Keep cool.

**Disposal:**

Dispose of contents/ container to an approved waste disposal plant.

#### Product AT USE DILUTION

Precautionary Statements

**Prevention:**

Wash hands thoroughly after handling.

**Response:**

Get medical advice/ attention if you feel unwell.

**Storage:**

Store in accordance with local regulations.

#### Product AS SOLD

Other hazards

: None known.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Product AS SOLD

Pure substance/mixture

: Mixture

Chemical name	CAS-No.	Concentration (%)
Fatty acids, C8-18 and C18-unsatd., compds. with diisopropanolamine	68855-69-6	10 - 30
Isopropanol	67-63-0	5 - 10
acetic acid, (ethylenedinitrilo)tetra-, trisodium salt	150-38-9	1 - 5

#### Product AT USE DILUTION

No hazardous ingredients

### SECTION 4. FIRST AID MEASURES

#### Product AS SOLD

In case of eye contact

: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention.

In case of skin contact

: Rinse with plenty of water.

If swallowed

: Rinse mouth. Get medical attention if symptoms occur.

If inhaled

: Get medical attention if symptoms occur.

Protection of first-aiders

: If potential for exposure exists refer to Section 8 for specific personal protective equipment.

Notes to physician

: Treat symptomatically.

Most important symptoms and effects, both acute and delayed

: See Section 11 for more detailed information on health effects and symptoms.

#### Product AT USE DILUTION

In case of eye contact

: Rinse with plenty of water.

## SAFETY DATA SHEET

### RailCare Lube Shield

In case of skin contact	: Rinse with plenty of water.
If swallowed	: Rinse mouth. Get medical attention if symptoms occur.
If inhaled	: Get medical attention if symptoms occur.

#### SECTION 5. FIRE-FIGHTING MEASURES

##### Product AS SOLD

Suitable extinguishing media	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	: High volume water jet
Specific hazards during fire fighting	: Fire Hazard Keep away from heat and sources of ignition. Flash back possible over considerable distance. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.
Hazardous combustion products	: Decomposition products may include the following materials: Carbon oxides Nitrogen oxides (NOx) Sulfur oxides Oxides of phosphorus
Special protective equipment for fire-fighters	: Use personal protective equipment.
Specific extinguishing methods	: Use water spray to cool unopened containers. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

##### Product AS SOLD

Personal precautions, protective equipment and emergency procedures	: Remove all sources of ignition. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.
Environmental precautions	: Do not allow contact with soil, surface or ground water.
Methods and materials for containment and cleaning up	: Eliminate all ignition sources if safe to do so. Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

##### Product AT USE DILUTION

Personal precautions, protective equipment and emergency procedures	: Refer to protective measures listed in sections 7 and 8.
Environmental precautions	: No special environmental precautions required.

## SAFETY DATA SHEET

### RailCare Lube Shield

Methods and materials for containment and cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

## SECTION 7. HANDLING AND STORAGE

### Product AS SOLD

Advice on safe handling : Avoid contact with skin and eyes. Keep away from fire, sparks and heated surfaces. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Wash hands thoroughly after handling. Open drum carefully as content may be under pressure. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE).

Conditions for safe storage : Keep away from heat and sources of ignition. Keep in a cool, well-ventilated place. Keep away from oxidizing agents. Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.

Storage temperature : -30 °C to 50 °C

### Product AT USE DILUTION

Advice on safe handling : Wash hands after handling. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE). For personal protection see section 8.

Conditions for safe storage : Keep out of reach of children. Store in suitable labeled containers.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Product AS SOLD

#### Ingredients with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
Isopropyl Alcohol	67-63-0	TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
		TWA	400 ppm 980 mg/m <sup>3</sup>	NIOSH REL
		STEL	500 ppm 1,225 mg/m <sup>3</sup>	NIOSH REL
		TWA	400 ppm 980 mg/m <sup>3</sup>	OSHA Z1

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

#### Personal protective equipment

Eye protection : Wear eye protection/ face protection.

Hand protection : Wear the following personal protective equipment:  
Standard glove type.

## SAFETY DATA SHEET

### RailCare Lube Shield

Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

- Skin protection : No special protective equipment required.
- Respiratory protection : No personal respiratory protective equipment normally required.
- Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Wash face, hands and any exposed skin thoroughly after handling.

#### Product AT USE DILUTION

- Engineering measures : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

#### Personal protective equipment

- Eye protection : No special protective equipment required.
- Hand protection : No special protective equipment required.
- Skin protection : No special protective equipment required.
- Respiratory protection : No personal respiratory protective equipment normally required.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

	Product AS SOLD	Product AT USE DILUTION
Appearance	: liquid	liquid
Color	: clear, amber	colorless
Odor	: slight	odorless
pH	: 9.3 - 10.0, (100 %)	9.4 - 10.4
Flash point	: 36 °C closed cup, Does not sustain combustion.	
Odor Threshold	: No data available	
Melting point/freezing point	: No data available	
Initial boiling point and boiling range	: > 100 °C	
Evaporation rate	: No data available	
Flammability (solid, gas)	: Not applicable	
Upper explosion limit	: No data available	
Lower explosion limit	: No data available	
Vapor pressure	: No data available	
Relative vapor density	: No data available	
Relative density	: 1.0 - 1.028	
Water solubility	: soluble	
Solubility in other solvents	: No data available	
Partition coefficient: n-octanol/water	: No data available	
Autoignition temperature	: No data available	

## SAFETY DATA SHEET

### RailCare Lube Shield

Thermal decomposition	: No data available
Viscosity, kinematic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Molecular weight	: No data available
VOC	: No data available

### SECTION 10. STABILITY AND REACTIVITY

#### Product AS SOLD

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reaction known under conditions of normal use.
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: Acids
Hazardous decomposition products	: In case of fire hazardous decomposition products may be produced such as: Carbon oxides Nitrogen oxides (NOx) Sulfur oxides Oxides of phosphorus

### SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

#### Potential Health Effects

#### Product AS SOLD

Eyes	: Causes serious eye irritation.
Skin	: Health injuries are not known or expected under normal use.
Ingestion	: Health injuries are not known or expected under normal use.
Inhalation	: Health injuries are not known or expected under normal use.
Chronic Exposure	: Health injuries are not known or expected under normal use.

#### Product AT USE DILUTION

Eyes	: Health injuries are not known or expected under normal use.
Skin	: Health injuries are not known or expected under normal use.
Ingestion	: Health injuries are not known or expected under normal use.
Inhalation	: Health injuries are not known or expected under normal use.
Chronic Exposure	: Health injuries are not known or expected under normal use.

## SAFETY DATA SHEET

### RailCare Lube Shield

#### Experience with human exposure

##### Product AS SOLD

Eye contact	: Redness, Pain, Irritation
Skin contact	: No symptoms known or expected.
Ingestion	: No symptoms known or expected.
Inhalation	: No symptoms known or expected.

##### Product AT USE DILUTION

Eye contact	: No symptoms known or expected.
Skin contact	: No symptoms known or expected.
Ingestion	: No symptoms known or expected.
Inhalation	: No symptoms known or expected.

#### Toxicity

##### Product AS SOLD

###### Product

Acute oral toxicity	: No data available
Acute inhalation toxicity	: 4 h Acute toxicity estimate : > 200 mg/l Test atmosphere: vapor
Acute dermal toxicity	: No data available
Skin corrosion/irritation	: No data available
Serious eye damage/eye irritation	: No data available
Respiratory or skin sensitization	: No data available
Carcinogenicity	: No data available
Reproductive effects	: No data available
Germ cell mutagenicity	: No data available
Teratogenicity	: No data available
STOT-single exposure	: No data available
STOT-repeated exposure	: No data available
Aspiration toxicity	: No data available

##### Components

Acute oral toxicity	: Fatty acids, C8-18 and C18-unsatd., compds. with diisopropanolamine Rat: > 5,000 mg/kg
	Isopropanol LD50 Rat: 5,840 mg/kg

##### Components

Acute dermal toxicity	: Isopropanol LD50 Rabbit: 12,870 mg/kg
-----------------------	--

## SAFETY DATA SHEET

### RailCare Lube Shield

#### SECTION 12. ECOLOGICAL INFORMATION

##### Product AS SOLD

##### Ecotoxicity

Environmental Effects : This product has no known ecotoxicological effects.

##### Product

Toxicity to fish : No data available

Toxicity to daphnia and other aquatic invertebrates : No data available

Toxicity to algae : No data available

##### Components

Toxicity to fish : Fatty acids, C8-18 and C18-unsatd., compds. with diisopropanolamine  
96 h LC50: > 100 mg/l

Isopropanol  
96 h LC50 Pimephales promelas: 9,640 mg/l

##### Components

Toxicity to daphnia and other aquatic invertebrates : Isopropanol  
LC50 Daphnia magna (Water flea): > 10,000 mg/l

##### Persistence and degradability

##### Product AS SOLD

Poorly biodegradable

##### Bioaccumulative potential

No data available

##### Mobility in soil

No data available

##### Other adverse effects

No data available

#### SECTION 13. DISPOSAL CONSIDERATIONS

##### Product AS SOLD

Disposal methods : Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.

##### Product AT USE DILUTION

Disposal methods : Diluted product can be flushed to sanitary sewer.

Disposal considerations : Dispose of in accordance with local, state, and federal regulations.



## SAFETY DATA SHEET

### RailCare Lube Shield

#### SECTION 14. TRANSPORT INFORMATION

##### Product AS SOLD

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

##### Land transport (DOT)

UN number : 1993  
Description of the goods : Flammable liquids, n.o.s.  
(Isopropanol)

Class : 3  
Packing group : III  
Environmentally hazardous : no

##### Sea transport (IMDG/IMO)

UN number : 1993  
Description of the goods : FLAMMABLE LIQUID, N.O.S.  
(Isopropanol)

Class : 3  
Packing group : III  
Marine pollutant : no

#### SECTION 15. REGULATORY INFORMATION

##### Product AS SOLD

##### EPCRA - Emergency Planning and Community Right-to-Know

##### CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

##### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

**SARA 311/312 Hazards** : Flammable (gases, aerosols, liquids, or solids)  
Serious eye damage or eye irritation

**SARA 302** : This material does not contain any components with a section 302 EHS TPQ.

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

##### California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

##### California Cleaning Product Right to Know Act of 2017 (SB 258)

This regulation does not apply to this product.

**The ingredients of this product are reported in the following inventories:**

## SAFETY DATA SHEET

### RailCare Lube Shield

**United States TSCA Inventory :**

All substances listed as active on the TSCA inventory

**Canadian Domestic Substances List (DSL) :**

All components of this product are on the Canadian DSL

**Australia Inventory of Chemical Substances (AICS) :**

not determined

**New Zealand. Inventory of Chemical Substances :**

not determined

**Japan. ENCS - Existing and New Chemical Substances Inventory :**

not determined

**Korea. Korean Existing Chemicals Inventory (KECI) :**

not determined

**Philippines Inventory of Chemicals and Chemical Substances (PICCS) :**

not determined


**China. Inventory of Existing Chemical Substances in China (IECSC) :**

not determined

**Taiwan Chemical Substance Inventory (TCSI) :**

not determined

### SECTION 16. OTHER INFORMATION

**Product AS SOLD****NFPA:****HMIS III:**

HEALTH	2
FLAMMABILITY	3
PHYSICAL HAZARD	0


0 = not significant, 1 = Slight,  
2 = Moderate, 3 = High  
4 = Extreme, \* = Chronic

**Product AT USE DILUTION**

# SAFETY DATA SHEET

## RailCare Lube Shield

### NFPA:



### HMIS III:

<b>HEALTH</b>	<b>0</b>
<b>FLAMMABILITY</b>	<b>0</b>
<b>PHYSICAL HAZARD</b>	<b>0</b>

0 = not significant, 1 = Slight,  
2 = Moderate, 3 = High  
4 = Extreme, \* = Chronic

Issuing date : 11/01/2019  
Version : 1.0  
Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.