

Revision date: 2016/03/28 Page: 1/12 Version: 2.0 (30616566/SDS_CPA_US/EN)

1. Identification

Product identifier used on the label

PT ALPINE PRESSURIZED FLY BAIT

Recommended use of the chemical and restriction on use

Recommended use*: insecticide

Details of the supplier of the safety data sheet

Company:Contact address:BASF Canada Inc.BASF CORPORATION100 Milverton Drive100 Park AvenueMississauga, ON L5R 4H1, CANADAFlorham Park, NJ 07932

USA

Telephone: +1 973 245-6000

Emergency telephone number

CHEMTREC: 1-800-424-9300

BASF HOTLINE: 1-800-832-HELP (4357)

Other means of identification

Substance number: 640597 EPA Registration number: 499-568

2. Hazards Identification

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Classification of the product

STOT SE 3 (Vapours may cause Specific target organ toxicity — single exposure

drowsiness and

dizziness.)

Aquatic Acute 3 Hazardous to the aquatic environment - acute Aquatic Chronic 3 Hazardous to the aquatic environment - chronic

Flam. Aerosol 2 Flammable aerosols

^{*} The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Revision date: 2016/03/28 Page: 2/12 Version: 2.0 (30616566/SDS_CPA_US/EN)

Label elements

Pictogram:



Signal Word: Warning

Hazard Statement:

H223 Flammable aerosol.

H229 Pressurized container: May burst if heated. H336 May cause drowsiness or dizziness.

H402 Harmful to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

Precautionary Statements (Prevention):

P210 Keep away from heat, hot surfaces, sparks, open flames and other

ignition sources. No smoking.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P260 Do not breathe spray.

Precautionary Statements (Response):

P312 Call a POISON CENTER or doctor/physician if you feel unwell.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for

breathing.

Precautionary Statements (Storage):

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P410 + P412 Protect from sunlight. Do no expose to temperatures exceeding 50°C/

122°F.

P405 Store locked up.

Precautionary Statements (Disposal):

P501 Dispose of contents/container to hazardous or special waste collection

point.

Hazards not otherwise classified

Labeling of special preparations (GHS):

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 9 - 11 % dermal

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 9 - 11 % oral

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 9 - 11 % Inhalation - vapour

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 9 - 11 % Inhalation - mist

3. Composition / Information on Ingredients

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Revision date : 2016/03/28 Page: 3/12 Version: 2.0 (30616566/SDS_CPA_US/EN)

CAS Number	Weight %	Chemical name
165252-70-0	1.0 %	Dinotefuran
115-10-6	10.0 - 15.0%	dimethyl ether
67-64-1	25.0 - 50.0%	Acetone

According to Regulation 1994 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

CAS Number	Weight %	Chemical name
67-64-1	1 5.0 - 30.0 %	Acetone
115-10-6	10.0 - 15.0%	dimethyl ether
165252-70-0	1.0 %	Dinotefuran
	54.0 - 74.0%	Proprietary ingredients

4. First-Aid Measures

Description of first aid measures

General advice:

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

If on skin:

Wash thoroughly with soap and water.

If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

If swallowed:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., Further important symptoms and effects are so far not known.

Indication of any immediate medical attention and special treatment needed

Note to physician

Treatment: Treat according to symptoms (decontamination, vital functions), no

known specific antidote.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media: water spray, dry powder, foam, carbon dioxide

Revision date: 2016/03/28 Page: 4/12 Version: 2.0 (30616566/SDS_CPA_US/EN)

Special hazards arising from the substance or mixture

Hazards during fire-fighting:

carbon monoxide, carbon dioxide, nitrogen oxides

The substances/groups of substances mentioned can be released in case of fire.

Advice for fire-fighters

Protective equipment for fire-fighting:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

Keep containers cool by spraying with water if exposed to fire. In case of fire and/or explosion do not breathe fumes. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater. Contain contaminated water/firefighting water. A spill of or in excess of the reportable quantity requires notification to state, local and national emergency authorities. This product is regulated by CERCLA ('Superfund').

Methods and material for containment and cleaning up

Dike spillage. Pick up with suitable absorbent material. Spilled substance/product should be recovered and applied according to label rates whenever possible. If application of spilled substance/product is not possible, then spills should be contained, solidified, and placed in suitable containers for disposal. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

7. Handling and Storage

Precautions for safe handling

RECOMMENDATIONS ARE FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS. PESTICIDE APPLICATORS & WORKERS must refer to the Product Label and Directions for Use attached to the product. Provide good ventilation of working area (local exhaust ventilation if necessary). Keep away from sources of ignition - No smoking. Keep container tightly sealed. Protect against heat. Handle and open container with care. Do not open until ready to use. Once container is opened, content should be used as soon as possible. Provide means for controlling leaks and spills. Follow label warnings even after container is emptied. The substance/product may be handled only by appropriately trained personnel. Avoid all direct contact with the substance/product. Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts/mists/vapours. Wear suitable personal protective clothing and equipment.

Protection against fire and explosion:

Aerosol container contains flammable gas under pressure. The relevant fire protection measures should be noted. Fire extinguishers should be kept handy. Avoid all sources of ignition: heat, sparks, open flame. Avoid extreme heat. Ground all transfer equipment properly to prevent electrostatic discharge. Electrostatic discharge may cause ignition.

Revision date : 2016/03/28 Page: 5/12 Version: 2.0 (30616566/SDS_CPA_US/EN)

Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight. Protect from temperatures above: 130 °F

Explosive at or above indicated temperature.

8. Exposure Controls/Personal Protection

Users of a pesticidal product should refer to the product label for personal protective equipment requirements.

Components with occupational exposure limits

Acetone OSHA PEL PEL 1,000 ppm 2,400 mg/m3 ; TWA value 750

ppm 1,800 mg/m3; STEL value 1,000 ppm

2,400 mg/m3;

ACGIH TLV STEL value 500 ppm; TWA value 250 ppm;

Advice on system design:

Whenever possible, engineering controls should be used to minimize the need for personal protective equipment.

Personal protective equipment

RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS:

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

Hand protection:

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

Eye protection:

Safety glasses with side-shields. Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

General safety and hygiene measures:

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

Revision date : 2016/03/28 Page: 6/12 Version: 2.0 (30616566/SDS_CPA_US/EN)

9. Physical and Chemical Properties

Form: aerosol Odour: of acetone

Odour threshold: Not determined due to potential health hazard by inhalation.

Colour: pale straw yellow approx. 8 - 10 (1 %(m), 25 °C)

Melting temperature: The product has not been tested.

Boiling point: -23.7 °C

Information applies to the solvent.

Flash point: -41 °C

Information applies to the solvent.

Flammability: Extremely flammable.

Flammability of Aerosol 17.78 cm (ASTM D 3065) Products: no flashback

NFPA 30B flammability: Level 1 Aerosol

Lower explosion limit: 3.3 %(V)

Information applies to the solvent.

Upper explosion limit: 26.2 %(V)

Information applies to the solvent.

Autoignition: 350 °C

Information applies to the solvent.

Vapour pressure: approx. 5100 hPa

(20°C)

Information applies to the solvent.

Density: approx. 1.00 g/cm3

(20°C)

Vapour density: not applicable

Thermal decomposition: No decomposition if stored and handled as

prescribed/indicated.

Viscosity, dynamic: approx. 2.34 mPa.s

(20 °C)

Solubility in water: dispersible Evaporation rate: not applicable

Other Information: If necessary, information on other physical and chemical

parameters is indicated in this section.

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Oxidizing properties:

Based on its structural properties the product is not classified as oxidizing.

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

Conditions to avoid

See MSDS section 7 - Handling and storage.

Incompatible materials

strong acids, strong bases, strong oxidizing agents

Revision date : 2016/03/28 Page: 7/12 Version: 2.0 (30616566/SDS_CPA_US/EN)

Hazardous decomposition products

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:

No decomposition if stored and handled as prescribed/indicated.

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity

Assessment of acute toxicity: Virtually nontoxic after a single ingestion. Virtually nontoxic after a single skin contact. Virtually nontoxic by inhalation.

Oral

Type of value: LD50 Species: rat (female)

Value: > 5,000 mg/kg (OECD Guideline 425)

No mortality was observed.

Inhalation

Type of value: LC50 Species: rat (male/female)

Value: > 5.09 mg/l (OECD Guideline 403)

Exposure time: 4 h

No mortality was observed.

Dermal

Type of value: LD50 Species: rat (male/female)

Value: > 5,000 mg/kg (OECD Guideline 402)

No mortality was observed.

Assessment other acute effects

Assessment of STOT single:

Possible narcotic effects (drowsiness or dizziness).

The product has not been tested. The statement has been derived from the properties of the individual components.

Irritation / corrosion

Assessment of irritating effects: Not irritating to the eyes. Not irritating to the skin.

Skin

Species: rabbit Result: non-irritant

Method: OECD Guideline 404

Revision date : 2016/03/28 Page: 8/12 Version: 2.0 (30616566/SDS_CPA_US/EN)

Eye

Species: rabbit Result: non-irritant

Method: OECD Guideline 405

Sensitization

Assessment of sensitization: There is no evidence of a skin-sensitizing potential.

Buehler test

Species: guinea pig

Result: Skin sensitizing effects were not observed in animal studies.

Method: OECD Guideline 406

Chronic Toxicity/Effects

Repeated dose toxicity

Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Acetone

Assessment of repeated dose toxicity: The substance may cause damage to the testes after repeated ingestion of high doses, as shown in animal studies. The substance may cause damage to the hematological system after repeated ingestion of high doses. The substance may cause damage to the kidney after repeated ingestion of high doses, as shown in animal studies.

Genetic toxicity

Assessment of mutagenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

Carcinogenicity

Assessment of carcinogenicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of various animal studies gave no indication of a carcinogenic effect.

Reproductive toxicity

Assessment of reproduction toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Acetone

Assessment of reproduction toxicity: As shown in animal studies, the product may cause damage to the testes after repeated high exposures that cause other toxic effects.

Teratogenicity

Assessment of teratogenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

Other Information

Misuse can be harmful to health. Has a degreasing effect on skin.

Symptoms of Exposure

Revision date : 2016/03/28 Page: 9/12 Version: 2.0 (30616566/SDS_CPA_US/EN)

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., Further important symptoms and effects are so far not known.

12. Ecological Information

Toxicity

Aquatic toxicity

Assessment of aquatic toxicity:

Harmful to aquatic life with long lasting effects.

The product has not been tested. The statement has been derived from the properties of the individual components.

Toxicity to fish

Information on: 1 Guanidine, N"-methyl-N-nitro-N'-[(tetrahydro-3-furanyl)methyl]-LC50 (96 h) > 100 mg/l, Oncorhynchus mykiss LC50 (96 h) > 100 mg/l, Cyprinus carpio

Aquatic invertebrates

Information on: 1 Guanidine, N"-methyl-N-nitro-N'-[(tetrahydro-3-furanyl)methyl]-EC50 (48 h) > 1,000 mg/l, Daphnia magna EC50 (96 h) 0.79 mg/l, Mysidopsis bahia

Aquatic plants

Information on: 1 Guanidine, N"-methyl-N-nitro-N'-[(tetrahydro-3-furanyl)methyl]-EC50 (72 h) 97.6 mg/l (biomass), Pseudokirchneriella subcapitata

Chronic toxicity to aquatic invertebrates

Information on: 1 Guanidine, N"-methyl-N-nitro-N'-[(tetrahydro-3-furanyl)methyl]-No observed effect concentration 0.089 mg/l, Mysidopsis bahia

Persistence and degradability

Assessment biodegradation and elimination (H2O)

The product has not been tested. The statement has been derived from the properties of the individual components.

Assessment biodegradation and elimination (H2O)

Information on: 1 Guanidine, N"-methyl-N-nitro-N'-[(tetrahydro-3-furanyl)methyl]-

Not readily biodegradable (by OECD criteria).

Bioaccumulative potential

Assessment bioaccumulation potential

Revision date : 2016/03/28 Page: 10/12 Version: 2.0 (30616566/SDS_CPA_US/EN)

The product has not been tested. The statement has been derived from the properties of the individual components.

Assessment bioaccumulation potential

Information on: 1 Guanidine, N"-methyl-N-nitro-N'-[(tetrahydro-3-furanyl)methyl]-

Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

Mobility in soil

Assessment transport between environmental compartments

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: 1 Guanidine, N"-methyl-N-nitro-N'-[(tetrahydro-3-furanyl)methyl]-

Following exposure to soil, the product trickles away and can - dependant on degradation - be transported to deeper soil areas with larger water loads.

, ,

Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

13. Disposal considerations

Waste disposal of substance:

Pesticide wastes are regulated. Improper disposal of excess pesticide, spray mix or rinsate is a violation of federal law. If pesticide wastes cannot be disposed of according to label instructions, contact the State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container disposal:

Do not cut, puncture, crush, or incinerate empty aerosol containers. Consult state or local disposal authorities for approved alternative procedures such as container recycling. Empty aerosol cans may meet the definition of RCRA D003. Consult local and/or regional EPA for further guidance.

14. Transport Information

Land transport

USDOT

Hazard class: 2.1
ID number: UN 1950
Hazard label: 2.1

Proper shipping name: AEROSOLS (contains DIMETHYLETHER,

ACETONE/DIMETHYLKETONE)

Sea transport

IMDG

Hazard class: 2.1 ID number: UN 1950

Revision date: 2016/03/28 Page: 11/12 Version: 2.0 (30616566/SDS_CPA_US/EN)

Hazard label: 2.1 Marine pollutant: NO

Proper shipping name: AEROSOLS (contains DIMETHYLETHER,

ACETONE/DIMETHYLKETONE)

Air transport IATA/ICAO

Hazard class: 2.1 ID number: UN 1950

Hazard label: 2.1

Proper shipping name: AEROSOLS, FLAMMABLE (contains DIMETHYLETHER,

ACETONE/DIMETHYLKETONE)

Further information

This product may be classified as limited quantity in selected package sizes.

15. Regulatory Information

Federal Regulations

Registration status:

Chemical TSCA, US blocked / not listed

Crop Protection TSCA, US released / exempt

EPCRA 311/312 (Hazard categories): Acute; Chronic; Fire; Sudden release of pressure

CERCLA RQ
5000 LBSCAS Number
67-64-1Chemical name
Acetone100 LBS115-10-6dimethyl ether

State regulations

State RTK	CAS Number	Chemical name
PA	67-64-1	Acetone
	115-10-6	dimethyl ether
MA	67-64-1	Acetone
	115-10-6	dimethyl ether
NJ	67-64-1	Acetone
	115-10-6	dimethyl ether

Labeling requirements under FIFRA

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label.

CAUTION:

KEEP OUT OF REACH OF CHILDREN.

Aerosol container contains flammable gas under pressure.

Revision date : 2016/03/28 Page: 12/12 Version: 2.0 (30616566/SDS_CPA_US/EN)

16. Other Information

SDS Prepared by:

BASF NA Product Regulations SDS Prepared on: 2016/03/28

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

END OF DATA SHEET