

### **ECOLBIT**

### **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : ECOLBIT

Other means of identification : Not applicable

Recommended use : Maintenance Product

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : No dilution information provided.

Company : Ecolab Inc.

370 N. Wabasha Street

St. Paul, Minnesota USA 55102

1-800-352-5326

Emergency telephone : 1-800-328-0026 (US/Canada), 1-651-222-5352 (outside US)

Issuing date : 10/14/2014

### **SECTION 2. HAZARDS IDENTIFICATION**

#### **GHS Classification**

Skin corrosion : Category 1A Serious eye damage : Category 1

#### **GHS Label element**

Hazard pictograms :



Signal Word : Danger

Hazard Statements : Causes severe skin burns and eye damage.

Precautionary Statements : **Prevention:** 

Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection. Do not mix with bleach or other chlorinated products – will cause chlorine gas.

Response:

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician. Wash

contaminated clothing before reuse.

**Storage:** Store locked up.

Disposal:

Dispose of contents/ container to an approved waste disposal plant.

Other hazards : None known.

916890 1 / 8

### **ECOLBIT**

### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Pure substance/mixture Mixture

CAS-No. **Chemical Name** Concentration (%)

2-butoxyethanol 111-76-2 1 - 5 sodium metasilicate 6834-92-0 1 - 5 dodecylbenzene sulfonic acid 1 - 5 27176-87-0 sodium hydroxide 1310-73-2 0.1 - 1

# **SECTION 4. FIRST AID MEASURES**

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Get medical attention immediately.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use

a mild soap if available. Wash clothing before reuse. Thoroughly clean

shoes before reuse. Get medical attention immediately.

If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give

anything by mouth to an unconscious person. Get medical attention

immediately.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if

symptoms occur.

Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal

protective equipment.

Notes to physician : Treat symptomatically.

See toxicological information (Section 11)

### **SECTION 5. FIRE-FIGHTING MEASURES**

: Use extinguishing measures that are appropriate to local Suitable extinguishing media

circumstances and the surrounding environment.

Unsuitable extinguishing

media

: None known.

Specific hazards during fire

fighting

: Not flammable or combustible.

Hazardous combustion

products

: Decomposition products may include the following materials:

Carbon oxides

Nitrogen oxides (NOx)

Sulfur oxides

Oxides of phosphorus

for fire-fighters

Special protective equipment : Use personal protective equipment.

Specific extinguishing

methods

: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire

and/or explosion do not breathe fumes.

### **ECOLBIT**

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

**Environmental precautions** 

: Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up

: Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

# **SECTION 7. HANDLING AND STORAGE**

Advice on safe handling : Do not ingest. Do not get in eyes, on skin, or on clothing. Do not

breathe dust/ fume/ gas/ mist/ vapors/ spray. Use only with adequate ventilation. Wash hands thoroughly after handling. Do not mix with bleach or other chlorinated products – will cause chlorine gas.

Conditions for safe storage

: Do not store near acids. Keep out of reach of children. Store in

suitable labeled containers.

Storage temperature : 0 °C to 50 °C

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

### Ingredients with workplace control parameters

Ingredients	CAS-No.	Form of exposure	Permissible concentration	Basis
2-butoxyethanol	111-76-2	TWA	20 ppm	ACGIH
		TWA	5 ppm	NIOSH REL
			24 mg/m3	
		TWA	50 ppm	OSHA Z1
			240 mg/m3	

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations

below occupational exposure standards.

#### Personal protective equipment

Eye protection : Safety goggles

Face-shield

Hand protection : Wear the following personal protective equipment:

Standard glove type.

Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Skin protection : Personal protective equipment comprising: suitable protective gloves,

safety goggles and protective clothing

916890 3 / 8

### **ECOLBIT**

Respiratory protection : When workers are facing concentrations above the exposure limit they

must use appropriate certified respirators.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes

and body in case of contact or splash hazard.

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid

Color clear, green

Odor : slight

: 12.1 - 13.1, 100 % pΗ Flash point : Not applicable

Odor Threshold : No data available Melting point/freezing point : No data available

Initial boiling point and

boiling range

: No data available

Evaporation rate : No data available Flammability (solid, gas) : No data available Upper explosion limit : No data available Lower explosion limit : No data available Vapor pressure : No data available

Relative vapor density : No data available

: 1.053 - 1.063 Relative density : No data available Water solubility

Solubility in other solvents : No data available Partition coefficient: n-

octanol/water

: No data available

Autoignition temperature : No data available : No data available Thermal decomposition : No data available Viscosity, kinematic Explosive properties : No data available Oxidizing properties : No data available Molecular weight : No data available VOC : No data available

# **SECTION 10. STABILITY AND REACTIVITY**

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

: Do not mix with bleach or other chlorinated products – will cause

chlorine gas.

### **ECOLBIT**

Conditions to avoid : None known.

Incompatible materials : None known.

Hazardous decomposition

products

: Decomposition products may include the following materials:

Carbon oxides

Nitrogen oxides (NOx)

Sulfur oxides

Oxides of phosphorus

## **SECTION 11. TOXICOLOGICAL INFORMATION**

Information on likely routes of : Inhalation, Eye contact, Skin contact

exposure

**Potential Health Effects** 

Eyes : Causes serious eye damage.

Skin : Causes severe skin burns.

Ingestion : Causes digestive tract burns.

Inhalation : May cause nose, throat, and lung irritation.

Chronic Exposure : Health injuries are not known or expected under normal use.

### **Experience with human exposure**

Eye contact : Redness, Pain, Corrosion

Skin contact : Redness, Pain, Corrosion

Ingestion : Corrosion, Abdominal pain

Inhalation : Respiratory irritation, Cough

**Toxicity** 

Acute oral toxicity : Acute toxicity estimate : > 5,000 mg/kg Acute inhalation toxicity : 4 h Acute toxicity estimate : > 40 mg/l : Acute toxicity estimate : > 5,000 mg/kg Acute dermal toxicity

Skin corrosion/irritation : No data available Serious eye damage/eye : No data available

irritation

Respiratory or skin

sensitization

: No data available

Carcinogenicity

**IARC** No component of this product present at levels greater than or equal

to 0.1% is identified as probable, possible or confirmed human

carcinogen by IARC.

**OSHA** No ingredient of this product present at levels greater than or equal to

0.1% is identified as a carcinogen or potential carcinogen by OSHA.

NTP No ingredient of this product present at levels greater than or equal to

## **ECOLBIT**

0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive effects : No data available Germ cell mutagenicity : No data available Teratogenicity : No data available STOT-single exposure : No data available STOT-repeated exposure : No data available Aspiration toxicity : No data available

## **SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity** 

**Environmental Effects** : This product has no known ecotoxicological effects.

**Product** 

: No data available Toxicity to fish Toxicity to daphnia and other : No data available

aquatic invertebrates

Toxicity to algae : No data available

Ingredients

Toxicity to fish : 2-butoxyethanol

96 h LC50: 1,474 mg/l

sodium metasilicate 96 h LC50 Fish: 210 mg/l

dodecylbenzene sulfonic acid 96 h LC50 Fish: 4.3 mg/l

Ingredients

Toxicity to daphnia and other : 2-butoxyethanol

aquatic invertebrates

48 h EC50: 690 mg/l

sodium hydroxide 48 h EC50: 40 mg/l

Ingredients

Toxicity to algae : 2-butoxyethanol 72 h EC50: 911 mg/l

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

## **ECOLBIT**

No data available

# **SECTION 13. DISPOSAL CONSIDERATIONS**

Disposal methods : Where possible recycling is preferred to disposal or incineration. If

recycling is not practicable, dispose of in compliance with local

regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to

an approved waste handling site for recycling or disposal. Do not re-

use empty containers.

RCRA - Resource

Conservation and Recovery Authorization Act Hazardous

waste

: D002 (Corrosive)

### **SECTION 14. TRANSPORT INFORMATION**

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

## Land transport (DOT)

Not dangerous goods

### Sea transport (IMDG/IMO)

Not dangerous goods

### **SECTION 15. REGULATORY INFORMATION**

## **EPCRA - Emergency Planning and Community Right-to-Know**

#### **CERCLA Reportable Quantity**

Ingredients	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
dodecylbenzene sulfonic acid	27176-87-0	1000	52083

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Acute Health Hazard

SARA 302 : No chemicals in this material are subject to the reporting requirements

of SARA Title III, Section 302.

SARA 313 : The following components are subject to reporting levels established

by SARA Title III, Section 313:

2-butoxyethanol 111-76-2 4.9825 %

#### California Prop 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

### The ingredients of this product are reported in the following inventories:

916890 7 / 8

### **ECOLBIT**

#### **United States TSCA Inventory:**

On TSCA Inventory

#### Canadian Domestic Substances List (DSL):

All components of this product are on the Canadian DSL.

## Australia Inventory of Chemical Substances (AICS):

On the inventory, or in compliance with the inventory

#### New Zealand. Inventory of Chemical Substances:

On the inventory, or in compliance with the inventory

#### Japan. ENCS - Existing and New Chemical Substances Inventory:

On the inventory, or in compliance with the inventory

### Japan. ISHL - Inventory of Chemical Substances (METI) :

On the inventory, or in compliance with the inventory

### Korea. Korean Existing Chemicals Inventory (KECI):

On the inventory, or in compliance with the inventory

#### Philippines Inventory of Chemicals and Chemical Substances (PICCS):


On the inventory, or in compliance with the inventory

## China. Inventory of Existing Chemical Substances in China (IECSC):

On the inventory, or in compliance with the inventory

#### SECTION 16. OTHER INFORMATION

#### NFPA:



# HMIS III:

HEALTH	3
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,

2 = Moderate, 3 = High

4 = Extreme, \* = Chronic

Issuing date : 10/14/2014

Version : 1.0

Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

916890 8 / 8