

OPTIMER® 9602 PULV

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : OPTIMER® 9602 PULV

Other means of identification : Not applicable.

Recommended use : FLOCCULANT

Restrictions on use : Refer to available product literature or ask your local Sales

Representative for restrictions on use and dose limits.

Company : Nalco Company

1601 W. Diehl Road

Naperville, Illinois 60563-1198

USA

TEL: (630)305-1000

Emergency telephone

number

(800) 424-9300 (24 Hours) CHEMTREC

Issuing date : 06/09/2014

SECTION 2: HAZARDS IDENTIFICATION

GHS Classification

Not a hazardous substance or mixture.

GHS Label element

Hazard Statements : May form combustible dust concentrations in air

Precautionary Statements : **Prevention:**

Wash hands thoroughly after handling. Do not breathe dust.

Response:

Specific measures: consult MSDS Section 4.

Storage:

Store in accordance with local regulations.

Other hazards : None known.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

No hazardous ingredients

SECTION 4: FIRST AID MEASURES

In case of eye contact : Rinse with plenty of water. Get medical attention if symptoms occur.

In case of skin contact : Wash off with soap and plenty of water. Get medical attention if

symptoms occur.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

If inhaled : Get medical attention if symptoms occur.

Protection of first-aiders : In event of emergency assess the danger before taking action. Do

OPTIMER® 9602 PULV

not put yourself at risk of injury. If in doubt, contact emergency responders. Use personal protective equipment as required.

Notes to physician : Treat symptomatically.

See toxicological information (Section 11)

SECTION 5: FIREFIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable extinguishing

media

: None known.

Specific hazards during

firefighting

: May form explosive dust-air mixtures.

Empty product containers may contain product residue. Do not pressurize, cut, heat, weld, or expose containers to flame or

other sources of ignition.

Handling operations may generate combustible dust in the finely divided and suspended state. To reduce the potential for dust explosions and/or fire, do not permit dust to accumulate.

Hazardous combustion

products

: Carbon oxides

for firefighters

Special protective equipment : Use personal protective equipment.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

: Refer to protective measures listed in sections 7 and 8.

Environmental precautions : No special environmental precautions required.

Methods and materials for containment and cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with

non-combustible absorbent material, (e.g. sand, earth,

diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise

contain material to ensure runoff does not reach a waterway.

SECTION 7: HANDLING AND STORAGE

: For personal protection see section 8. Wash hands after handling. Advice on safe handling

Avoid generating dusts. Use with adequate ventilation.

Conditions for safe storage : Keep out of reach of children. Keep container tightly closed. Store in

suitable labeled containers. Store separately from oxidizers. Keep in

a dry place. Store away from heat and sources of ignition. Connections must be grounded to avoid electrical charges.

OPTIMER® 9602 PULV

Suitable material : The following compatibility data is suggested based on similar

> product data and/or industry experience: Compatibility with Plastic Materials can vary; we therefore recommend that compatibility is

tested prior to use.

Unsuitable material : not determined

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

: Good general ventilation should be sufficient to control worker Engineering measures

exposure to airborne contaminants.

Personal protective equipment

Eye protection : Safety glasses

Hand protection : Wear protective gloves.

Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Skin protection : Wear suitable protective clothing.

Respiratory protection : No personal respiratory protective equipment normally required.

: Wash hands before breaks and immediately after handling the Hygiene measures

product.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Powder Colour White Odour Slight

Flash point does not flash pΗ

5.5 - 7.5, 0.5 %

Method: ASTM E 70

Odour Threshold : no data available : no data available Melting point/freezing point Initial boiling point and boiling : no data available

range

Evaporation rate : no data available Flammability (solid, gas) : no data available Upper explosion limit : no data available Lower explosion limit : no data available Vapour pressure : no data available Relative vapour density : no data available Relative density : no data available

OPTIMER® 9602 PULV

Density : no data available Water solubility : completely soluble Solubility in other solvents : no data available Partition coefficient: n-: no data available

octanol/water

Auto-ignition temperature : no data available : Carbon oxides Thermal decomposition Viscosity, dynamic : no data available Viscosity, kinematic : no data available

VOC : 0.1 %

SECTION 10: STABILITY AND REACTIVITY

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

: No dangerous reaction known under conditions of normal use.

: Moisture

Conditions to avoid Heat

> and sources of ignition including static discharges. Avoid generating dusts.

Incompatible materials : Contact with strong oxidizers (e.g. chlorine, peroxides, chromates,

nitric acid, perchlorate, concentrated oxygen, permanganate) may

generate heat, fires, explosions and/or toxic vapors.

Hazardous decomposition

products

: Oxides of carbon Oxides of nitrogen

SECTION 11: TOXICOLOGICAL INFORMATION

Information on likely routes of : Eye contact, Skin contact

exposure

Potential Health Effects

Eyes : Health injuries are not known or expected under normal use.

Skin Health injuries are not known or expected under normal use.

Ingestion : Health injuries are not known or expected under normal use.

Inhalation : Health injuries are not known or expected under normal use.

Chronic Exposure : Health injuries are not known or expected under normal use.

Experience with human exposure

Eye contact : No symptoms known or expected.

Skin contact : No symptoms known or expected.

Ingestion : No symptoms known or expected.

Inhalation : No symptoms known or expected.

OPTIMER® 9602 PULV

Toxicity

Product

Acute oral toxicity : LD50 rat: > 5,000 mg/kg

Test substance: Product

: Acute toxicity estimate : > 10 mg/l Acute inhalation toxicity

Exposure time: 4 h

Acute dermal toxicity : no data available

Skin corrosion/irritation : no data available

Serious eye damage/eye

irritation

: no data available

Respiratory or skin

sensitization

: no data available

Carcinogenicity : no data available

Reproductive effects : no data available

Germ cell mutagenicity : no data available

Teratogenicity : no data available

STOT - single exposure : no data available

STOT - repeated exposure : no data available

Aspiration toxicity : no data available

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity

Environmental Effects : This product has no known ecotoxicological effects.

Product

: LC50 Fathead Minnow: > 1,000 mg/l Toxicity to fish

> Exposure time: 96 hrs Test substance: Product

aquatic invertebrates

Toxicity to daphnia and other : EC50 Daphnia magna: 43.3 mg/l

Exposure time: 48 hrs Test substance: Product

Toxicity to algae : LC50 Green Algae (Pseudokirchneriella subcapitata,

previously Selenastrum capricornutum): > 500 mg/l

Exposure time: 96 hrs Test substance: Product

OPTIMER® 9602 PULV

Persistence and degradability

The organic portion of this preparation is expected to be poorly biodegradable.

Mobility

The environmental fate was estimated using a level III fugacity model embedded in the EPI (estimation program interface) Suite TM, provided by the US EPA. The model assumes a steady state condition between the total input and output. The level III model does not require equilibrium between the defined media. The information provided is intended to give the user a general estimate of the environmental fate of this product under the defined conditions of the models.

If released into the environment this material is expected to distribute to the air, water and soil/sediment in the approximate respective percentages;

The portion in water is expected to float on the surface.

Bioaccumulative potential

This preparation or material is not expected to bioaccumulate.

Other information

no data available

SECTION 13: DISPOSAL CONSIDERATIONS

If this product becomes a waste, it is not a hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA) 40 CFR 261, since it does not have the characteristics of Subpart C, nor is it listed under Subpart D.

Disposal methods : Where possible recycling is preferred to disposal or

incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an

approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be

taken to an approved waste handling site for recycling or

disposal. Do not re-use empty containers.

SECTION 14: TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (DOT)

Proper shipping name : PRODUCT IS NOT REGULATED DURING

TRANSPORTATION

Air transport (IATA)

Proper shipping name : PRODUCT IS NOT REGULATED DURING

TRANSPORTATION

OPTIMER® 9602 PULV

Sea Transport (IMDG/IMO)

Proper shipping name : PRODUCT IS NOT REGULATED DURING

TRANSPORTATION

SECTION 15: REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : No SARA Hazards

SARA 302 : SARA 302: No chemicals in this material are subject to the reporting

requirements of SARA Title III, Section 302.

SARA 313 : SARA 313: This material does not contain any chemical components

with known CAS numbers that exceed the threshold (De Minimis)

reporting levels established by SARA Title III, Section 313.

California Prop 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

INTERNATIONAL CHEMICAL CONTROL LAWS:

TOXIC SUBSTANCES CONTROL ACT (TSCA)

The substances in this preparation are included on or exempted from the TSCA 8(b) Inventory (40 CFR 710)

CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA)

The substance(s) in this preparation are included in or exempted from the Domestic Substance List (DSL).

AUSTRALIA

All substances in this product comply with the National Industrial Chemicals Notification & Assessment Scheme (NICNAS).

EUROPE

The substances in this preparation have been reviewed for compliance with the EINECS or ELINCS inventories.

JAPAN

All substances in this product comply with the Law Regulating the Manufacture and Importation Of Chemical Substances and are listed on the Existing and New Chemical Substances list (ENCS).

KOREA

All substances in this product comply with the Toxic Chemical Control Law (TCCL) and are listed on the Existing Chemicals List (ECL)

NEW ZEALAND

All substances in this product comply with the Hazardous Substances and New Organisms (HSNO) Act 1996, and are listed on or are exempt from the New Zealand Inventory of Chemicals.


OPTIMER® 9602 PULV

PHILIPPINES

All substances in this product comply with the Republic Act 6969 (RA 6969) and are listed on the Philippines Inventory of Chemicals & Chemical Substances (PICCS).

SECTION 16: OTHER INFORMATION

NFPA:



Special hazard.

HMIS III:

| HEALTH | 1 |
|-----------------|---|
| FLAMMABILITY | 0 |
| PHYSICAL HAZARD | 0 |

0 = not significant, 1 = Slight, 2 = Moderate, 3 = High 4 = Extreme, * = Chronic

Revision Date : 06/09/2014

Version Number : 1.0

Prepared By : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

For additional copies of an MSDS visit www.nalco.com and request access.