

SAFETY DATA SHEET



MAXFORCE® IMPACT® ROACH GEL BAIT

Version 3.0 / USA
102000027617

1/11
Revision Date: 11/18/2020
Print Date: 11/19/2020

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Trade name	MAXFORCE® IMPACT® ROACH GEL BAIT
Product code (UVP)	80915004
SDS Number	102000027617
EPA Registration No.	432-1531

Relevant identified uses of the substance or mixture and uses advised against

Use	Insecticide
Restrictions on use	See product label for restrictions.
Information on supplier	
Supplier	Bayer Environmental Science A division of Bayer CropScience LP 5000 Centregreen Way, Suite 400 Cary, NC 27513 USA
Responsible Department	Email: SDSINFO.BCS-NA@bayer.com
Emergency telephone no.	
Emergency Telephone Number (24hr/ 7 days)	1-800-334-7577
Product Information Telephone Number	1-800-331-2867

SECTION 2: HAZARDS IDENTIFICATION

Classification in accordance with regulation HCS 29CFR §1910.1200

This material is not hazardous under the criteria of the Federal OSHA Hazard Communication Standard 29CFR 1910.1200.

Hazards Not Otherwise Classified (HNOC)

No physical hazards not otherwise classified.
No health hazards not otherwise classified.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component Name	CAS-No.	Concentration % by weight
Clothianidin	210880-92-5	1.0

SAFETY DATA SHEET



MAXFORCE® IMPACT® ROACH GEL BAIT

Version 3.0 / USA
102000027617

2/11
Revision Date: 11/18/2020
Print Date: 11/19/2020

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General advice	When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment.
Inhalation	Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately.
Skin contact	Take off contaminated clothing and shoes immediately. Wash off immediately with plenty of water for at least 15 minutes. Call a physician or poison control center immediately.
Eye contact	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.
Ingestion	Call a physician or poison control center immediately. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Rinse out mouth and give water in small sips to drink. Never give anything by mouth to an unconscious person. Do not leave victim unattended.

Most important symptoms and effects, both acute and delayed

Symptoms No symptoms known or expected.

Indication of any immediate medical attention and special treatment needed

Treatment Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable High volume water jet

Special hazards arising from the substance or mixture Dangerous gases are evolved in the event of a fire.

Advice for firefighters

Special protective equipment for firefighters In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.

Further information Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.

SAFETY DATA SHEET



MAXFORCE® IMPACT® ROACH GEL BAIT

Version 3.0 / USA
102000027617

3/11
Revision Date: 11/18/2020
Print Date: 11/19/2020

Flash point	98 - 101 °C No flash point - Determination conducted up to the boiling point.
Auto-ignition temperature	465 °C / 869 °F
Lower explosion limit	No data available
Upper explosion limit	No data available
Explosivity	Not explosive 92/69/EEC, A.14 / OECD 113

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Precautions	Keep unauthorized people away. Isolate hazard area. Avoid contact with spilled product or contaminated surfaces.
--------------------	--

Methods and materials for containment and cleaning up

Methods for cleaning up	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal. Clean contaminated floors and objects thoroughly, observing environmental regulations.
--------------------------------	---

Additional advice	Use personal protective equipment. If the product is accidentally spilled, do not allow to enter soil, waterways or waste water canal.
--------------------------	--

Reference to other sections	Information regarding safe handling, see section 7. Information regarding personal protective equipment, see section 8. Information regarding waste disposal, see section 13.
------------------------------------	---

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling	No specific precautions required when handling unopened packs/containers; follow relevant manual handling advice.
--------------------------------	---

Hygiene measures	Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean clothing.
-------------------------	--

Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area. Protect from freezing.
--	---

SAFETY DATA SHEET



MAXFORCE® IMPACT® ROACH GEL BAIT

Version 3.0 / USA
102000027617

4/11
Revision Date: 11/18/2020
Print Date: 11/19/2020

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Clothianidin	210880-92-5	2.8 mg/m ³ (TWA)		OES BCS*

*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection

Respiratory protection is not required under anticipated circumstances of exposure.
Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

Hand protection

Chemical resistant nitrile rubber gloves

Eye protection

Safety glasses with side-shields

Skin and body protection

Wear long-sleeved shirt and long pants and shoes plus socks.

General protective measures

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid water.
Keep and wash PPE separately from other laundry.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Form	gel
Colour	white to beige
Odour	weak, characteristic
Odour Threshold	No data available
pH	4.7 - 5.2 (1 %) (23 °C) (CIPAC D water (342ppm))
Melting point/range	No data available
Boiling point/boiling range	98 - 101 °C
Flash point	98 - 101 °C No flash point - Determination conducted up to the boiling point.
Flammability	No data available

SAFETY DATA SHEET



MAXFORCE® IMPACT® ROACH GEL BAIT

Version 3.0 / USA
102000027617

5/11
Revision Date: 11/18/2020
Print Date: 11/19/2020

Auto-ignition temperature	465 °C
Minimum ignition energy	No data available
Self-accelarating decomposition temperature (SADT)	No data available
Upper explosion limit	No data available
Lower explosion limit	No data available
Vapour pressure	No data available
Evaporation rate	No data available
Relative vapour density	No data available
Relative density	No data available
Density	ca. 1.10 g/cm ³ (20 °C)
Water solubility	soluble
Partition coefficient: n-octanol/water	Clothianidin: log Pow: 0.9
Viscosity, dynamic	>= 20,000 mPa.s (20 °C) Velocity gradient 10 /s
Viscosity, kinematic	No data available
Oxidizing properties	No oxidizing properties
Explosivity	Not explosive 92/69/EEC, A.14 / OECD 113
Other information	Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY

Reactivity

Thermal decomposition	Stable under normal conditions.
Chemical stability	Stable under recommended storage conditions.
Possibility of hazardous reactions	No hazardous reactions when stored and handled according to prescribed instructions.

SAFETY DATA SHEET



MAXFORCE® IMPACT® ROACH GEL BAIT

Version 3.0 / USA
102000027617

6/11
Revision Date: 11/18/2020
Print Date: 11/19/2020

Conditions to avoid	Extremes of temperature and direct sunlight.
Incompatible materials	No incompatible materials known.
Hazardous decomposition products	No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes	Eye contact, Skin contact, Ingestion
Immediate Effects	
Eye	Not expected to produce significant adverse effects when recommended use instructions are followed.
Skin	Not expected to produce significant adverse effects when recommended use instructions are followed.
Ingestion	Not expected to produce significant adverse effects when recommended use instructions are followed.
Inhalation	Not expected to produce significant adverse effects when recommended use instructions are followed.
Information on toxicological effects	
Acute oral toxicity	LD50 (Rat) > 5,000 mg/kg
Acute inhalation toxicity	During intended and foreseen applications, no respirable aerosol is formed.
Acute dermal toxicity	LD50 (Rat) > 5,000 mg/kg
Skin corrosion/irritation	No skin irritation (Rabbit)
Serious eye damage/eye irritation	Minimally irritating. (Rabbit)
Respiratory or skin sensitisation	Skin: Non-sensitizing. (Mouse) OECD Test Guideline 429, local lymph node assay (LLNA)

Assessment STOT Specific target organ toxicity – single exposure

Clothianidin: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity – repeated exposure

Clothianidin did not cause specific target organ toxicity in experimental animal studies.

Assessment mutagenicity

Clothianidin was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Clothianidin was not carcinogenic in lifetime feeding studies in rats and mice.

SAFETY DATA SHEET



MAXFORCE® IMPACT® ROACH GEL BAIT

Version 3.0 / USA
102000027617

7/11
Revision Date: 11/18/2020
Print Date: 11/19/2020

ACGIH

None.

NTP

None.

IARC

None.

OSHA

None.

Assessment toxicity to reproduction

Clothianidin caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Clothianidin is related to parental toxicity.

Assessment developmental toxicity

Clothianidin did not cause developmental toxicity in rats.

Clothianidin caused developmental toxicity in rabbits only at dose levels toxic to the dams. The developmental effects seen with Clothianidin are related to maternal toxicity.

Aspiration hazard

Based on available data, the classification criteria are not met.

Further information

Only acute toxicity studies have been performed on the formulated product.

The non-acute information pertains to the active ingredient(s).

SECTION 12: ECOLOGICAL INFORMATION

Toxicity to fish

LC50 (Oncorhynchus mykiss (rainbow trout)) > 104.2 mg/l
Exposure time: 96 h
The value mentioned relates to the active ingredient clothianidin.

Toxicity to aquatic invertebrates

EC50 (Daphnia magna (Water flea)) > 40 mg/l
Exposure time: 48 h
The value mentioned relates to the active ingredient clothianidin.

EC50 (Chironomus riparius (non-biting midge)) 0.029 mg/l
Exposure time: 48 h
The value mentioned relates to the active ingredient clothianidin.

Chronic toxicity to aquatic invertebrates

NOEC (Daphnia (water flea)): 0.12 mg/l
Exposure time: 21 d
The value mentioned relates to the active ingredient clothianidin.

EC15 (Chironomus riparius (non-biting midge)): 0.00072 mg/l
Exposure time: 28 d

SAFETY DATA SHEET



MAXFORCE® IMPACT® ROACH GEL BAIT

Version 3.0 / USA
102000027617

8/11
Revision Date: 11/18/2020
Print Date: 11/19/2020

The value mentioned relates to the active ingredient clothianidin.

Toxicity to aquatic plants	EC50 (Raphidocelis subcapitata (freshwater green alga)) > 120 mg/l Growth rate; Exposure time: 72 h The value mentioned relates to the active ingredient clothianidin. EC50 (Lemna gibba (gibbous duckweed)) > 121 mg/l Exposure time: 14 d The value mentioned relates to the active ingredient clothianidin.
Biodegradability	Clothianidin: Not rapidly biodegradable
Koc	Clothianidin: Koc: 84 - 345
Bioaccumulation	Clothianidin: Does not bioaccumulate.
Mobility in soil	Clothianidin: Moderately mobile in soils
Results of PBT and vPvB assessment	
PBT and vPvB assessment	Clothianidin: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).
Additional ecological information	No other effects to be mentioned.
Environmental precautions	Do not allow to get into surface water, drains and ground water.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product	It is best to use all of the product in accordance with label directions. If it is necessary to dispose of unused product, please follow container label instructions and applicable local guidelines. Never place unused product down any indoor or outdoor drain.
Contaminated packaging	Do not re-use empty containers. Place empty container in trash. Follow advice on product label and/or leaflet.
RCRA Information	Characterization and proper disposal of this material as a special or hazardous waste is dependent upon Federal, State and local laws and are the user's responsibility. RCRA classification may apply.

SECTION 14: TRANSPORT INFORMATION

49CFR	Not dangerous goods / not hazardous material
IMDG	

SAFETY DATA SHEET



MAXFORCE® IMPACT® ROACH GEL BAIT

Version 3.0 / USA
102000027617

9/11
Revision Date: 11/18/2020
Print Date: 11/19/2020

UN number	3082
Class	9
Packaging group	III
Marine pollutant	YES
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CLOTHIANIDIN SOLUTION)

IATA

UN number	3082
Class	9
Packaging group	III
Environm. Hazardous Mark	YES
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CLOTHIANIDIN SOLUTION)

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

Freight Classification: INSECTICIDES OR FUNGICIDES, N.O.I., OTHER THAN POISON

SECTION 15: REGULATORY INFORMATION

EPA Registration No. 432-1531

US Federal Regulations

TSCA list

Water	7732-18-5
Syrups, hydrolyzed starch	8029-43-4
Glycerine	56-81-5
Sucrose	57-50-1

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

No export notification needs to be made.

SARA Title III - Section 302 - Notification and Information

Not applicable.

SARA Title III - Section 313 - Toxic Chemical Release Reporting

None.

US States Regulatory Reporting

CA Prop65

This product does not contain any substances known to the State of California to cause cancer.

This product does not contain any substances known to the State of California to cause reproductive harm.

US State Right-To-Know Ingredients

SAFETY DATA SHEET



MAXFORCE® IMPACT® ROACH GEL BAIT

Version 3.0 / USA
102000027617

10/11
Revision Date: 11/18/2020
Print Date: 11/19/2020

Glycerine	56-81-5	MN, RI
Sucrose	57-50-1	MN, RI

Environmental

CERCLA

None.

Clean Water Section 307(a)(1)

None.

Safe Drinking Water Act Maximum Contaminant Levels

None.

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms

49CFR	Code of Federal Regulations, Title 49
ACGIH	US. ACGIH Threshold Limit Values
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
N.O.S.	Not otherwise specified
NTP	US. National Toxicology Program (NTP) Report on Carcinogens
OECD	Organization for Economic Co-operation and Development
TDG	Transportation of Dangerous Goods
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

NFPA 704 (National Fire Protection Association):

Health - 0	Flammability - 1	Instability - 0	Others - none
------------	------------------	-----------------	---------------

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 0	Flammability - 1	Physical Hazard - 0	PPE -
------------	------------------	---------------------	-------

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason for Revision: The following sections have been revised: Section 3: Composition / Information on Ingredients. Section 8: Exposure Controls / Personal Protection. Reviewed and updated for general editorial purposes.

Revision Date: 11/18/2020

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are

SAFETY DATA SHEET



MAXFORCE® IMPACT® ROACH GEL BAIT

Version 3.0 / USA
102000027617

11/11

Revision Date: 11/18/2020

Print Date: 11/19/2020

registered trademarks of Bayer.